

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 20-122

GTA ProjNo: 081522-10

Site Addr: KALKASKA 5 NORTH

Sampled By: WPM/JY - OMPC

Date Rec: 8/15/2022

Time Rec: 4:40 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	8/11/2022	11:45 AM	WATER
2	MW-4D	8/12/2022	4:00 PM	WATER
3	MW-5D	8/12/2022	3:00 PM	WATER
4	MW-6D	8/11/2022	10:25 AM	WATER
5	MW-7D	8/11/2022	1:35 PM	WATER
6	MW-8D	8/11/2022	11:00 AM	WATER
7	MW-10D	8/11/2022	12:45 PM	WATER
8	MW-17D	8/12/2022	2:15 PM	WATER
9	MW-18	8/11/2022	1:25 PM	WATER
10	MW-21DR	8/11/2022	11:55 AM	WATER
11	MW-23	8/10/2022	1:10 PM	WATER
12	MW-23D	8/10/2022	2:10 PM	WATER
13	MW-24D	8/11/2022	10:30 AM	WATER
14	MW-25D	8/11/2022	2:45 PM	WATER
15	MW-26D	8/12/2022	4:30 PM	WATER
16	MW-22D	8/11/2022	3:45 PM	WATER
17	MW-28DD	8/10/2022	3:40 PM	WATER
18	MW-29D	8/11/2022	3:15 PM	WATER
19	MW-30D	8/12/2022	11:35 AM	WATER
20	MW-31D	8/12/2022	11:00 AM	WATER
21	MW-32S	8/10/2022	11:05 AM	WATER
22	MW-32D	8/10/2022	12:10 PM	WATER
23	MW-33D	8/10/2022	12:05 PM	WATER
24	MW-34D	8/11/2022	9:30 AM	WATER
25	MW-36D	8/12/2022	11:15 AM	WATER
26	MW-37D	8/12/2022	1:00 PM	WATER
27	MW-38D	8/12/2022	12:10 PM	WATER
28	MW-39D	8/12/2022	12:15 PM	WATER
29	MW-40D	8/12/2022	1:05 PM	WATER
30	MW-42D	8/12/2022	2:40 PM	WATER
31	MW-45D	8/12/2022	1:45 PM	WATER
32	MW-46D	8/11/2022	3:10 PM	WATER
33	MW-47	8/11/2022	12:30 PM	WATER
34	MW-48	8/10/2022	3:45 PM	WATER
35	MW-49	8/10/2022	2:45 PM	WATER
36	RW-3	8/11/2022	10:00 AM	WATER



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-7D

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 5
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 1:35 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM
SAMPLED BY: WPM/JY - OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		8/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-10D

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 7
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 12:45 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM
SAMPLED BY: WPM/JY - OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		8/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-26D

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 15
DATE SAMPLED: 8/12/2022
TIME SAMPLED: 4:30 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM
SAMPLED BY: WPM/JY - OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	4.4	1.0	ug/L (PPB)	MR		8/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 1
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 2
DATE SAMPLED: 8/12/2022
TIME SAMPLED: 4:00 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4D							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 3
DATE SAMPLED: 8/12/2022
TIME SAMPLED: 3:00 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-5D							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 4
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 10:25 AM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-6D							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 5

DATE SAMPLED: 8/11/2022

TIME SAMPLED: 1:35 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-7D						
	CHLORIDE EPA 300.0	32	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081522-10

PROJECT NO: 20-122

GTA SAMPLE NO: 6

LOCATION: KALKASKA 5 NORTH

DATE SAMPLED: 8/11/2022

TIME SAMPLED: 11:00 AM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

MI

SAMPLED BY: WPM/JY - OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-8D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

ND

10

mg/L (PPM)

KC/TR

8/19/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 7
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 12:45 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-10D							
CHLORIDE EPA 300.0		12	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 8
DATE SAMPLED: 8/12/2022
TIME SAMPLED: 2:15 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-17D							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081522-10

PROJECT NO: 20-122

GTA SAMPLE NO: 9

LOCATION: KALKASKA 5 NORTH

DATE SAMPLED: 8/11/2022

TIME SAMPLED: 1:25 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

MI

SAMPLED BY: WPM/JY - OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-18

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

19

10

mg/L (PPM)

KC/TR

8/19/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 10
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 11:55 AM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-21DR CHLORIDE EPA 300.0	28	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 11
DATE SAMPLED: 8/10/2022
TIME SAMPLED: 1:10 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-23							
CHLORIDE EPA 300.0		110	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 12
DATE SAMPLED: 8/10/2022
TIME SAMPLED: 2:10 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-23D							
CHLORIDE EPA 300.0		1,400	50	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 13
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 10:30 AM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-24D						
	CHLORIDE EPA 300.0	13	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 14
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 2:45 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-25D							
CHLORIDE EPA 300.0		75	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081522-10

PROJECT NO: 20-122

GTA SAMPLE NO: 15

LOCATION: KALKASKA 5 NORTH

DATE SAMPLED: 8/12/2022

TIME SAMPLED: 4:30 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

MI

SAMPLED BY: WPM/JY - OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-26D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

60

10

mg/L (PPM)

KC/TR

8/19/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081522-10

PROJECT NO: 20-122

GTA SAMPLE NO: 16

LOCATION: KALKASKA 5 NORTH

DATE SAMPLED: 8/11/2022

TIME SAMPLED: 3:45 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

MI

SAMPLED BY: WPM/JY - OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-22D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

51

10

mg/L (PPM)

KC/TR

8/19/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 17

DATE SAMPLED: 8/10/2022

TIME SAMPLED: 3:40 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLED BY: MI
WPM/JY - OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-28DD

CHLORIDE EPA 300.0

Concentration

56

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

8/19/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 18

DATE SAMPLED: 8/11/2022

TIME SAMPLED: 3:15 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-29D

CHLORIDE EPA 300.0

Concentration

38

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

8/19/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 19
DATE SAMPLED: 8/12/2022
TIME SAMPLED: 11:35 AM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-30D						
	CHLORIDE EPA 300.0	86	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 20
DATE SAMPLED: 8/12/2022
TIME SAMPLED: 11:00 AM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-31D CHLORIDE EPA 300.0	65	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 21
DATE SAMPLED: 8/10/2022
TIME SAMPLED: 11:05 AM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-32S							
CHLORIDE EPA 300.0		57	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 22
DATE SAMPLED: 8/10/2022
TIME SAMPLED: 12:10 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-32D							
CHLORIDE EPA 300.0		86	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 23
DATE SAMPLED: 8/10/2022
TIME SAMPLED: 12:05 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-33D							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	8/19/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 24
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 9:30 AM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-34D							
CHLORIDE EPA 300.0		19	10	mg/L (PPM)	KC/TR	8/20/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081522-10

PROJECT NO: 20-122

GTA SAMPLE NO: 25

LOCATION: KALKASKA 5 NORTH

DATE SAMPLED: 8/12/2022

TIME SAMPLED: 11:15 AM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

MI

SAMPLED BY: WPM/JY - OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-36D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

17

10

mg/L (PPM)

KC/TR

8/20/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 26

DATE SAMPLED: 8/12/2022

TIME SAMPLED: 1:00 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-37D

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
47	10	mg/L (PPM)	KC/TR	8/20/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 27
DATE SAMPLED: 8/12/2022
TIME SAMPLED: 12:10 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-38D							
CHLORIDE EPA 300.0		20	10	mg/L (PPM)	KC/TR	8/20/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 28

DATE SAMPLED: 8/12/2022

TIME SAMPLED: 12:15 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLED BY: MI
WPM/JY - OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-39D

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
14	10	mg/L (PPM)	KC/TR	8/20/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 29
DATE SAMPLED: 8/12/2022
TIME SAMPLED: 1:05 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-40D							
CHLORIDE EPA 300.0		47	10	mg/L (PPM)	KC/TR	8/20/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 30

DATE SAMPLED: 8/12/2022

TIME SAMPLED: 2:40 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLED BY: MI
WPM/JY - OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-42D

CHLORIDE EPA 300.0

Concentration

19

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

8/20/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 31

DATE SAMPLED: 8/12/2022

TIME SAMPLED: 1:45 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLED BY: MI
WPM/JY - OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-45D

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
61	10	mg/L (PPM)	KC/TR	8/20/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 32
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 3:10 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-46D							
CHLORIDE EPA 300.0		66	10	mg/L (PPM)	KC/TR	8/20/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLED BY: WPM/JY - OMPC

GTA PROJECT NO: 081522-10
GTA SAMPLE NO: 33
DATE SAMPLED: 8/11/2022
TIME SAMPLED: 12:30 PM
DATE RECEIVED: 8/15/2022
TIME RECEIVED: 4:40 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-47							
CHLORIDE EPA 300.0		19	10	mg/L (PPM)	KC/TR	8/20/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 34

DATE SAMPLED: 8/10/2022

TIME SAMPLED: 3:45 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLED BY: MI
WPM/JY - OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-48

CHLORIDE EPA 300.0

Concentration

86

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

8/20/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 35

DATE SAMPLED: 8/10/2022

TIME SAMPLED: 2:45 PM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLED BY: MI
WPM/JY - OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-49

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

8/20/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 081522-10

GTA SAMPLE NO: 36

DATE SAMPLED: 8/11/2022

TIME SAMPLED: 10:00 AM

DATE RECEIVED: 8/15/2022

TIME RECEIVED: 4:40 PM

SAMPLED BY: MI
WPM/JY - OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: RW-3

CHLORIDE EPA 300.0

Concentration

160

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

8/20/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

04/3

CHAIN OF CUSTODY

PROJECT NUMBER 20-122	SITE NAME/ADDRESS Kalkaska 5 North	COMPANY/NAME Lambert
SAMPLED BY WPM/SY	COMPANY OMPC	GTA PROJECT # 081522-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	8-11-22	1145	H ₂ O	Chlorides + toxicity
2	MW-4D	8-12-22	1600		
3	MW-5D	8-12-22	1500		
4	MW-6D	8-11-22	1025		
5	MW-7D	8-11-22	1335		HIPs
6	MW-8D	8-11-22	1100		
7	MW-10D	8-11-22	1245		HIPs
8	MW-17D	8-12-22	1415		
9	MW-18	8-11-22	1325		
10	MW-21DR	8-11-22	1155		
11	MW-23	8-10-22	1310		
12	MW-23D	8-10-22	1410		
13	MW-24D	8-11-22	1030		
14	MW-25D	8-11-22	1445		
15	MW-26D	8-12-22	1630		HIPs, Chlorides

BILL TO:	TempRec: ☐ Y ☐ N	REPORT TO: Dan Barton
	On Ice? ☒ ☐	

RELEASED BY [Signature]	DATE/TIME 8/15/22	RECEIVED BY [Signature]	DATE/TIME 8/15/22 4:40 rec 20°C over
-----------------------------------	-----------------------------	-----------------------------------	--

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

2 of 3

CHAIN OF CUSTODY

PROJECT NUMBER 20-122	SITE NAME/ADDRESS Kalkaska S North	COMPANY/NAME Lambert
SAMPLED BY WPM/JY	COMPANY OMPC	GTA PROJECT # 081522-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
16	MW-22D	8-11-22	1545	H ₂ O	Chlorides
17	MW-28D	8-10-22	1540		
18	MW-29D	8-11-22	1515		
19	MW-30D	8-12-22	1135		
20	MW-31D	8-12-22	1100		
21	MW-32S	8-10-22	1105		
22	MW-32D	8-10-22	1210		
23	MW-33D	8-10-22	1205		
24	MW-34D	8-11-22	930		
25	MW-36D	8-12-22	1115		
26	MW-37D	8-12-22	1300		
27	MW-38D	8-12-22	1210		
28	MW-39D	8-12-22	1215		
29	MW-40D	8-12-22	1305		
30	MW-42D	8-12-22	1440		

BILL TO:	TempRec: ☐ Y ☐ N	REPORT TO: Dan Barton
	On Ice? ☐ ☐	

RELEASED BY J. Ryz	DATE/TIME 8/15/22	RECEIVED BY JY	DATE/TIME 8/15/22 4:40

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

CHAIN OF CUSTODY

3013

PROJECT NUMBER 20-122	SITE NAME/ADDRESS Kalkaska 5 North	COMPANY/NAME Lambda
SAMPLED BY WPM/JY	COMPANY OMPC	GTA PROJECT # 081522-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
31	MW-45D	8-12-22	1345	H ₂ O	Chlorides
32	MW-46D	8-11-22	1510	↓	↓
33	MW-47	8-11-22	1230	↓	↓
34	MW-48	8-10-22	1545	↓	↓
35	MW-49	8-10-22	1445	↓	↓
36	RW-3	8-11-22	1000	↓	↓

BILL TO:	TempRec: ☐ Y ☐ N	REPORT TO: Dan Barton
On Ice? ☐ ☐		

RELEASED BY JD: 2/2	DATE/TIME 8-15-22	RECEIVED BY [Signature]	DATE/TIME 8/15/22 4:40

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS