

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 20-122

GTA ProjNo: 081721-7

Site Addr: KAL 5 NORTH

Sampled By: WPM/OMPC

Date Rec: 8/17/2021

Time Rec: 5:10 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-43D	8/11/2021	12:00 PM	WATER
2	MW-42D	8/11/2021	12:00 PM	WATER
3	MW-1	8/13/2021	12:00 PM	WATER
4	MW-10D	8/13/2021	12:40 PM	WATER
5	MW-5D	8/13/2021	12:00 PM	WATER
6	MW-17D	8/13/2021	12:00 PM	WATER
7	MW-18	8/13/2021	12:00 PM	WATER
8	MW-47	8/13/2021	12:00 PM	WATER
9	MW-23	8/12/2021	12:00 PM	WATER
10	MW-6D	8/12/2021	12:00 PM	WATER
11	MW-46D	8/12/2021	12:00 PM	WATER
12	MW-4D	8/12/2021	12:00 PM	WATER
13	MW-37D	8/12/2021	12:00 PM	WATER
14	MW-49	8/12/2021	12:00 PM	WATER
15	MW-32S	8/12/2021	12:00 PM	WATER
16	MW-48	8/12/2021	12:00 PM	WATER
17	MW-36D	8/12/2021	12:00 PM	WATER
18	MW-39D	8/12/2021	12:00 PM	WATER
19	MW-45D	8/12/2021	12:00 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KAL 5 NORTH
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-10D

GTA PROJECT NO: 081721-7
GTA SAMPLE NO: 4
DATE SAMPLED: 8/13/2021
TIME SAMPLED: 12:40 PM
DATE RECEIVED: 8/17/2021
TIME RECEIVED: 5:10 PM
SAMPLED BY: WPM/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		8/18/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 1

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/11/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-43D

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/20/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 2

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/11/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-42D

CHLORIDE EPA 300.0

Concentration

17

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/20/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 3

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/13/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-1

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/20/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 4

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/13/2021

TIME SAMPLED: 12:40 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-10D

CHLORIDE EPA 300.0

Concentration**LOD****Units****Analyst****Date Completed****Sample**

ND

10

mg/L (PPM)

LV

8/20/2021

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081721-7

GTA SAMPLE NO: 5

DATE SAMPLED: 8/13/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-5D

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/20/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	081721-7
PROJECT NO:	20-122	GTA SAMPLE NO:	6
LOCATION:	KAL 5 NORTH	DATE SAMPLED:	8/13/2021
		TIME SAMPLED:	12:00 PM
		DATE RECEIVED:	8/17/2021
		TIME RECEIVED:	5:10 PM
	MI		
SAMPLED BY:	WPM/OMPC		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-17D						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	8/21/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 7

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/13/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-18

CHLORIDE EPA 300.0

Concentration

16

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/21/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081721-7

GTA SAMPLE NO: 8

DATE SAMPLED: 8/13/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-47

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/21/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 9

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-23

CHLORIDE EPA 300.0

Concentration

98

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/21/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 10

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-6D

CHLORIDE EPA 300.0

Concentration

13

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/21/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 11

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-46D

CHLORIDE EPA 300.0

Concentration

75

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/21/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 12

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-4D

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample

ND

10

mg/L (PPM)

LV

8/21/2021

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 13

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-37D

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
20	10	mg/L (PPM)	LV	8/21/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 14

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-49

CHLORIDE EPA 300.0

Concentration

18

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/21/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 15

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-32S

CHLORIDE EPA 300.0

Concentration**LOD****Units****Analyst****Date Completed****Sample**

130

10

mg/L (PPM)

LV

8/21/2021

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 16

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-48

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
120	10	mg/L (PPM)	LV	8/21/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 17

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-36D	14	10	mg/L (PPM)	LV	8/24/2021	WATER
	CHLORIDE EPA 300.0						

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 18

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

MI

SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-39D

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
13	10	mg/L (PPM)	LV	8/24/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 081721-7

PROJECT NO: 20-122

GTA SAMPLE NO: 19

LOCATION: KAL 5 NORTH

DATE SAMPLED: 8/12/2021

TIME SAMPLED: 12:00 PM

DATE RECEIVED: 8/17/2021

TIME RECEIVED: 5:10 PM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-45D

CHLORIDE EPA 300.0

Concentration

25

LOD

10

Units

mg/L (PPM)

Analyst

LV

Date Completed

8/24/2021

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 20-122	SITE NAME/ADDRESS Kal S North	COMPANY/NAME Lambda
SAMPLED BY WPM	COMPANY CMPC	GTA PROJECT # 081721-7

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-43D	8/11/21	12:00	GW	Chlorides
2	MW-42D	8/11/21	↓	↓	↓
3	MW-1	8/13/21	↓	↓	↓
4	MW-10D	8/13/21	12:40	↓	Chlorides, BTEX
5	MW-5D	8/13/21	12:00	↓	Chlorides
6	MW-17D	8/13/21	↓	↓	↓
7	MW-18D	8/13/21	↓	↓	↓
8	MW-47	8/13/21	↓	↓	↓
9	MW-23	8/12/21	↓	↓	↓
10	MW-6D	↓	↓	↓	↓
11	MW-46D	↓	↓	↓	↓
12	MW-4D	↓	↓	↓	↓
13	MW-37D	↓	↓	↓	↓
14	MW-49	↓	↓	↓	↓
15	MW-32S	↓	↓	↓	↓

BILL TO:

Lambda

REPORT TO:

DBB

RELEASED BY

DATE/TIME

8/17/21 5:00pm

RECEIVED BY

DATE/TIME

8/17/21 5:00pm

rec SPC

DN/CE

REQUESTED TAT



STANDARD



1 BUSINESS DAY



2 BUSINESS DAYS



3 BUSINESS DAYS

CHAIN OF CUSTODY

PROJECT NUMBER 20-122	SITE NAME/ADDRESS Kalkaska 5 North	COMPANY/NAME Lambda
SAMPLED BY WPM	COMPANY OMPC	GTA PROJECT # 081721-7

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
6	MW-48	8/12/21	12:00	GW	Chlorides
7	MW-36D	↓	↓	↓	↓
8	MW-39D	↓	↓	↓	↓
9	MW-45D	↓	↓	↓	↓

BILL TO:

Lambda

REPORT TO:

Dan Barton

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

[Signature]

8/17/21 5:00PM

[Signature] 8/17/21 5:10

rec 5.0°C
Price

REQUESTED TAT

☒ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS