



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: BECKMAN PRODUCTIONS
Name:
ClientProj: 2021570001.01
GTA ProjNo: 062421-4

Site Addr: CORLEW 1-3 SWD

Sampled By: PETER KALLIOINEN/GCES
Date Rec: 6/24/2021
Time Rec: 4:05 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	GSI-8	6/23/2021		WATER
2	GSI-8 SURFACE	6/23/2021		WATER
3	GSI-9	6/23/2021		WATER
4	GSI-10	6/23/2021		WATER
5	GSI-11	6/23/2021		WATER
6	CULVERT	6/24/2021		WATER
7	MW-8	6/24/2021		WATER
8	MW-9	6/24/2021		WATER
9	MW-11	6/24/2021		WATER
10	MW-16	6/24/2021		WATER
11	MW-20	6/24/2021		WATER
12	MW-21D	6/24/2021		WATER
13	MW-22S	6/24/2021		WATER
14	MW-22M	6/24/2021		WATER
15	MW-23S	6/23/2021		WATER
16	MW-23M	6/23/2021		WATER
17	MW-23D	6/23/2021		WATER
18	MW-24D	6/24/2021		WATER
19	MW-27S	6/24/2021		WATER
20	MW-28	6/24/2021		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 1
 DATE SAMPLED: 6/23/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: GSI-8						
	CHLORIDE EPA 300.0	56	10	mg/L (PPM)	LV	6/25/2021	WATER
	TOTAL DISSOLVED SOLIDS EPA 160.1	440	5.0	mg/L (PPM)	TR	6/28/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 2021570001.01
LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
GTA SAMPLE NO: 2
DATE SAMPLED: 6/23/2021
TIME SAMPLED:
DATE RECEIVED: 6/24/2021
TIME RECEIVED: 4:05 PM

MI
SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: GSI-8 SURFACE						
	CHLORIDE EPA 300.0	62	10	mg/L (PPM)	LV	6/25/2021	WATER
	TOTAL DISSOLVED SOLIDS EPA 160.1	430	5.0	mg/L (PPM)	TR	6/28/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 2021570001.01
LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
GTA SAMPLE NO: 3
DATE SAMPLED: 6/23/2021
TIME SAMPLED:
DATE RECEIVED: 6/24/2021
TIME RECEIVED: 4:05 PM

MI
SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: GSI-9						
	CHLORIDE EPA 300.0	1,200	50	mg/L (PPM)	LV	6/25/2021	WATER
	TOTAL DISSOLVED SOLIDS EPA 160.1	3,500	5.0	mg/L (PPM)	TR	6/28/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 2021570001.01
LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
GTA SAMPLE NO: 4
DATE SAMPLED: 6/23/2021
TIME SAMPLED:
DATE RECEIVED: 6/24/2021
TIME RECEIVED: 4:05 PM

MI
SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: GSI-10						
	CHLORIDE EPA 300.0	14	10	mg/L (PPM)	LV	6/25/2021	WATER
	TOTAL DISSOLVED SOLIDS EPA 160.1	400	5.0	mg/L (PPM)	TR	6/28/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 2021570001.01
LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
GTA SAMPLE NO: 5
DATE SAMPLED: 6/23/2021
TIME SAMPLED:
DATE RECEIVED: 6/24/2021
TIME RECEIVED: 4:05 PM

MI
SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: GSI-11						
	CHLORIDE EPA 300.0	26	10	mg/L (PPM)	LV	6/25/2021	WATER
	TOTAL DISSOLVED SOLIDS EPA 160.1	370	5.0	mg/L (PPM)	TR	6/28/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: BECKMAN PRODUCTIONS
PROJECT NO: 2021570001.01
LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
GTA SAMPLE NO: 6
DATE SAMPLED: 6/24/2021
TIME SAMPLED:
DATE RECEIVED: 6/24/2021
TIME RECEIVED: 4:05 PM

MI
SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: CULVERT						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	LV	6/25/2021	WATER
	TOTAL DISSOLVED SOLIDS EPA 160.1	290	5.0	mg/L (PPM)	TR	6/28/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 7
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-8	CHLORIDE EPA 300.0	78	10	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 8
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-9	CHLORIDE EPA 300.0	740	50	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 9
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-11	CHLORIDE EPA 300.0	260	10	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 10
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-16	CHLORIDE EPA 300.0	540	50	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 11
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-20	CHLORIDE EPA 300.0	200	10	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 12
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-21D	CHLORIDE EPA 300.0	4,100	500	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD
 MI
 SAMPLED BY: PETER KALLIOINEN/GCES

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 13
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-22S CHLORIDE EPA 300.0	2,500	500	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD
 MI
 SAMPLED BY: PETER KALLIOINEN/GCES

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 14
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-22M	CHLORIDE EPA 300.0	730	50	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 15
 DATE SAMPLED: 6/23/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-23S	CHLORIDE EPA 300.0	590	50	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 16
 DATE SAMPLED: 6/23/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-23M	CHLORIDE EPA 300.0	2,200	100	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 17
 DATE SAMPLED: 6/23/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-23D	CHLORIDE EPA 300.0	9,400	1,000	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 18
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-24D	CHLORIDE EPA 300.0	20,000	1,000	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 19
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-27S CHLORIDE EPA 300.0	58	10	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: BECKMAN PRODUCTIONS
 PROJECT NO: 2021570001.01
 LOCATION: CORLEW 1-3 SWD

GTA PROJECT NO: 062421-4
 GTA SAMPLE NO: 20
 DATE SAMPLED: 6/24/2021
 TIME SAMPLED:
 DATE RECEIVED: 6/24/2021
 TIME RECEIVED: 4:05 PM

MI
 SAMPLED BY: PETER KALLIOINEN/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-28	CHLORIDE EPA 300.0	4,400	500	mg/L (PPM)	LV	6/25/2021	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 2021570001.01	SITE NAME/ADDRESS Corlew 1-3 SWD	COMPANY/NAME Beckman Prod. Svcs.
SAMPLED BY Peter Kallianen	COMPANY Gosling Czubak Eng.	GTA PROJECT # 000421-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	GSI-8	6-23-21		Water	Chloride TDS
2	GSI-8 Surface	↓			
3	GSI-9	↓			
4	GSI-10	↓			
5	GSI-11	↓			
6	Culvert	6-24-21			↓
7	MW-8	↓			
8	MW-9	↓			
9	MW-11	↓			
10	MW-16	↓			
11	MW-20	↓			
12	MW-21D	↓			
13	MW-22S	↓			
14	MW-22M	↓			
15	MW-23S	6-23-21			

BILL TO: Gosling Czubak Engineering
ATTN: Jeff Simsa

REPORT TO: Same

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
<i>[Signature]</i>	6-24-21 4:05	<i>[Signature]</i>	6/24/21 4:05

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

