

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: GRT
Name:
ClientProj:

Site Addr: CHARLEVOIX BUDGET

GTA ProjNo: 030821-1

Sampled By: BRAD RIZZO/GRT
Date Rec: 3/8/2021
Time Rec: 4:11 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	BETWEEN TANKS 1'	3/8/2021	2:00 PM	SOIL
2	WEST OF TANK 6'	3/8/2021	2:45 PM	SOIL
3	BUDGET TANK	3/8/2021	1:52 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO:
LOCATION: CHARLEVOIX BUDGET

SAMPLED BY: BRAD RIZZO/GRT
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 030821-1
GTA SAMPLE NO: 1

DATE SAMPLED: 3/8/2021
TIME SAMPLED: 2:00 PM
DATE RECEIVED: 3/8/2021
TIME RECEIVED: 4:11 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: BETWEEN TANKS 1'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/8/2021 Date Completed= 3/10/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO:
LOCATION: CHARLEVOIX BUDGET
SAMPLED BY: BRAD RIZZO/GRT
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 030821-1
GTA SAMPLE NO: 2
DATE SAMPLED: 3/8/2021
TIME SAMPLED: 2:45 PM
DATE RECEIVED: 3/8/2021
TIME RECEIVED: 4:11 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: WEST OF TANK 6'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/8/2021 Date Completed= 3/11/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	69	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	170	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	54	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	290	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	370	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	1,300	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	65	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	460	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	140	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	240	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO:
LOCATION: CHARLEVOIX BUDGET

GTA PROJECT NO: 030821-1
GTA SAMPLE NO: 3

DATE SAMPLED: 3/8/2021
TIME SAMPLED: 1:52 PM
DATE RECEIVED: 3/8/2021
TIME RECEIVED: 4:11 PM

SAMPLED BY: BRAD RIZZO/GRT

SAMPLE MATRIX: WATER

SAMPLE ID: BUDGET TANK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Date Completed= 3/10/2021 Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	1.9	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	3.4	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	4.3	1.0
TOLUENE	1.5	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	2.3	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO:
LOCATION: CHARLEVOIX BUDGET

GTA PROJECT NO: 030821- - 1
DATE SAMPLED: 3/8/2021
TIME SAMPLED: 2:00 PM
DATE RECEIVED: 3/8/2021
TIME RECEIVED: 4:11 PM
SAMPLED: BRAD RIZZO/GRT
SAMPLE MATRIX: SOIL

MI
SAMPLE ID: BETWEEN TANKS 1'

BASE NEUTRAL ACID EXTRACTABLES EPA 8270D

Units= ug/Kg (PPB) Analyst KC/TR Date 3/12/2021 Date Completed= 3/15/2021
Prep Method= EPA 3550B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
Acenaphthene	ND	330	4,6-Dinitro-2-methylphenol	ND	830
Acenaphthylene	ND	330	2,4-Dinitrophenol	ND	1700
Aniline	ND	1700	2,4-Dinitrotoluene	ND	330
Anthracene	ND	330	2,6-Dinitrotoluene	ND	330
Benzo(a)anthracene	ND	1000	1,2-Diphenylhydrazine	ND	330
Benzo(b)fluoranthene	ND	330	bis(2-Ethylhexyl)phthalate	ND	330
Benzo(k)fluoranthene	ND	330	Fluoranthene	ND	330
Benzo(a)pyrene	ND	330	Fluorene	ND	330
Benzoic Acid	ND	3300	Hexachlorobenzene	ND	330
Benzo(ghi)perylene	ND	330	Hexachlorobutadiene	ND	50
Benzyl Alcohol	ND	1300	Hexachloroethane	ND	300
4-Bromophenylphenyl	ND	330	Hexachlorocyclopentadiene	ND	330
Butylbenzyl phthalate	ND	330	Indeno(123-cd)pyrene	ND	330
di-n-Butyl phthalate	ND	330	Isophorone	ND	330
Carbazole	ND	330	2-Methylphenol	ND	330
4-Chloroaniline	ND	1700	4-methylphenol	ND	330
bis(2-Chloroethoxy)methane	ND	330	2-Nitroaniline	ND	1700
bis(2-Chloroethyl)ether	ND	100	3-Nitroaniline	ND	1700
bis(2-	ND	330	4-Nitroaniline	ND	1700
4-Chloro-3-	ND	330	Nitrobenzene	ND	200
2-Chloronaphthalene	ND	330	2-Nitrophenol	ND	330
2-Chlorophenol	ND	330	4-Nitrophenol	ND	1700
4-Chlorophenylphenyl	ND	330	N-Nitrosodiphenylamine	ND	330
Chrysene	ND	330	N-Nitroso-di-n-	ND	330
Dibenz(ah)anthracene	ND	330	di-n-Octyl phthalate	ND	330
Dibenzofuran	ND	330	Pentachlorophenol	ND	20
1,2-Dichlorobenzene	ND	330	Phenanthrene	ND	330
1,3-Dichlorobenzene	ND	330	Phenol	ND	330
1,4-Dichlorobenzene	ND	330	Pyrene	ND	330
3,3'-Dichlorobenzidine	ND	2000	1,2,4-Trichlorobenzene	ND	330
2,4-Dichlorophenol	ND	330	2,4,5-Trichlorophenol	ND	330
Diethyl phthalate	ND	330	2,4,6-Trichlorophenol	ND	330
2,4-Dimethylphenol	ND	330			
Dimethyl phthalate	ND	330			

ND = NOT

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO:
LOCATION: CHARLEVOIX BUDGET

GTA PROJECT NO: 030821- - 2
DATE SAMPLED: 3/8/2021
TIME SAMPLED: 2:45 PM
DATE RECEIVED: 3/8/2021
TIME RECEIVED: 4:11 PM
SAMPLED: BRAD RIZZO/GRT
SAMPLE MATRIX: SOIL

SAMPLE ID: MI
WEST OF TANK 6'

BASE NEUTRAL ACID EXTRACTABLES EPA 8270D

Units= ug/Kg (PPB) Analyst KC/TR Date 3/12/2021 Date Completed= 3/15/2021
Prep Method= EPA 3550B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
Acenaphthene	ND	330	4,6-Dinitro-2-methylphenol	ND	830
Acenaphthylene	ND	330	2,4-Dinitrophenol	ND	1700
Aniline	ND	1700	2,4-Dinitrotoluene	ND	330
Anthracene	ND	330	2,6-Dinitrotoluene	ND	330
Benzo(a)anthracene	ND	1000	1,2-Diphenylhydrazine	ND	330
Benzo(b)fluoranthene	ND	330	bis(2-Ethylhexyl)phthalate	1,100	330
Benzo(k)fluoranthene	ND	330	Fluoranthene	ND	330
Benzo(a)pyrene	ND	330	Fluorene	ND	330
Benzoic Acid	ND	3300	Hexachlorobenzene	ND	330
Benzo(ghi)perylene	ND	330	Hexachlorobutadiene	ND	50
Benzyl Alcohol	ND	1300	Hexachloroethane	ND	300
4-Bromophenylphenyl	ND	330	Hexachlorocyclopentadiene	ND	330
Butylbenzyl phthalate	740	330	Indeno(123-cd)pyrene	ND	330
di-n-Butyl phthalate	ND	330	Isophorone	ND	330
Carbazole	ND	330	2-Methylphenol	ND	330
4-Chloroaniline	ND	1700	4-methylphenol	ND	330
bis(2-Chloroethoxy)methane	ND	330	2-Nitroaniline	ND	1700
bis(2-Chloroethyl)ether	ND	100	3-Nitroaniline	ND	1700
bis(2-	ND	330	4-Nitroaniline	ND	1700
4-Chloro-3-	ND	330	Nitrobenzene	ND	200
2-Chloronaphthalene	ND	330	2-Nitrophenol	ND	330
2-Chlorophenol	ND	330	4-Nitrophenol	ND	1700
4-Chlorophenylphenyl	ND	330	N-Nitrosodiphenylamine	ND	330
Chrysene	ND	330	N-Nitroso-di-n-	ND	330
Dibenz(ah)anthracene	ND	330	di-n-Octyl phthalate	ND	330
Dibenzofuran	ND	330	Pentachlorophenol	ND	20
1,2-Dichlorobenzene	ND	330	Phenanthrene	ND	330
1,3-Dichlorobenzene	ND	330	Phenol	ND	330
1,4-Dichlorobenzene	ND	330	Pyrene	ND	330
3,3'-Dichlorobenzidine	ND	2000	1,2,4-Trichlorobenzene	ND	330
2,4-Dichlorophenol	ND	330	2,4,5-Trichlorophenol	ND	330
Diethyl phthalate	ND	330	2,4,6-Trichlorophenol	ND	330
2,4-Dimethylphenol	ND	330			
Dimethyl phthalate	ND	330			

ND = NOT

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT
PROJECT NO:
LOCATION: CHARLEVOIX BUDGET

GTA PROJECT NO: 030821- - 3
DATE SAMPLED: 3/8/2021
TIME SAMPLED: 1:52 PM
DATE RECEIVED: 3/8/2021
TIME RECEIVED: 4:11 PM
SAMPLED: BRAD RIZZO/GRT
SAMPLE MATRIX: WATER

MI
SAMPLE ID: BUDGET TANK

BASE NEUTRAL ACID EXTRACTABLES EPA 8270D

Units= ug/L (PPB) Analyst KC/TR Date 3/13/2021 Date Completed= 3/16/2021
Prep Method= EPA 3510C

Analyte	Concentration	LOD	Analyte	Concentration	LOD
Acenaphthene	ND	5	4,6-Dinitro-2-methylphenol	ND	20
Acenaphthylene	ND	5	2,4-Dinitrophenol	ND	25
Aniline	ND	4	2,4-Dinitrotoluene	ND	5
Anthracene	ND	5	2,6-Dinitrotoluene	ND	5
Benzo(a)anthracene	ND	25	1,2-Diphenylhydrazine	ND	5
Benzo(b)fluoranthene	ND	1	bis(2-Ethylhexyl)phthalate	7.2	5
Benzo(k)fluoranthene	ND	1	Fluoranthene	ND	1
Benzo(a)pyrene	ND	1	Fluorene	ND	5
Benzoic Acid	ND	50	Hexachlorobenzene	ND	0
Benzo(ghi)perylene	ND	2	Hexachlorobutadiene	ND	0
Benzyl Alcohol	ND	20	Hexachloroethane	ND	5
4-Bromophenylphenyl	ND	5	Hexachlorocyclopentadiene	ND	5
Butylbenzyl phthalate	ND	5	Indeno(123-cd)pyrene	ND	2
di-n-Butyl phthalate	ND	5	Isophorone	ND	5
Carbazole	ND	5	2-Methylphenol	ND	5
4-Chloroaniline	ND	20	4-methylphenol	ND	5
bis(2-Chloroethoxy)methane	ND	5	2-Nitroaniline	ND	25
bis(2-Chloroethyl)ether	ND	1	3-Nitroaniline	ND	25
bis(2-	ND	5	4-Nitroaniline	ND	25
4-Chloro-3-	ND	5	Nitrobenzene	ND	5
2-Chloronaphthalene	ND	5	2-Nitrophenol	ND	5
2-Chlorophenol	ND	5	4-Nitrophenol	ND	25
4-Chlorophenylphenyl	ND	5	N-Nitrosodiphenylamine	ND	5
Chrysene	ND	1	N-Nitroso-di-n-	ND	5
Dibenz(ah)anthracene	ND	2	di-n-Octyl phthalate	ND	5
Dibenzofuran	ND	5	Pentachlorophenol	ND	1
1,2-Dichlorobenzene	ND	5	Phenanthrene	ND	2
1,3-Dichlorobenzene	ND	5	Phenol	ND	5
1,4-Dichlorobenzene	ND	5	Pyrene	ND	5
3,3'-Dichlorobenzidine	ND	25	1,2,4-Trichlorobenzene	ND	5
2,4-Dichlorophenol	ND	5	2,4,5-Trichlorophenol	ND	5
Diethyl phthalate	ND	5	2,4,6-Trichlorophenol	ND	4
2,4-Dimethylphenol	ND	5			
Dimethyl phthalate	ND	5			

ND = NOT

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: GRT

GTA PROJECT NO: 030821-

NAME:
PROJECT NO:

SAMPLED BY: BRAD RIZZO/GRT

DATE SAMPLED: 3/8/2021

TIME SAMPLED: 2:00 PM

SAMPLE MATRIX: SOIL

LOCATION: CHARLEVOIX BUDGET

DATE RECEIVED: 3/8/2021

TIME RECEIVED: 4:11 PM

MI

MOISTURE**No: Analysis**

SAMPLE ID: BETWEEN TANKS 1'

% MOISTURE EPA 3550C

SAMPLE ID: WEST OF TANK 6'

% MOISTURE EPA 3550C

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
10	0.050	% OF SAMPLE	AS	3/8/2021
12	0.050	% OF SAMPLE	AS	3/8/2021

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	CHARLEVOIX BUDGET	GRT / Brian Ross
SAMPLED BY	COMPANY	GTA PROJECT #
Brad Rizzo	GRT	030821-1

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
	between tanks 1'	3-8-21	1400	Soil	VOCs / BUNAs
	West of tank 6'	3-8-21	1445	Soil	VOCs / BUNAs
	Budget tank	3-8-21	1352	H ₂ O	VOCs / BUNAs

BILL TO: GRT

1102 S Cass St
Traverse City, MI 49684

REPORT TO:

brass@grtusa.com

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

Brad Rizzo

3-8-21 / 1600

[Signature]

3/8/21 7:11

rec 4.0°C enviro

REQUESTED TAT

☒ STANDARD

☐ 1 BUSINESS DAY

☐ 2 BUSINESS DAYS

☐ 3 BUSINESS DAYS