

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MICHIGAN CONSULTING &
Name: ENVIRONMENTAL
ClientProj: 64870
GTA ProjNo: 041025-6

Site Addr: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
Sampled By: MB/CM - MCE
Date Rec: 4/10/2025
Time Rec: 11:00 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	4/9/2025	12:25 PM	WATER
2	MW-2	4/9/2025	12:20 PM	WATER
3	MW-3	4/9/2025	12:12 PM	WATER
4	MW-4	4/9/2025	12:33 PM	WATER
5	MW-5	4/9/2025	12:05 PM	WATER
6	MW-6	4/9/2025	11:32 AM	WATER
7	MW-7	4/9/2025	1:05 PM	WATER
8	MW-8	4/9/2025	12:42 PM	WATER
9	MW-9	4/9/2025	1:00 PM	WATER
10	MW-10	4/9/2025	12:50 PM	WATER
11	DUPLICATE	4/9/2025		WATER
12	BLANK	4/9/2025		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 1
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 12:25 PM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-1

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	1.5	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/15/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	1.6	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	2.0	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	1.4	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 2
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 12:20 PM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-2

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/14/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 3
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 12:12 PM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-3

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/14/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 4
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 12:33 PM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	1.5	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/15/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	2.2	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	1.0	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 5
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 12:05 PM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-5

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/14/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 6
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 11:32 AM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-6

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	19	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/14/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	8.7	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	7.3	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	23	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	1.0	1.0
NAPHTHALENE	6.4	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	10	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 7
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 1:05 PM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-7

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	17	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/15/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	2.8	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 8
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 12:42 PM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-8

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/14/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 9
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 1:00 PM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-9

EPA 8260B VOLATILE ORGANICS**Units=** ug/L (PPB) **Analyst=** MR **Date Extracted=**

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	85	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/15/2025 **Prep Method=** EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	3.2	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 10
DATE SAMPLED: 4/9/2025
TIME SAMPLED: 12:50 PM
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-10

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	390	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/15/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	1.5	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	6.1	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	3.6	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	14	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	4.7	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	4.8	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 11
DATE SAMPLED: 4/9/2025
TIME SAMPLED:
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER
SAMPLE ID: DUPLICATE

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	21	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/15/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	15	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	9.4	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	22	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	2.5	1.0
NAPHTHALENE	10	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	15	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6
GTA SAMPLE NO: 12
DATE SAMPLED: 4/9/2025
TIME SAMPLED:
DATE RECEIVED: 4/10/2025
TIME RECEIVED: 11:00 AM

SAMPLE MATRIX: WATER

SAMPLE ID: BLANK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	2.9	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	3.9	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	2.4	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 4/14/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 1

DATE SAMPLED: 4/9/2025

TIME SAMPLED: 12:25 PM

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-1							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/15/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	041025-6
NAME:		GTA SAMPLE NO:	2
PROJECT NO:	64870	DATE SAMPLED:	4/9/2025
LOCATION:	VILLAGE PANTRY #5381	TIME SAMPLED:	12:20 PM
	1613 E. MAIN STREET	DATE RECEIVED:	4/10/2025
	ELWOOD	TIME RECEIVED:	11:00 AM
	IN		
SAMPLED BY:	MB/CM - MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-2							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 3

DATE SAMPLED: 4/9/2025

TIME SAMPLED: 12:12 PM

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-3							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 4

DATE SAMPLED: 4/9/2025

TIME SAMPLED: 12:33 PM

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-4							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/15/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 5

DATE SAMPLED: 4/9/2025

TIME SAMPLED: 12:05 PM

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-5							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 6

DATE SAMPLED: 4/9/2025

TIME SAMPLED: 11:32 AM

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-6							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		4.7	1.0	ug/L (PPB)	MR		4/15/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 7

DATE SAMPLED: 4/9/2025

TIME SAMPLED: 1:05 PM

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-7							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/15/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	041025-6
NAME:		GTA SAMPLE NO:	8
PROJECT NO:	64870	DATE SAMPLED:	4/9/2025
LOCATION:	VILLAGE PANTRY #5381	TIME SAMPLED:	12:42 PM
	1613 E. MAIN STREET	DATE RECEIVED:	4/10/2025
	ELWOOD	TIME RECEIVED:	11:00 AM
	IN		
SAMPLED BY:	MB/CM - MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-8							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 9

DATE SAMPLED: 4/9/2025

TIME SAMPLED: 1:00 PM

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-9							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/15/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 10

DATE SAMPLED: 4/9/2025

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-10							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/15/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 11

DATE SAMPLED: 4/9/2025

TIME SAMPLED:

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	DUPLICATE							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		2.6	1.0	ug/L (PPB)	MR		4/15/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64870
LOCATION: VILLAGE PANTRY #5381
1613 E. MAIN STREET
ELWOOD
IN
SAMPLED BY: MB/CM - MCE

GTA PROJECT NO: 041025-6

GTA SAMPLE NO: 12

DATE SAMPLED: 4/9/2025

TIME SAMPLED:

DATE RECEIVED: 4/10/2025

TIME RECEIVED: 11:00 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	BLANK							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		4/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Page 1 of 1

CHAIN OF CUSTODY

PROJECT NUMBER MCE #64870	SITE NAME/ADDRESS Village Pantry #5381 / 1613 E. Main St., Elwood, IN 46052	COMPANY/NAME Michigan Consulting & Environmental	MCE
SAMPLED BY MB 1CM		COMPANY MCE	GTA PROJECT # 041025-6

SAMPLE INFORMATION NOTE: Full QA/QC Report Required					
#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	4/9/25	1225	H ₂ O	VOCs, Naphthalene, 1-MN, and 2-MN
2	MW-2		1220	H ₂ O	Same
3	MW-3		1212	H ₂ O	Same
4	MW-4		1233	H ₂ O	Same
5	MW-5		1205	H ₂ O	Same
6	MW-6		1132	H ₂ O	Same
7	MW-7		1305	H ₂ O	Same
8	MW-8		1242	H ₂ O	Same
9	MW-9		1300	H ₂ O	Same
10	MW-10		1250	H ₂ O	Same
11	Duplicate		—	H ₂ O	Same
12	BLANK		—	H ₂ O	Same
					Note: 1-NM = 1-Methylnaphthalene
					2-MN = 2-Methylnaphthalene

BILL TO: Michigan Consulting & Environmental (MCE)
2748 Garfield Road, Suite #10
Traverse City, MI 49686

REPORT TO:
John Veldhuis: jveldhuis@michenv.com
Bobby Glasser: bglasser@michenv.com

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
MCE Cold Storage	4/10/25 10:40AM	Samples placed into cold storage.	4/9/25
MB 1CM	4/10/25 11:00AM	Packed in cooler & delivered to GTA.	4/10/25
		A. Glasser	4/10/25 11:00 rec 192 on ice
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			