



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: JORDAN DEVELOPMENT CO. LLC
Name:
ClientProj: 16-0205
GTA ProjNo: 092922-6

Site Addr: GROVE CTB

Sampled By: B. BAUMANN/ECT
Date Rec: 9/29/2022
Time Rec: 4:17 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	INTERSTITIAL	9/28/2022	3:18 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC
PROJECT NO: 16-0205
LOCATION: GROVE CTB
MI
SAMPLE MATRIX: WATER
SAMPLE ID: INTERSTITIAL

GTA PROJECT NO: 092922-6
GTA SAMPLE NO: 1
DATE SAMPLED: 9/28/2022
TIME SAMPLED: 3:18 PM
DATE RECEIVED: 9/29/2022
TIME RECEIVED: 4:17 PM
SAMPLED BY: B. BAUMANN/ECT

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/30/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: JORDAN DEVELOPMENT CO. LLC

GTA PROJECT NO: 092922-6

PROJECT NO: 16-0205

GTA SAMPLE NO: 1

LOCATION: GROVE CTB

DATE SAMPLED: 9/28/2022

TIME SAMPLED: 3:18 PM

DATE RECEIVED: 9/29/2022

TIME RECEIVED: 4:17 PM

MI

SAMPLED BY: B. BAUMANN/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: INTERSTITIAL						
	CHLORIDE EPA 300.0	210	10	mg/L (PPM)	KC/TR	10/5/2022	WATER
	CONDUCTIVITY SM2510-B	920	1.0	uS/cm@25C	TR	10/4/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

