

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj:

Site Addr: DIKE WATER TESTING

GTA ProjNo: 040621-11

Sampled By: KWB/HURON
Date Rec: 4/6/2021
Time Rec: 2:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	USA BEAVER CREEK 1-24 TB	4/2/2021	1:40 PM	WATER
2	USA BEAVER CREEK 2-24 TB/HT	4/2/2021	2:20 PM	WATER
3	USA BEAVER CREEK 2-15 TB/HT	4/2/2021	3:30 PM	WATER
4	USA BEAVER CREEK 3-16 TB	4/2/2021	4:45 PM	WATER
5	USA BEAVER CREEK 3-16 HT	4/2/2021	5:00 PM	WATER
6	USA MENTOR C1-19 TB/HT	4/2/2021	12:20 PM	WATER
7	USA MENTOR C1-28 TB/HT	4/2/2021	11:45 AM	WATER
8	USA MENTOR C1-34 TB	4/2/2021	11:00 AM	WATER
9	USA MENTOR C2-34 TB/HT	4/2/2021	10:05 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLE MATRIX: WATER
SAMPLE ID: USA BEAVER CREEK 1-24 TB

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 1
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 1:40 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/7/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLE MATRIX: WATER
SAMPLE ID: USA BEAVER CREEK 2-24 TB/HT

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 2
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 2:20 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/7/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLE MATRIX: WATER
SAMPLE ID: USA BEAVER CREEK 2-15 TB/HT

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 3
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 3:30 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/7/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLE MATRIX: WATER
SAMPLE ID: USA BEAVER CREEK 3-16 TB

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 4
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 4:45 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/7/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLE MATRIX: WATER
SAMPLE ID: USA BEAVER CREEK 3-16 HT

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 5
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 5:00 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/7/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLE MATRIX: WATER
SAMPLE ID: USA MENTOR C1-19 TB/HT

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 6
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 12:20 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/7/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLE MATRIX: WATER
SAMPLE ID: USA MENTOR C1-28 TB/HT

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 7
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/7/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLE MATRIX: WATER
SAMPLE ID: USA MENTOR C1-34 TB

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 8
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 11:00 AM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/7/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLE MATRIX: WATER
SAMPLE ID: USA MENTOR C2-34 TB/HT

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 9
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 10:05 AM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
SAMPLED BY: KWB/HURON

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		4/7/2021	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 1
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 1:40 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: USA BEAVER CREEK 1-24 TB						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/7/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 2
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 2:20 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: USA BEAVER CREEK 2-24 TB/HT						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/7/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 040621-11
PROJECT NO: GTA SAMPLE NO: 3
LOCATION: DIKE WATER TESTING DATE SAMPLED: 4/2/2021
TIME SAMPLED: 3:30 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
MI
SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: USA BEAVER CREEK 2-15 TB/HT						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/7/2021	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 4
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 4:45 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: USA BEAVER CREEK 3-16 TB						
	CHLORIDE EPA 300.0	32	10	mg/L (PPM)	TR	4/7/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 5
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 5:00 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: USA BEAVER CREEK 3-16 HT CHLORIDE EPA 300.0	310	10	mg/L (PPM)	TR	4/7/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 6
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 12:20 PM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: USA MENTOR C1-19 TB/HT CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/7/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 7
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: USA MENTOR C1-28 TB/HT CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/7/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: DIKE WATER TESTING
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 040621-11
GTA SAMPLE NO: 8
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 11:00 AM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: USA MENTOR C1-34 TB CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	4/7/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: GTA PROJECT NO: 040621-11
LOCATION: DIKE WATER TESTING
DATE SAMPLED: 4/2/2021
TIME SAMPLED: 10:05 AM
DATE RECEIVED: 4/6/2021
TIME RECEIVED: 2:20 PM
MI
SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: USA MENTOR C2-34 TB/HT						
	CHLORIDE EPA 300.0	15	10	mg/L (PPM)	TR	4/7/2021	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER (Huron)	SITE NAME/ADDRESS/LOCATION	COMPANY/NAME
	Dike Water Testing	Lambda Energy Resources, LLC
SAMPLED BY	COMPANY	GTA PROJECT #
Kim Wallis-Burke	Huron Engineering & Surveying, Inc.	040621-11

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	USA BC 1-24 TB	4/2/21	1:40 p	Dike Water	Chloride & BTEX
2	USA BC 2-24 TB/HT	4/2/21	2:20 p	"	" "
3	USA BC 2-15A TB/HT	4/2/21	3:30 p	"	" "
4	USA BC 3-16 TB	4/2/21	4:45 p	"	" "
5	USA BC 3-16 HT	4/2/21	5:00 p	"	" "
6	USA M C1-19 TB/HT	4/2/21	12:20 p	"	" "
7	USA M C1-20 TB/HT	4/2/21	11:45 a	"	" "
8	USA M C1-34 TB	4/2/21	11:00 a	"	" "
9	USA M C2-34 TB/HT	4/2/21	10:05 a	"	" "
	USA BC = USA Big Creek Sites				
	USA M = USA Mentor Sites				
	TB = Tank Battery HT Heater Treater				

BILL TO: Lambda Energy Resources, Nick Summerland (nsummerland@lambdaenergyllc.com)

REPORT TO: Huron Engineering & Surveying, Kim Wallis-Burke (kim.wallis-burke@huronesi.com)
cc

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Kimberly Wallis-Burke		UPS	4/5/21
		JWY	4/6/21 2:20
			REC'D ONCE

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS