

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: IPH III
Name:
ClientProj: 2021021001.00

GTA ProjNo: 061021-5

Site Addr: 336 NORTH US-31 SOUTH

Sampled By: MIKE RANKENS/GCES
Date Rec: 6/10/2021
Time Rec: 3:00 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	EX-1-FL-1 (7')	6/10/2021	12:15 PM	SOIL
2	EX-1-SW-N (6') - HOLD	6/10/2021	12:44 PM	SOIL
3	EX-1-SW-E (6') - HOLD	6/10/2021	12:50 PM	SOIL
4	EX-1-SW-S (6') - HOLD	6/10/2021	12:57 PM	SOIL
5	EX-1-SW-W (6') - HOLD	6/10/2021	1:02 PM	SOIL
6	EX-2-FL-1 (3.5')	6/10/2021	2:07 PM	SOIL
7	EX-2-SW-N (2.5')	6/10/2021	2:17 PM	SOIL
8	EX-2-SW-E (3')	6/10/2021	2:21 PM	SOIL
9	EX-2-SW-S (3')	6/10/2021	2:26 PM	SOIL
10	EX-2-SW-W (3')	6/10/2021	2:31 PM	SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse
Analytical 830 Robinwood
Court Traverse City, MI
49686 Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: IPH III
PROJECT NO: 2021021001.00
LOCATION: 336 NORTH US-31 SOUTH

GTA PROJECT NO: 061021-5
GTA SAMPLE NO: 1

DATE SAMPLED: 6/10/2021
TIME SAMPLED: 12:15 PM
DATE RECEIVED: 6/10/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MIKE RANKENS/GCES
SAMPLE MATRIX: SOIL

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: EX-1-FL-1 (7')

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 6/10/2021 Date Completed= 6/15/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROETHANE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROETHANE	ND	50	TETRACHLOROETHENE	15,000	50
1,4-DICHLOROETHANE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROETHANE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROETHANE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	430	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: IPH III
PROJECT NO: 2021021001.00
LOCATION: 336 NORTH US-31 SOUTH

GTA PROJECT NO: 061021-5
GTA SAMPLE NO: 6

DATE SAMPLED: 6/10/2021
TIME SAMPLED: 2:07 PM
DATE RECEIVED: 6/10/2021
TIME RECEIVED: 3:00 PM

SAMPLED BY: MIKE RANKENS/GCES

SAMPLE MATRIX: SOIL

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: EX-2-FL-1 (3.5')

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) **Analyst=** MR **Date Extracted=** 6/10/2021 **Date Completed=** 6/15/2021 **Prep Method=** EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	930	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: IPH III
PROJECT NO: 2021021001.00
LOCATION: 336 NORTH US-31 SOUTH

SAMPLED BY: MIKE RANKENS/GCES
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061021-5
GTA SAMPLE NO: 7

DATE SAMPLED: 6/10/2021
TIME SAMPLED: 2:17 PM
DATE RECEIVED: 6/10/2021
TIME RECEIVED: 3:00 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: EX-2-SW-N (2.5')

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 6/10/2021 Date Completed= 6/15/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: IPH III
PROJECT NO: 2021021001.00
LOCATION: 336 NORTH US-31 SOUTH

SAMPLED BY: MIKE RANKENS/GCES
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061021-5
GTA SAMPLE NO: 8

DATE SAMPLED: 6/10/2021
TIME SAMPLED: 2:21 PM
DATE RECEIVED: 6/10/2021
TIME RECEIVED: 3:00 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: EX-2-SW-E (3')

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 6/10/2021 Date Completed= 6/15/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: IPH III
PROJECT NO: 2021021001.00
LOCATION: 336 NORTH US-31 SOUTH

SAMPLED BY: MIKE RANKENS/GCES
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061021-5
GTA SAMPLE NO: 9

DATE SAMPLED: 6/10/2021
TIME SAMPLED: 2:26 PM
DATE RECEIVED: 6/10/2021
TIME RECEIVED: 3:00 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: EX-2-SW-S (3')

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 6/10/2021 Date Completed= 6/16/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: IPH III
PROJECT NO: 2021021001.00
LOCATION: 336 NORTH US-31 SOUTH

SAMPLED BY: MIKE RANKENS/GCES
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 061021-5
GTA SAMPLE NO: 10

DATE SAMPLED: 6/10/2021
TIME SAMPLED: 2:31 PM
DATE RECEIVED: 6/10/2021
TIME RECEIVED: 3:00 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: EX-2-SW-W (3')

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 6/10/2021 Date Completed= 6/16/2021 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: IPH III

GTA PROJECT NO: 061021-5

NAME:

SAMPLED BY: MIKE RANKENS/GCES

PROJECT NO: 2021021001.00

DATE SAMPLED: 6/10/2021

TIME SAMPLED: 12:15 PM

LOCATION: 336 NORTH US-31 SOUTH

SAMPLE SOIL

DATE RECEIVED: 6/10/2021

TIME RECEIVED: 3:00 PM

MI

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
	SAMPLE ID: EX-1-FL-1 (7')					
	% MOISTURE EPA 3550C	5.4	0.050	% OF SAMPLE	AS	6/10/2021
	SAMPLE ID: EX-1-SW-N (6') - HOLD					
	% MOISTURE EPA 3550C	8.3	0.050	% OF SAMPLE	AS	6/10/2021
	SAMPLE ID: EX-1-SW-E (6') - HOLD					
	% MOISTURE EPA 3550C	6.8	0.050	% OF SAMPLE	AS	6/10/2021
	SAMPLE ID: EX-1-SW-S (6') - HOLD					
	% MOISTURE EPA 3550C	7.6	0.050	% OF SAMPLE	AS	6/10/2021
	SAMPLE ID: EX-1-SW-W (6') - HOLD					
	% MOISTURE EPA 3550C	8.4	0.050	% OF SAMPLE	AS	6/10/2021
	SAMPLE ID: EX-2-FL-1 (3.5')					
	% MOISTURE EPA 3550C	8.1	0.050	% OF SAMPLE	AS	6/10/2021
	SAMPLE ID: EX-2-SW-N (2.5')					
	% MOISTURE EPA 3550C	4.4	0.050	% OF SAMPLE	AS	6/10/2021
	SAMPLE ID: EX-2-SW-E (3')					
	% MOISTURE EPA 3550C	7.5	0.050	% OF SAMPLE	AS	6/10/2021
	SAMPLE ID: EX-2-SW-S (3')					
	% MOISTURE EPA 3550C	10	0.050	% OF SAMPLE	AS	6/10/2021
	SAMPLE ID: EX-2-SW-W (3')					
	% MOISTURE EPA 3550C	4.6	0.050	% OF SAMPLE	AS	6/10/2021

CHAIN OF CUSTODY

PROJECT NUMBER 2021021001.00	SITE NAME/ADDRESS 336 North US-31 South	COMPANY/NAME ITPH 111
SAMPLED BY Mike Rankens	COMPANY Gosling Czubak	GTA PROJECT # 061021-5

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	EX-1-FL-1 (7')	6/10/2021	1215	Soil	Full Scan VOC's (8260)
* 2	EX-1-SW-N (6')	6/10/2021	1244	Soil	Full Scan VOC's (8260)
* 3	EX-1-SW-E (6')	6/10/2021	1250	Soil	Full Scan VOC's (8260)
* 4	EX-1-SW-S (6')	6/10/2021	1257	Soil	Full Scan VOC's (8260)
* 5	EX-1-SW-W (6')	6/10/2021	1302	Soil	Full Scan VOC's (8260)
6	EX-2-FL-1 (3.5')	6/10/2021	1407	Soil	Full Scan VOC's (8260)
7	EX-2-SW-N (2.5')	6/10/2021	1417	Soil	Full Scan VOC's (8260)
8	EX-2-SW-E (3')	6/10/2021	1421	Soil	Full Scan VOC's (8260)
9	EX-2-SW-S (3')	6/10/2021	1426	Soil	Full Scan VOC's (8260)
10	EX-2-SW-W (3')	6/10/2021	1431	Soil	Full Scan VOC's (8260)
* = HOLD					

BILL TO: Gosling Czubak Kevin Ringwelski	TempRec: ☐ 4.0°C	On Ice? ☒ Y ☐ N	REPORT TO: Kevin Ringwelski Gosling Czubak
RELEASED BY [Signature]	DATE/TIME 6/10/2021 @ 1500	RECEIVED BY [Signature]	DATE/TIME 6/10/21 1500
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			