



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: HUNTINGTON BANK
Name:
ClientProj: 2021651002.02
GTA ProjNo: 052521-17

Site Addr: 19100 NORTHLAND DR/PHASE II

Sampled By: MIKE RANKENS/GCES
Date Rec: 5/25/2021
Time Rec: 4:00 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	TW-1	5/25/2021	1:45 PM	WATER
2	TW-2	5/25/2021	3:20 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: HUNTINGTON BANK
 PROJECT NO: 2021651002.02
 LOCATION: 19100 NORTHLAND DR/PHASE II

GTA PROJECT NO: 052521-17
 GTA SAMPLE NO: 1
 DATE SAMPLED: 5/25/2021
 TIME SAMPLED: 1:45 PM
 DATE RECEIVED: 5/25/2021
 TIME RECEIVED: 4:00 PM

SAMPLED BY: MIKE RANKENS/GCES

SAMPLE MATRIX: WATER

SAMPLE ID: TW-1

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 5/30/2021

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROENZENE	ND	1.0
1,2,4-TRICHLOROENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: HUNTINGTON BANK
 PROJECT NO: 2021651002.02
 LOCATION: 19100 NORTHLAND DR/PHASE II

GTA PROJECT NO: 052521-17
 GTA SAMPLE NO: 2
 DATE SAMPLED: 5/25/2021
 TIME SAMPLED: 3:20 PM
 DATE RECEIVED: 5/25/2021
 TIME RECEIVED: 4:00 PM

SAMPLED BY: MIKE RANKENS/GCES
 SAMPLE MATRIX: WATER
 SAMPLE ID: TW-2

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted= Date Completed= 5/30/2021 Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	1.2	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	1.6	1.0	ISOPROPYLBENZENE	1.4	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	2.0	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	10	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: HUNTINGTON BANK
 PROJECT NO: 2021651002.02
 LOCATION: 19100 NORTHLAND DR/PHASE II

GTA PROJECT NO: 052521-17
 GTA SAMPLE NO: 1

DATE SAMPLED: 5/25/2021
 TIME SAMPLED: 1:45 PM

SAMPLED BY: MI
 MIKE RANKENS/GCES

DATE RECEIVED: 5/25/2021
 TIME RECEIVED: 4:00 PM

SAMPLE MATRIX: WATER
 SAMPLE ID: TW-1

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	5/31/2021	6/2/2021	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
2-Methylnaphthalene	ND	5.0					
Naphthalene	ND	5.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION

COMPANY: HUNTINGTON BANK
 PROJECT NO: 2021651002.02
 LOCATION: 19100 NORTHLAND DR/PHASE II

GTA PROJECT NO: 052521-17
 GTA SAMPLE NO: 2

DATE SAMPLED: 5/25/2021
 TIME SAMPLED: 3:20 PM

SAMPLED BY: MI
 MIKE RANKENS/GCES

DATE RECEIVED: 5/25/2021
 TIME RECEIVED: 4:00 PM

SAMPLE MATRIX: WATER
 SAMPLE ID: TW-2

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/TR	5/31/2021	6/2/2021	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
2-Methylnaphthalene	ND	5.0					
Naphthalene	ND	5.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	HUNTINGTON BANK	GTA PROJECT NO:	052521-17
PROJECT NO:	2021651002.02	GTA SAMPLE NO:	1
LOCATION:	19100 NORTHLAND DR/PHASE II	DATE SAMPLED:	5/25/2021
		TIME SAMPLED:	1:45 PM
		DATE RECEIVED:	5/25/2021
	MI	TIME RECEIVED:	4:00 PM
SAMPLED BY:	MIKE RANKENS/GCES	SAMPLE MATRIX:	WATER
SAMPLE ID:	TW-1		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
CHROMIUM DISS EPA 6020A	0.012	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	HUNTINGTON BANK	GTA PROJECT NO:	052521-17
PROJECT NO:	2021651002.02	GTA SAMPLE NO:	2
LOCATION:	19100 NORTHLAND DR/PHASE II	DATE SAMPLED:	5/25/2021
		TIME SAMPLED:	3:20 PM
		DATE RECEIVED:	5/25/2021
	MI	TIME RECEIVED:	4:00 PM
SAMPLED BY:	MIKE RANKENS/GCES	SAMPLE MATRIX:	WATER
SAMPLE ID:	TW-2		

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
CADMIUM DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
CHROMIUM DISS EPA 6020A	0.013	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A
LEAD DISS EPA 6020A	ND	0.0010	mg/L (PPM)	MR	6/2/2021	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 2021651002.02	SITE NAME/ADDRESS 19100 Northland Dr./Phase II	COMPANY/NAME Huntington National Bank
SAMPLED BY Mike Rankens	COMPANY Gosling Czubak	GTA PROJECT # 052521-17

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
	TW-1	5/25/21	1345	Water	FOR BOTH SAMPLES...
	TW-2	5/25/21	1520	Water	- Volatile Organics (8260)
					- Polynuclear Aromatics (8270)
					- Cadmium
					- Chromium
					- Lead
					Lab To
					Filter
					+
					Preserve

BILL TO: Gosling Czubak - Kevin Ringwelski	TempRec: <input type="checkbox"/> 4.00	On Ice? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	REPORT TO: Gosling Czubak - Kevin Ringwelski
---	---	--	---

RELEASED BY [Signature]	DATE/TIME 5/25/21 @ 1600	RECEIVED BY [Signature]	DATE/TIME 5/25/21 @ 1600 REL 400
-----------------------------------	------------------------------------	-----------------------------------	---

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS