



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MILLER ENERGY COMPANY II, LLC

Name:

ClientProj: 2020704028.01

GTA ProjNo: 082222-5

Site Addr: RUSSELL SIDES 2-29

Sampled By: DJT/GCES

Date Rec: 8/22/2022

Time Rec: 2:50 PM

Sample No. Sample ID
1 SUMP

Date Sampled Time Sampled Sample Matrix
8/22/2022 12:50 PM WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

GTA PROJECT NO: 082222-5

PROJECT NO: 2020704028.01

GTA SAMPLE NO: 1

LOCATION: RUSSELL SIDES 2-29

DATE SAMPLED: 8/22/2022

TIME SAMPLED: 12:50 PM

DATE RECEIVED: 8/22/2022

TIME RECEIVED: 2:50 PM

MI

SAMPLED BY: DJT/GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: SUMP

CHLORIDE EPA 300.0

Concentration

1,100

LOD

50

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

8/23/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

