



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: MILLER ENERGY COMPANY II, LLC  
Name:  
ClientProj: 2020704020.01  
GTA ProjNo: 092225-5

Site Addr: O. YENIOR #4

Sampled By: JOSHUA GERRIE/GCES  
Date Rec: 9/22/2025  
Time Rec: 3:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	9/22/2025	12:15 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC  
PROJECT NO: 2020704020.01  
LOCATION: O. YENIOR #4

GTA PROJECT NO: 092225-5  
GTA SAMPLE NO: 1  
DATE SAMPLED: 9/22/2025  
TIME SAMPLED: 12:15 PM  
DATE RECEIVED: 9/22/2025  
TIME RECEIVED: 3:20 PM

MI  
SAMPLED BY: JOSHUA GERRIE/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1							
CHLORIDE EPA 300.0		2,100	100	mg/L (PPM)	TR/KC	9/30/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

