

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MILLER ENERGY COMPANY II, LLC

Name:

ClientProj: 2021704005.14

GTA ProjNo: 090122-11

Site Addr: N. ADAMS FIELD

Sampled By: JOSHUA GERRIE/GCES

Date Rec: 9/1/2022

Time Rec: 3:00 PM

Sample No.	Sample ID
1	NORTH TANK BATTERY POINT

Date Sampled
9/1/2022

Time Sampled

Sample Matrix
WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC
PROJECT NO: 2021704005.14
LOCATION: N. ADAMS FIELD
MI
SAMPLE MATRIX: WATER
SAMPLE ID: NORTH TANK BATTERY POINT

GTA PROJECT NO: 090122-11
GTA SAMPLE NO: 1
DATE SAMPLED: 9/1/2022
TIME SAMPLED:
DATE RECEIVED: 9/1/2022
TIME RECEIVED: 3:00 PM
SAMPLED BY: JOSHUA GERRIE/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/2/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC

PROJECT NO: 2021704005.14

LOCATION: N. ADAMS FIELD

GTA PROJECT NO: 090122-11

GTA SAMPLE NO: 1

DATE SAMPLED: 9/1/2022

TIME SAMPLED:

DATE RECEIVED: 9/1/2022

TIME RECEIVED: 3:00 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: NORTH TANK BATTERY POINT							
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/7/2022	WATER
	CONDUCTIVITY SM2510-B	65	1.0	uS/cm@25C	TR	9/7/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

