



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: MICHIGAN CONSULTING &  
Name: ENVIRONMENTAL  
ClientProj: 64679  
GTA ProjNo: 031723-11

Site Addr: VILLAGE PANTRY #5642  
1729 FOREMAN AVE  
PERU  
Sampled By: BOBBY GLASSER/MCE  
Date Rec: 3/17/2023  
Time Rec: 12:50 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-5	3/14/2023	11:35 AM	WATER
2	MW-6	3/14/2023	11:50 AM	WATER
3	MW-7	3/14/2023	12:05 PM	WATER
4	MW-4	3/14/2023	12:25 PM	WATER
5	MW-2	3/14/2023	12:45 PM	WATER
6	MW-1	3/14/2023	1:05 PM	WATER
7	MW-3	3/14/2023	1:30 PM	WATER
8	DUPLICATE	3/14/2023		WATER
9	BLANK	3/14/2023	8:00 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 SAMPLED BY: BOBBY GLASSER/MCE  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-5

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 1  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 11:35 AM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**EPA 8260B VOLATILE ORGANICS**

Units= ug/L (PPB)    Analyst= MR    Date Extracted=    Date Completed= 3/18/2023    Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 SAMPLED BY: BOBBY GLASSER/MCE  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-6

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 2  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 11:50 AM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**EPA 8260B VOLATILE ORGANICS**

Units= ug/L (PPB)    Analyst= MR    Date Extracted=    Date Completed= 3/18/2023    Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 SAMPLED BY: BOBBY GLASSER/MCE  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-7

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 3  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 12:05 PM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**EPA 8260B VOLATILE ORGANICS**

Units= ug/L (PPB)    Analyst= MR    Date Extracted=    Date Completed= 3/18/2023    Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 SAMPLED BY: BOBBY GLASSER/MCE  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-4

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 4  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 12:25 PM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**EPA 8260B VOLATILE ORGANICS**

Units= ug/L (PPB)    Analyst= MR    Date Extracted=    Date Completed= 3/18/2023    Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 SAMPLED BY: BOBBY GLASSER/MCE  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-2

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 5  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 12:45 PM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**EPA 8260B VOLATILE ORGANICS**

Units= ug/L (PPB)    Analyst= MR    Date Extracted=    Date Completed= 3/18/2023    Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 SAMPLED BY: BOBBY GLASSER/MCE  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-1

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 6  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 1:05 PM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**EPA 8260B VOLATILE ORGANICS**

Units= ug/L (PPB)    Analyst= MR    Date Extracted=    Date Completed= 3/18/2023    Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 SAMPLED BY: BOBBY GLASSER/MCE  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-3

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 7  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 1:30 PM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**EPA 8260B VOLATILE ORGANICS**

Units= ug/L (PPB)    Analyst= MR    Date Extracted=    Date Completed= 3/18/2023    Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	4.4	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 SAMPLED BY: BOBBY GLASSER/MCE  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: DUPLICATE

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 8  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED:  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**EPA 8260B VOLATILE ORGANICS**

Units= ug/L (PPB)    Analyst= MR    Date Extracted=    Date Completed= 3/18/2023    Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	4.7	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 SAMPLED BY: BOBBY GLASSER/MCE  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: BLANK

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 9  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 8:00 AM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**EPA 8260B VOLATILE ORGANICS**

Units= ug/L (PPB)    Analyst= MR    Date Extracted=    Date Completed= 3/18/2023    Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	2.3	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	1.5	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	4.0	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	2.9	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.  
 LOD = LIMIT OF DETECTION.



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 NAME:  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 IN  
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 1  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 11:35 AM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**ORGANICS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-5							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/18/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 NAME:  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 IN  
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 2  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 11:50 AM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**ORGANICS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-6							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/18/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 NAME:  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 IN  
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 3  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 12:05 PM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**ORGANICS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-7							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/18/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	031723-11
NAME:		GTA SAMPLE NO:	4
PROJECT NO:	64679	DATE SAMPLED:	3/14/2023
LOCATION:	VILLAGE PANTRY #5642	TIME SAMPLED:	12:25 PM
	1729 FOREMAN AVE	DATE RECEIVED:	3/17/2023
	PERU	TIME RECEIVED:	12:50 PM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

**ORGANICS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-4							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/18/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 NAME:  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 IN  
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 5  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 12:45 PM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**ORGANICS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-2							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR	3/18/2023		EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 NAME:  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 IN  
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 6  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 1:05 PM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**ORGANICS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-1							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/18/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 NAME:  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 IN  
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 7  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 1:30 PM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**ORGANICS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-3							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/18/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 NAME:  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 IN  
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 8  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED:  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**ORGANICS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	DUPLICATE							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/18/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL  
 NAME:  
 PROJECT NO: 64679  
 LOCATION: VILLAGE PANTRY #5642  
 1729 FOREMAN AVE  
 PERU  
 IN  
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031723-11  
 GTA SAMPLE NO: 9  
 DATE SAMPLED: 3/14/2023  
 TIME SAMPLED: 8:00 AM  
 DATE RECEIVED: 3/17/2023  
 TIME RECEIVED: 12:50 PM

**ORGANICS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	BLANK							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/18/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION

**CHAIN OF CUSTODY**

PROJECT NUMBER MCE #64679	SITE NAME/ADDRESS Village Pantry #5642 / 1729 Foreman Ave., Peru, IN 46970	COMPANY/NAME Michigan Consulting & Environmental	MCE
SAMPLED BY Bobby Glasser, Sr. Project Manager	COMPANY MCE	GTA PROJECT # <u>031723-11</u>	

**SAMPLE INFORMATION** \*NOTE: Full QA/QC Report Required

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-5	03.14.23	11:35	H <sub>2</sub> O	VOCs, Naphthalene, 1-MN, & 2-MN
2	MW-6	03.14.23	11:50	H <sub>2</sub> O	Same
3	MW-7	03.14.23	12:05	H <sub>2</sub> O	Same
4	MW-4	03.14.23	12:25	H <sub>2</sub> O	Same
5	MW-2	03.14.23	12:45	H <sub>2</sub> O	Same
6	MW-1	03.14.23	13:05	H <sub>2</sub> O	Same
7	MW-3	03.14.23	13:30	H <sub>2</sub> O	Same
8	Duplicate	03.14.23	—	H <sub>2</sub> O	Same
9	BLANK	03.14.23	08:00	H <sub>2</sub> O	Same

**BILL TO:** Michigan Consulting & Environmental  
2748 Garfield Road, Suite #10  
Traverse City, MI 49686

**REPORT TO:**  
John Veldhuis: jveldhuis@michenv.com  
Bobby Glasser: bglasser@michenv.com

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Bobby Glasser	03.14.23 / 17:30	Placed in Cold Storage	03.14.23 / 17:30 <sup>BS</sup>
Bobby Glasser	03.16.23 / 16:15	Packed in Cooler for Shipping	03.16.23 / 16:15 <sup>BS</sup>
		<i>[Signature]</i>	3/17/23 12:50 rec'd <sup>BS</sup>

REQUESTED TAT  STANDARD  1 BUSINESS DAY  2 BUSINESS DAYS  3 BUSINESS DAYS