

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MISSAUKEE OIL & GAS

Name: Site Addr: NORWICH 4-156

ClientProj: 210899-0400

GTA ProjNo: 091622-22

Sampled By: BJB/JSL - ECT

Date Rec: 9/16/2022

Time Rec: 1:55 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-11	9/16/2022	8:24 AM	WATER
2	GS-13	9/16/2022	8:25 AM	WATER
3	MW-13	9/16/2022	8:28 AM	WATER
4	MW-3	9/16/2022	8:34 AM	WATER
5	MW-2	9/16/2022	8:40 AM	WATER
6	GS-1	9/16/2022	8:35 AM	WATER
7	MW-14-8'	9/16/2022	8:45 AM	WATER
8	MW-6	9/16/2022	8:50 AM	WATER
9	MW-7-8'	9/16/2022	9:00 AM	WATER
10	SUMP 1	9/16/2022	9:08 AM	WATER
11	SUMP 2	9/16/2022	9:10 AM	WATER
12	MW-7-40'	9/16/2022	9:12 AM	WATER
13	MW-8-5'	9/16/2022	9:18 AM	WATER
14	MW-20	9/16/2022	10:01 AM	WATER
15	MW-23	9/16/2022	9:57 AM	WATER
16	MW-15	9/16/2022	10:35 AM	WATER
17	MW-21	9/16/2022	10:45 AM	WATER
18	MW-16	9/16/2022	11:18 AM	WATER
19	MW-24	9/16/2022	11:45 AM	WATER
20	MW-17	9/16/2022	11:48 AM	WATER
21	MW-18	9/16/2022	12:17 PM	WATER
22	MW-19	9/16/2022	12:30 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

PROJECT NO: 210899-0400

LOCATION: NORWICH 4-156

GTA PROJECT NO: 091622-22

GTA SAMPLE NO: 1

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 8:24 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-11

CHLORIDE EPA 300.0

Concentration

160

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 2

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 8:25 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: GS-13

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

79

10

mg/L (PPM)

KC/TR

9/25/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 3

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 8:28 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-13

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
350	10	mg/L (PPM)	KC/TR	9/25/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 4

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 8:34 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-3						
	CHLORIDE EPA 300.0	64	10	mg/L (PPM)	KC/TR	9/25/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 5

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 8:40 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-2

CHLORIDE EPA 300.0

Concentration

690

LOD

50

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 6

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 8:35 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: GS-1

CHLORIDE EPA 300.0

Concentration

120

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

PROJECT NO: 210899-0400

LOCATION: NORWICH 4-156

GTA PROJECT NO: 091622-22

GTA SAMPLE NO: 7

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 8:45 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BJB/JSL - ECT**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-14-8'

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
95	10	mg/L (PPM)	KC/TR	9/25/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

PROJECT NO: 210899-0400

LOCATION: NORWICH 4-156

GTA PROJECT NO: 091622-22

GTA SAMPLE NO: 8

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 8:50 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BJB/JSL - ECT**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-6

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
88	10	mg/L (PPM)	KC/TR	9/25/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 9

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 9:00 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-7-8'

CHLORIDE EPA 300.0

Concentration

190

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 10

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 9:08 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: SUMP 1

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

58

10

mg/L (PPM)

KC/TR

9/25/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 11

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 9:10 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: SUMP 2

CHLORIDE EPA 300.0

Concentration

46

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

PROJECT NO: 210899-0400

LOCATION: NORWICH 4-156

GTA PROJECT NO: 091622-22

GTA SAMPLE NO: 12

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 9:12 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BJB/JSL - ECT**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-7-40'

CHLORIDE EPA 300.0

Concentration

32

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 13

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 9:18 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-8-5'

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date Completed

Sample Matrix

220

10

mg/L (PPM)

KC/TR

9/25/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

PROJECT NO: 210899-0400

LOCATION: NORWICH 4-156

GTA PROJECT NO: 091622-22

GTA SAMPLE NO: 14

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 10:01 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BJB/JSL - ECT**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-20

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
720	50	mg/L (PPM)	KC/TR	9/25/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 15

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 9:57 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-23

CHLORIDE EPA 300.0

Concentration

22

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 16

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 10:35 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-15

CHLORIDE EPA 300.0

Concentration

ND

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 17

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 10:45 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-21

CHLORIDE EPA 300.0

Concentration

45

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 18

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 11:18 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-16

CHLORIDE EPA 300.0

Concentration

73

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH 4-156

GTA PROJECT NO: 091622-22
GTA SAMPLE NO: 19

DATE SAMPLED: 9/16/2022
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 9/16/2022
TIME RECEIVED: 1:55 PM

MI
SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-24						
	CHLORIDE EPA 300.0	12	10	mg/L (PPM)	KC/TR	9/25/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

PROJECT NO: 210899-0400

GTA SAMPLE NO: 20

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 11:48 AM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-17

CHLORIDE EPA 300.0

Concentration

1,500

LOD

50

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

GTA PROJECT NO: 091622-22

GTA SAMPLE NO: 21

PROJECT NO: 210899-0400

LOCATION: NORWICH 4-156

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 12:17 PM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: BJB/JSL - ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-18

CHLORIDE EPA 300.0

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

350

10

mg/L (PPM)

KC/TR

9/25/2022

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS

PROJECT NO: 210899-0400

LOCATION: NORWICH 4-156

GTA PROJECT NO: 091622-22

GTA SAMPLE NO: 22

DATE SAMPLED: 9/16/2022

TIME SAMPLED: 12:30 PM

DATE RECEIVED: 9/16/2022

TIME RECEIVED: 1:55 PM

SAMPLED BY: MI
BJB/JSL - ECT**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-19

CHLORIDE EPA 300.0

Concentration

60

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

9/25/2022

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

1 of 2

CHAIN OF CUSTODY

PROJECT NUMBER 210899-0400	SITE NAME/ADDRESS NORWICH 4-156	COMPANY/NAME MISSAUKIE O&G
SAMPLED BY B5B/JSL	COMPANY ECT	GTA PROJECT # 091622-22

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-11	9/16/22	0824	GW	CHLORIDE
2	GS-13		0825		
3	MW-13		0828		
4	MW-3		0834		
5	MW-2		0840		
6	GS-1		0855		
7	MW-14-8'		0845		
8	MW-6		0850		
9	MW-7-8'		09:00		
10	Sample 1		09:08		
11	Sample 2		0910		
12	MW-7-40		0912		
13	MW-8-5'		0918		
14	MW-20		1001		
15	MW-23		9:57		

BILL TO:

Missaukee O&G

TempRec: ☐

On Ice? ☐

☒ Y ☐ N

REPORT TO:

Brian Bauman
Jeremy Lundquist

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

9/16/22/1355

K. [Signature] 9/16/22 1355

REQUESTED TAT

☒ **STANDARD**

☐ **1 BUSINESS DAY**

☐ **2 BUSINESS DAYS**

☐ **3 BUSINESS DAYS**

