

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MISSAUKEE OIL & GAS
Name:
ClientProj: 210899-0400
GTA ProjNo: 032322-6

Site Addr: NORWICH UNIT TRACT 4-156

Sampled By: JSL/BJB - ECT
Date Rec: 3/23/2022
Time Rec: 4:55 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-2	3/23/2022	10:25 AM	WATER
2	MW-3	3/23/2022	10:13 AM	WATER
3	MW-6	3/23/2022	11:17 AM	WATER
4	MW-7 (8')	3/23/2022	11:52 AM	WATER
5	MW-7 (40')	3/23/2022	11:43 AM	WATER
6	MW-8 (5')	3/23/2022	12:02 PM	WATER
7	MW-11	3/23/2022	9:58 AM	WATER
8	MW-13	3/23/2022	9:40 AM	WATER
9	MW-15	3/23/2022	1:50 PM	WATER
10	MW-16	3/23/2022	1:24 PM	WATER
11	MW-17	3/23/2022	1:23 PM	WATER
12	MW-18	3/23/2022	2:56 PM	WATER
13	MW-19	3/23/2022	2:55 PM	WATER
14	MW-20	3/23/2022	12:53 PM	WATER
15	MW-21	3/23/2022	1:13 PM	WATER
16	MW-23	3/23/2022	1:08 PM	WATER
17	MW-24	3/23/2022	3:25 PM	WATER
18	MW-14 (8')	3/23/2022	11:03 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 1

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 10:25 AM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-2						
	CHLORIDE EPA 300.0	1,100	50	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 2

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 10:13 AM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-3							
CHLORIDE EPA 300.0		32	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 3

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 11:17 AM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-6						
	CHLORIDE EPA 300.0	240	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 4

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 11:52 AM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-7 (8')						
	CHLORIDE EPA 300.0	110	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 5

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 11:43 AM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-7 (40')						
	CHLORIDE EPA 300.0	56	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 6

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 12:02 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-8 (5')						
	CHLORIDE EPA 300.0	210	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 7

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 9:58 AM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-11						
	CHLORIDE EPA 300.0	88	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 8

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 9:40 AM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-13						
	CHLORIDE EPA 300.0	620	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 9

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 1:50 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-15						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 10

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 1:24 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-16						
	CHLORIDE EPA 300.0	200	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 11

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 1:23 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-17							
CHLORIDE EPA 300.0		2,500	100	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 12

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 2:56 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-18						
	CHLORIDE EPA 300.0	650	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 13

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 2:55 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-19						
	CHLORIDE EPA 300.0	120	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 14

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 12:53 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-20						
	CHLORIDE EPA 300.0	1,000	50	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 15

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 1:13 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-21						
	CHLORIDE EPA 300.0	78	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 16

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 1:08 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-23						
	CHLORIDE EPA 300.0	37	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 17

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 3:25 PM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-24						
	CHLORIDE EPA 300.0	20	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MISSAUKEE OIL & GAS
PROJECT NO: 210899-0400
LOCATION: NORWICH UNIT TRACT 4-156

GTA PROJECT NO: 032322-6
GTA SAMPLE NO: 18

DATE SAMPLED: 3/23/2022
TIME SAMPLED: 11:03 AM
DATE RECEIVED: 3/23/2022
TIME RECEIVED: 4:55 PM

MI
SAMPLED BY: JSL/BJB - ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-14 (8')						
	CHLORIDE EPA 300.0	18	10	mg/L (PPM)	TR	3/28/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

6/2

CHAIN OF CUSTODY

PROJECT NUMBER 210 899-0400	SITE NAME/ADDRESS Norwich Unit Tract 4-156	COMPANY/NAME Missaukee Dist Co.
SAMPLED BY JSY/BJB	COMPANY ECT	GTA PROJECT # 032322-6

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-2	3/23/22	10:25	GW	Chloride
2	MW-3		10:13		
3	MW-6		11:17		
4	MW-7(8')		11:52		
5	MW-7(40')		11:43		
6	MW-8(5')		12:02		
7	MW-11		9:58		
8	MW-13		9:40		
9	MW-15		13:50		
10	MW-16		13:24		
11	MW-17		13:23		
12	MW-18		14:56		
13	MW-19		14:55		
14	MW-20		12:53		
15	MW-21		13:13		

BILL TO: MOC	TempRec: ☐ Y ☒ N On Ice? ☐ ☒	REPORT TO: Brian Baumann Jeremy Kucharski
RELEASED BY [Signature]	DATE/TIME 3/23/22 @ 4:55p	RECEIVED BY [Signature]
		DATE/TIME 3/23/22 9:55
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS		

www.gtanalytical.com

PROJECT NUMBER 210899-0400	SITE NAME/ADDRESS Norwich Unit Tract 4-156	COMPANY/NAME Missanne Oil Co
SAMPLED BY BSB/JSL	COMPANY ECT	GTA PROJECT # 032322-6

[illegible]**REPORT TO:****DATE/TIME**

REQUESTED TAT ☒ **STANDARD** ☐ **1 BUSINESS DAY** ☐ **2 BUSINESS DAYS** ☐ **3 BUSINESS DAYS**