



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: MILLER ENERGY COMPANY II, LLC      Site Addr: EPA-UIC ANNUAL SAMPLES  
Name:  
ClientProj: ANNUAL INJECTION FLUID ANALYSIS-  
GTA ProjNo: 110922-9      Sampled By: BAY MAILLOUX/MECH  
Date Rec: 11/9/2022  
Time Rec: 8:20 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	WEZENSKY 1-25	11/8/2022	9:55 AM	WATER
2	MT. PLEASANT UNIT 54-1 (Q4)	11/8/2022	9:15 AM	WATER
3	MT. PLEASANT UNIT 53-2 (Q4)	11/8/2022	9:20 AM	WATER
4	MT. PLEASANT UNIT 52-2 (Q4)	11/8/2022	9:15 AM	WATER
5	MT. PLEASANT UNIT 122-4 (Q4)	11/8/2022	9:05 AM	WATER
6	HIGGINS 1-2	11/8/2022	9:40 AM	WATER
7	THOMAS WING 1	11/8/2022	10:35 AM	WATER
8	J. FITZPATRICK ESTATE 1	11/8/2022	11:00 AM	WATER
9	ASA PROUT 1	11/8/2022	10:20 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)









**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	110922-9
PROJECT NO:	ANNUAL INJECTION FLUID ANALYSIS-	GTA SAMPLE NO:	2
LOCATION:	EPA-UIC ANNUAL SAMPLES	DATE RECEIVED:	11/9/2022
		TIME RECEIVED:	8:20 AM
	MI	DATE SAMPLED:	11/8/2022
SAMPLED BY:	BAY MAILLOUX/MECII	TIME SAMPLED:	9:15 AM
		SAMPLE MATRIX:	WATER
SAMPLE ID:	MT. PLEASANT UNIT 54-1 (Q4)		

**SAMPLE ANALYSIS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
ALKALINITY SM 4500CO2D (BICARBONATE)	78	10	mg/L (PPM)	TR	12/4/2022
ALKALINITY SM 4500CO2D (CARBONATE)	ND	10	mg/L (PPM)	TR	12/4/2022
CHLORIDE EPA 300.0	160,000	2,000	mg/L (PPM)	KC/TR	11/27/2022
pH EPA 150.1 - LAB	6.5	0.10	mg/L (PPM)	TR	12/4/2022
RESISTIVITY SM 2510A	2.9	-	ohms x cm	AS	12/1/2022
SULFATE EPA 300.0	700	50	mg/L (PPM)	KC/TR	11/27/2022
SULFIDE SM 4500S D	ND	1.0	mg/L (PPM)	KC	11/15/2022
TOTAL DISSOLVED SOLIDS EPA 160.1	200,000	5.0	mg/L (PPM)	TR	12/2/2022

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C  
 DISS = DISSOLVED





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC  
 PROJECT NO: ANNUAL INJECTION FLUID ANALYSIS-  
 LOCATION: EPA-UIC ANNUAL SAMPLES  
 MI  
 SAMPLED BY: BAY MAILLOUX/MECII  
 SAMPLE ID: MT. PLEASANT UNIT 53-2 (Q4)

GTA PROJECT NO: 110922-9  
 GTA SAMPLE NO: 3  
 DATE RECEIVED: 11/9/2022  
 TIME RECEIVED: 8:20 AM  
 DATE SAMPLED: 11/8/2022  
 TIME SAMPLED: 9:20 AM  
 SAMPLE MATRIX: WATER

**SAMPLE ANALYSIS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
ALKALINITY SM 4500CO2D (BICARBONATE)	89	10	mg/L (PPM)	TR	12/4/2022
ALKALINITY SM 4500CO2D (CARBONATE)	ND	10	mg/L (PPM)	TR	12/4/2022
CHLORIDE EPA 300.0	170,000	2,000	mg/L (PPM)	KC/TR	11/27/2022
pH EPA 150.1 - LAB	6.6	0.10	mg/L (PPM)	TR	12/4/2022
RESISTIVITY SM 2510A	3.1	-	ohms x cm	AS	12/1/2022
SULFATE EPA 300.0	660	50	mg/L (PPM)	KC/TR	11/27/2022
SULFIDE SM 4500S D	ND	1.0	mg/L (PPM)	KC	11/15/2022
TOTAL DISSOLVED SOLIDS EPA 160.1	210,000	5.0	mg/L (PPM)	TR	12/2/2022

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C  
 DISS = DISSOLVED





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC  
PROJECT NO: ANNUAL INJECTION FLUID ANALYSIS-  
LOCATION: EPA-UIC ANNUAL SAMPLES  
MI  
SAMPLED BY: BAY MAILLOUX/MECII  
SAMPLE ID: MT. PLEASANT UNIT 52-2 (Q4)

GTA PROJECT NO: 110922-9  
GTA SAMPLE NO: 4  
DATE RECEIVED: 11/9/2022  
TIME RECEIVED: 8:20 AM  
DATE SAMPLED: 11/8/2022  
TIME SAMPLED: 9:15 AM  
SAMPLE MATRIX: WATER

**SAMPLE ANALYSIS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
ALKALINITY SM 4500CO2D (BICARBONATE)	78	10	mg/L (PPM)	TR	12/4/2022
ALKALINITY SM 4500CO2D (CARBONATE)	ND	10	mg/L (PPM)	TR	12/4/2022
CHLORIDE EPA 300.0	170,000	2,000	mg/L (PPM)	KC/TR	11/27/2022
pH EPA 150.1 - LAB	6.6	0.10	mg/L (PPM)	TR	12/4/2022
RESISTIVITY SM 2510A	14	-	ohms x cm	AS	12/1/2022
SULFATE EPA 300.0	700	50	mg/L (PPM)	KC/TR	11/27/2022
SULFIDE SM 4500S D	ND	1.0	mg/L (PPM)	KC	11/15/2022
TOTAL DISSOLVED SOLIDS EPA 160.1	210,000	5.0	mg/L (PPM)	TR	12/2/2022

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C  
DISS = DISSOLVED





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC  
PROJECT NO: ANNUAL INJECTION FLUID ANALYSIS-  
LOCATION: EPA-UIC ANNUAL SAMPLES  
MI  
SAMPLED BY: BAY MAILLOUX/MECII  
SAMPLE ID: MT. PLEASANT UNIT 122-4 (Q4)

GTA PROJECT NO: 110922-9  
GTA SAMPLE NO: 5  
DATE RECEIVED: 11/9/2022  
TIME RECEIVED: 8:20 AM  
DATE SAMPLED: 11/8/2022  
TIME SAMPLED: 9:05 AM  
SAMPLE MATRIX: WATER

**SAMPLE ANALYSIS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
ALKALINITY SM 4500CO2D (BICARBONATE)	78	10	mg/L (PPM)	TR	12/4/2022
ALKALINITY SM 4500CO2D (CARBONATE)	ND	10	mg/L (PPM)	TR	12/4/2022
CHLORIDE EPA 300.0	180,000	2,000	mg/L (PPM)	KC/TR	11/27/2022
pH EPA 150.1 - LAB	6.6	0.10	mg/L (PPM)	TR	12/4/2022
RESISTIVITY SM 2510A	16	-	ohms x cm	AS	12/1/2022
SULFATE EPA 300.0	710	50	mg/L (PPM)	KC/TR	11/27/2022
SULFIDE SM 4500S D	ND	1.0	mg/L (PPM)	KC	11/15/2022
TOTAL DISSOLVED SOLIDS EPA 160.1	190,000	5.0	mg/L (PPM)	TR	12/2/2022

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C  
DISS = DISSOLVED





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC  
PROJECT NO: ANNUAL INJECTION FLUID ANALYSIS-  
LOCATION: EPA-UIC ANNUAL SAMPLES  
MI  
SAMPLED BY: BAY MAILLOUX/MECII  
SAMPLE ID: HIGGINS 1-2

GTA PROJECT NO: 110922-9  
GTA SAMPLE NO: 6  
DATE RECEIVED: 11/9/2022  
TIME RECEIVED: 8:20 AM  
DATE SAMPLED: 11/8/2022  
TIME SAMPLED: 9:40 AM  
SAMPLE MATRIX: WATER

**SAMPLE ANALYSIS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
ALKALINITY SM 4500CO2D (BICARBONATE)	55	10	mg/L (PPM)	TR	12/4/2022
ALKALINITY SM 4500CO2D (CARBONATE)	ND	10	mg/L (PPM)	TR	12/4/2022
CHLORIDE EPA 300.0	320,000	2,000	mg/L (PPM)	KC/TR	11/27/2022
pH EPA 150.1 - LAB	6.0	0.10	mg/L (PPM)	TR	12/4/2022
RESISTIVITY SM 2510A	9.6	-	ohms x cm	AS	12/1/2022
SPECIFIC GRAVITY SM 2710F	1.078	-	-	TR	12/4/2022
SULFATE EPA 300.0	230	50	mg/L (PPM)	KC/TR	11/27/2022
SULFIDE SM 4500S D	ND	1.0	mg/L (PPM)	KC	11/15/2022
TOTAL DISSOLVED SOLIDS EPA 160.1	350,000	5.0	mg/L (PPM)	TR	12/2/2022

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C  
DISS = DISSOLVED





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC  
PROJECT NO: ANNUAL INJECTION FLUID ANALYSIS-  
LOCATION: EPA-UIC ANNUAL SAMPLES  
MI  
SAMPLED BY: BAY MAILLOUX/MECII  
SAMPLE ID: THOMAS WING 1

GTA PROJECT NO: 110922-9  
GTA SAMPLE NO: 7  
DATE RECEIVED: 11/9/2022  
TIME RECEIVED: 8:20 AM  
DATE SAMPLED: 11/8/2022  
TIME SAMPLED: 10:35 AM  
SAMPLE MATRIX: WATER

**SAMPLE ANALYSIS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
ALKALINITY SM 4500CO2D (BICARBONATE)	22	10	mg/L (PPM)	TR	12/4/2022
ALKALINITY SM 4500CO2D (CARBONATE)	ND	10	mg/L (PPM)	TR	12/4/2022
CHLORIDE EPA 300.0	340,000	2,000	mg/L (PPM)	KC/TR	11/27/2022
pH EPA 150.1 - LAB	5.3	0.10	mg/L (PPM)	TR	12/4/2022
RESISTIVITY SM 2510A	1.8	-	ohms x cm	AS	12/1/2022
SPECIFIC GRAVITY SM 2710F	1.020	-	-	TR	12/4/2022
SULFATE EPA 300.0	210	50	mg/L (PPM)	KC/TR	11/27/2022
SULFIDE SM 4500S D	ND	1.0	mg/L (PPM)	KC	11/15/2022
TOTAL DISSOLVED SOLIDS EPA 160.1	370,000	5.0	mg/L (PPM)	TR	12/2/2022

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C  
DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	110922-9
PROJECT NO:	ANNUAL INJECTION FLUID ANALYSIS-	GTA SAMPLE NO:	8
LOCATION:	EPA-UIC ANNUAL SAMPLES	DATE SAMPLED:	11/8/2022
		TIME SAMPLED:	11:00 AM
		DATE RECEIVED:	11/9/2022
	MI	TIME RECEIVED:	8:20 AM
SAMPLED BY:	BAY MAILLOUX/MECII	SAMPLE MATRIX:	WATER
SAMPLE ID:	J. FITZPATRICK ESTATE 1		

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
BARIUM DISS EPA 6020A	ND	1.0	mg/L (PPM)	MR	11/29/2022	EPA 3005A
CALCIUM DISS EPA 6020A	18,000	100	mg/L (PPM)	MR	11/29/2022	EPA 3005A
IRON TOTAL EPA 6020A	ND	10	mg/L (PPM)	MR	11/29/2022	EPA 3020A
MAGNESIUM DISS EPA 6020A	8,200	100	mg/L (PPM)	MR	11/29/2022	EPA 3005A
SODIUM DISS EPA 6020A	36,000	100	mg/L (PPM)	MR	11/29/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MILLER ENERGY COMPANY II, LLC	GTA PROJECT NO:	110922-9
PROJECT NO:	ANNUAL INJECTION FLUID ANALYSIS-	GTA SAMPLE NO:	8
LOCATION:	EPA-UIC ANNUAL SAMPLES	DATE RECEIVED:	11/9/2022
		TIME RECEIVED:	8:20 AM
	MI	DATE SAMPLED:	11/8/2022
SAMPLED BY:	BAY MAILLOUX/MECII	TIME SAMPLED:	11:00 AM
SAMPLE ID:	J. FITZPATRICK ESTATE 1	SAMPLE MATRIX:	WATER

**SAMPLE ANALYSIS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
ALKALINITY SM 4500CO2D (BICARBONATE)	100	10	mg/L (PPM)	TR	12/4/2022
ALKALINITY SM 4500CO2D (CARBONATE)	ND	10	mg/L (PPM)	TR	12/4/2022
CHLORIDE EPA 300.0	300,000	2,000	mg/L (PPM)	KC/TR	11/27/2022
pH EPA 150.1 - LAB	6.1	0.10	mg/L (PPM)	TR	12/4/2022
RESISTIVITY SM 2510A	10	-	ohms x cm	AS	12/1/2022
SPECIFIC GRAVITY SM 2710F	1.171	-	-	TR	12/4/2022
SULFATE EPA 300.0	220	50	mg/L (PPM)	KC/TR	11/27/2022
SULFIDE SM 4500S D	ND	1.0	mg/L (PPM)	KC	11/15/2022
TOTAL DISSOLVED SOLIDS EPA 160.1	340,000	5.0	mg/L (PPM)	TR	12/2/2022

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C  
 DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MILLER ENERGY COMPANY II, LLC  
PROJECT NO: ANNUAL INJECTION FLUID ANALYSIS-  
LOCATION: EPA-UIC ANNUAL SAMPLES  
MI  
SAMPLED BY: BAY MAILLOUX/MECII  
SAMPLE ID: ASA PROUT 1

GTA PROJECT NO: 110922-9  
GTA SAMPLE NO: 9  
DATE SAMPLED: 11/8/2022  
TIME SAMPLED: 10:20 AM  
DATE RECEIVED: 11/9/2022  
TIME RECEIVED: 8:20 AM  
SAMPLE MATRIX: WATER

**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
BARIUM DISS EPA 6020A	ND	1.0	mg/L (PPM)	MR	11/29/2022	EPA 3005A
CALCIUM DISS EPA 6020A	16,000	100	mg/L (PPM)	MR	11/29/2022	EPA 3005A
IRON TOTAL EPA 6020A	ND	10	mg/L (PPM)	MR	11/29/2022	EPA 3020A
MAGNESIUM DISS EPA 6020A	8,900	100	mg/L (PPM)	MR	11/29/2022	EPA 3005A
SODIUM DISS EPA 6020A	54,000	100	mg/L (PPM)	MR	11/29/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com


COMPANY: MILLER ENERGY COMPANY II, LLC  
 PROJECT NO: ANNUAL INJECTION FLUID ANALYSIS-  
 LOCATION: EPA-UIC ANNUAL SAMPLES  
 MI  
 SAMPLED BY: BAY MAILLOUX/MECII  
 SAMPLE ID: ASA PROUT 1

GTA PROJECT NO: 110922-9  
 GTA SAMPLE NO: 9  
 DATE RECEIVED: 11/9/2022  
 TIME RECEIVED: 8:20 AM  
 DATE SAMPLED: 11/8/2022  
 TIME SAMPLED: 10:20 AM  
 SAMPLE MATRIX: WATER

**SAMPLE ANALYSIS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
ALKALINITY SM 4500CO2D (BICARBONATE)	33	10	mg/L (PPM)	TR	12/4/2022
ALKALINITY SM 4500CO2D (CARBONATE)	ND	10	mg/L (PPM)	TR	12/4/2022
CHLORIDE EPA 300.0	340,000	2,000	mg/L (PPM)	KC/TR	11/27/2022
pH EPA 150.1 - LAB	5.8	0.10	mg/L (PPM)	TR	12/4/2022
RESISTIVITY SM 2510A	1.8	-	ohms x cm	AS	12/1/2022
SPECIFIC GRAVITY SM 2710F	1.172	-	-	TR	12/4/2022
SULFATE EPA 300.0	210	50	mg/L (PPM)	KC/TR	11/27/2022
SULFIDE SM 4500S D	ND	1.0	mg/L (PPM)	KC	11/15/2022
TOTAL DISSOLVED SOLIDS EPA 160.1	340,000	5.0	mg/L (PPM)	TR	12/2/2022

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C  
 DISS = DISSOLVED



# INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

## CHAIN OF CUSTODY

PROJECT NUMBER Annual Injection Fluid Analysis- SWD/WIW	SITE NAME/ADDRESS	COMPANY/NAME Miller Energy Company II LLC
SAMPLED BY Ray Mailloux Dean Post- Route 13	COMPANY Miller Energy Company II LLC	GTA PROJECT # 110922-9

## SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	Wezensky 1-25	11-8-22	9:55AM	Water	Specific Gravity, Sodium, Calcium, Magnesium, Barium, Total Iron, Chloride, Sulfate, Carbonate, Bicarbonate, Sulfide, Total Dissolved Solids, pH, Resistivity
2	Mt. Pleasant Unit 54-1 (Q4)	11-8-22	9:15AM	Water	Sodium, Calcium, Magnesium, Barium, Total Iron, Chloride, Sulfate, Carbonate, Bicarbonate, Sulfide, Total Dissolved Solids, pH, Resistivity
3	Mt. Pleasant Unit 53-2 (Q4)	11-8-22	9:20AM	Water	Sodium, Calcium, Magnesium, Barium, Total Iron, Chloride, Sulfate, Carbonate, Bicarbonate, Sulfide, Total Dissolved Solids, pH, Resistivity
4	Mt. Pleasant Unit 52-2 (Q4)	11-8-22	9:25AM	Water	Sodium, Calcium, Magnesium, Barium, Total Iron, Chloride, Sulfate, Carbonate, Bicarbonate, Sulfide, Total Dissolved Solids, pH, Resistivity
5	Mt. Pleasant Unit 122-4 (Q4)	11-8-22	9:05AM	Water	Sodium, Calcium, Magnesium, Barium, Total Iron, Chloride, Sulfate, Carbonate, Bicarbonate, Sulfide, Total Dissolved Solids, pH, Resistivity
6	Higgins 1-2	11-8-22	9:40AM	Water	Specific Gravity, Sodium, Calcium, Magnesium, Barium, Total Iron, Chloride, Sulfate, Carbonate, Bicarbonate, Sulfide, Total Dissolved Solids, pH, Resistivity
7	Thomas Wing 1	11-8-22	10:35AM	Water	Specific Gravity, Sodium, Calcium, Magnesium, Barium, Total Iron, Chloride, Sulfate, Carbonate, Bicarbonate, Sulfide, Total Dissolved Solids, pH, Resistivity
8	J. Fitzpatrick Estate 1	11-8-22	11:00AM	Water	Specific Gravity, Sodium, Calcium, Magnesium, Barium, Total Iron, Chloride, Sulfate, Carbonate, Bicarbonate, Sulfide, Total Dissolved Solids, pH, Resistivity
9	Asa Prout 1	11-8-22	10:20AM	Water	Specific Gravity, Sodium, Calcium, Magnesium, Barium, Total Iron, Chloride, Sulfate, Carbonate, Bicarbonate, Sulfide, Total Dissolved Solids, pH, Resistivity

**BILL TO:** Miller Energy Company II LLC

**REPORT TO:**

Laura Dyke  
Olivia Lazic

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Ray Mailloux			
Ray Mailloux	11-8-22 11:30A		11/8/22 11:30 AM
	11/9/22 8:20A		11-9-22 8:20am

REQUESTED TAT  STANDARD  1 BUSINESS DAY  2 BUSINESS DAYS  3 BUSINESS DAYS