

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 06-221A
GTA ProjNo: 100725-14

Site Addr: SORGETT TRAPP

Sampled By: JACOB HOLCOMB/OMPC
Date Rec: 10/7/2025
Time Rec: 4:35 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1R	10/7/2025	11:25 AM	WATER
2	MW-4	10/7/2025	1:15 PM	WATER
3	MW-4A	10/7/2025	12:05 PM	WATER
4	GP-6R	10/7/2025	11:45 AM	WATER
5	GP-8	10/7/2025	12:15 PM	WATER
6	GP-9	10/7/2025	12:00 PM	WATER
7	GP-10	10/7/2025	12:45 PM	WATER
8	GP-11	10/7/2025	12:40 PM	WATER
9	GP-12	10/7/2025	1:00 PM	WATER
10	GP-13	10/7/2025	1:05 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-1R

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 1
DATE SAMPLED: 10/7/2025
TIME SAMPLED: 11:25 AM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

SAMPLED BY: JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/13/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 2
DATE SAMPLED: 10/7/2025
TIME SAMPLED: 1:15 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

SAMPLED BY: JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/13/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-4A

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 3
DATE SAMPLED: 10/7/2025
TIME SAMPLED: 12:05 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

SAMPLED BY: JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		10/13/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 1

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 11:25 AM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1R							
CHLORIDE EPA 300.0		81	10	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 2

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 1:15 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4							
CHLORIDE EPA 300.0		1,600	50	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 3

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 12:05 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	MW-4A						
CHLORIDE EPA 300.0		2,000	50	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 4

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GP-6R							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 5

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 12:15 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GP-8							
CHLORIDE EPA 300.0		29	10	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 6

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 12:00 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GP-9							
CHLORIDE EPA 300.0		520	20	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 7

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 12:45 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GP-10							
CHLORIDE EPA 300.0		19	10	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 8

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 12:40 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GP-11							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 9

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 1:00 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GP-12							
CHLORIDE EPA 300.0		56	10	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-221A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 100725-14
GTA SAMPLE NO: 10

DATE SAMPLED: 10/7/2025
TIME SAMPLED: 1:05 PM
DATE RECEIVED: 10/7/2025
TIME RECEIVED: 4:35 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GP-13							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	10/16/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 06-221A	SITE NAME/ADDRESS SORGETT TRAPP	COMPANY/NAME RIVERSIDE
SAMPLED BY JACOB HOLCOMB	COMPANY OMPC	GTA PROJECT # 100725-14

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1R	10/7/25	11:25	H ₂ O	CHLORIDES HIPS
2	MW-4		1:15		only one
3	MW-4a		12:05		
4	GP-6R		11:45		
5	GP-8		12:15		
6	GP-9		12:00		
7	GP-10		12:45		
8	GP-11		12:40		
9	GP-12		1:00		
10	GP-13		1:05		

BILL TO: OMPC	TempRec: ☐ On Ice? ☒ ☐ 1:30	REPORT TO: DAN BARTON dbarton@obwellmzby.com
RELEASED BY JACOB HOLCOMB [Signature]	DATE/TIME 10/7/25 4:35	RECEIVED BY [Signature] 10/7/25 4:35
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS		