



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 06-122A
GTA ProjNo: 072325-2

Site Addr: SORGETT TRAPP

Sampled By: AP/JH - OMPC
Date Rec: 7/23/2025
Time Rec: 2:14 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1R	7/22/2025	11:45 AM	WATER
2	GP-6R	7/22/2025	11:46 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-122A
LOCATION: SORGETT TRAPP

MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-1R

GTA PROJECT NO: 072325-2
GTA SAMPLE NO: 1

DATE SAMPLED: 7/22/2025
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 7/23/2025
TIME RECEIVED: 2:14 PM

SAMPLED BY: AP/JH - OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		7/24/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	19	1.0					
1,3,5-Trimethylbenzene	5.2	1.0					
Naphthalene	12	5.0					
2-Methylnaphthalene	76	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-122A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 072325-2
GTA SAMPLE NO: 1

DATE SAMPLED: 7/22/2025
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 7/23/2025
TIME RECEIVED: 2:14 PM

MI
SAMPLED BY: AP/JH - OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1R							
CHLORIDE EPA 300.0		89	10	mg/L (PPM)	KC/TR	7/29/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 06-122A
LOCATION: SORGETT TRAPP

GTA PROJECT NO: 072325-2
GTA SAMPLE NO: 2

DATE SAMPLED: 7/22/2025
TIME SAMPLED: 11:46 AM
DATE RECEIVED: 7/23/2025
TIME RECEIVED: 2:14 PM

MI
SAMPLED BY: AP/JH - OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: GP-6R							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	KC/TR	7/29/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

