

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 06-136A
GTA ProjNo: 103124-1

Site Addr: PAUSIT 1-26

Sampled By: WPM/OMPC
Date Rec: 10/31/2024
Time Rec: 9:50 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	10/24/2024	12:25 PM	WATER
2	MW-2	10/24/2024	3:00 PM	WATER
3	MW-4	10/30/2024	12:00 PM	WATER
4	MW-5	10/24/2024		WATER
5	MW-6	10/24/2024	1:30 PM	WATER
6	MW-7	10/24/2024	1:40 PM	WATER
7	MW-8	10/24/2024	2:10 PM	WATER
8	MW-9	10/30/2024	12:30 PM	WATER
9	MW-10A	10/24/2024	3:20 PM	WATER
10	MW-11	10/24/2024	1:15 PM	WATER
11	MW-13	10/30/2024	12:45 PM	WATER
12	MW-16	10/24/2024	2:40 PM	WATER
13	MW-17	10/30/2024	11:20 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 1

DATE SAMPLED: 10/24/2024
TIME SAMPLED: 12:25 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1							
CHLORIDE EPA 300.0		5,100	500	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 2

DATE SAMPLED: 10/24/2024
TIME SAMPLED: 3:00 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-2							
CHLORIDE EPA 300.0		20	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 3

DATE SAMPLED: 10/30/2024
TIME SAMPLED: 12:00 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4							
CHLORIDE EPA 300.0		160	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 4
DATE SAMPLED: 10/24/2024
TIME SAMPLED:
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-5							
CHLORIDE EPA 300.0		150	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 5

DATE SAMPLED: 10/24/2024
TIME SAMPLED: 1:30 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-6							
CHLORIDE EPA 300.0		29	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 6
DATE SAMPLED: 10/24/2024
TIME SAMPLED: 1:40 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7							
CHLORIDE EPA 300.0		46	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 7
DATE SAMPLED: 10/24/2024
TIME SAMPLED: 2:10 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-8						
	CHLORIDE EPA 300.0	30	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 8
DATE SAMPLED: 10/30/2024
TIME SAMPLED: 12:30 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-9						
	CHLORIDE EPA 300.0	34	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 9
DATE SAMPLED: 10/24/2024
TIME SAMPLED: 3:20 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-10A						
	CHLORIDE EPA 300.0	21,000	1,000	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 10
DATE SAMPLED: 10/24/2024
TIME SAMPLED: 1:15 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-11							
CHLORIDE EPA 300.0		110	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 11

DATE SAMPLED: 10/30/2024
TIME SAMPLED: 12:45 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-13							
CHLORIDE EPA 300.0		70	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 12
DATE SAMPLED: 10/24/2024
TIME SAMPLED: 2:40 PM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-16							
CHLORIDE EPA 300.0		18	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 103124-1
GTA SAMPLE NO: 13

DATE SAMPLED: 10/30/2024
TIME SAMPLED: 11:20 AM
DATE RECEIVED: 10/31/2024
TIME RECEIVED: 9:50 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-17							
CHLORIDE EPA 300.0		ND	10	mg/L (PPM)	TR	11/12/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER <i>06-130A</i>	SITE NAME/ADDRESS <i>Pavist 1-26</i>	COMPANY/NAME <i>Riverside</i>
SAMPLED BY <i>WPM</i>	COMPANY <i>QMPC</i>	GTA PROJECT # <i>103124-1</i>

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	10/24/24	1225	H ₂ O	Chlorides
2	MW-2	↓	1500	↓	↓
3	MW-4	10/30/24	1200	↓	↓
4	MW-5	10/24/24		↓	↓
5	MW-6	↓	1330	↓	↓
6	MW-7	↓	1340	↓	↓
7	MW-8	↓	1410	↓	↓
8	MW-9	10/30/24	1230	↓	↓
9	MW-10A	10/24/24	1520	↓	↓
10	MW-11	↓	1315	↓	↓
11	MW-13	10/30/24	1245	↓	↓
12	MW-16	10/24/24	1440	↓	↓
13	MW-17	10/30/24	1120	↓	↓
				↓	↓
				↓	↓

BILL TO:	TempRec: ☒ <i>5.0°C</i>	On Ice? ☐ ☐	REPORT TO: <i>Dan Barton</i>
RELEASED BY <i>[Signature]</i>	DATE/TIME <i>10/31/24 9:45</i>	RECEIVED BY <i>[Signature]</i>	DATE/TIME <i>10-31-24 9:50A</i>
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			