

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 06-136A
GTA ProjNo: 042622-3

Site Addr: PAUSIT 1-26

Sampled By: WPM/OMPC
Date Rec: 4/26/2022
Time Rec: 9:30 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-3	4/25/2022	2:15 PM	WATER
2	MW-4	4/25/2022	2:30 PM	WATER
3	MW-5	4/25/2022	2:00 PM	WATER
4	MW-6	4/25/2022	3:30 PM	WATER
5	MW-7	4/25/2022	3:45 PM	WATER
6	MW-8	4/25/2022	3:55 PM	WATER
7	MW-9	4/25/2022	4:15 PM	WATER
8	MW-10D	4/25/2022	3:00 PM	WATER
9	MW-11	4/25/2022	2:50 PM	WATER
10	MW-14	4/25/2022	3:15 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3
GTA SAMPLE NO: 1

DATE SAMPLED: 4/25/2022
TIME SAMPLED: 2:15 PM
DATE RECEIVED: 4/26/2022
TIME RECEIVED: 9:30 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-3

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
45	10	mg/L (PPM)	TR	5/2/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

PROJECT NO: 06-136A

LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3

GTA SAMPLE NO: 2

DATE SAMPLED: 4/25/2022

TIME SAMPLED: 2:30 PM

DATE RECEIVED: 4/26/2022

TIME RECEIVED: 9:30 AM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-4

CHLORIDE EPA 300.0

Concentration

54

LOD

10

Units

mg/L (PPM)

Analyst

TR

Date Completed

5/2/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

PROJECT NO: 06-136A

LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3

GTA SAMPLE NO: 3

DATE SAMPLED: 4/25/2022

TIME SAMPLED: 2:00 PM

DATE RECEIVED: 4/26/2022

TIME RECEIVED: 9:30 AM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS****No: Analysis**

SAMPLE ID: MW-5

CHLORIDE EPA 300.0

Concentration

20

LOD

10

Units

mg/L (PPM)

Analyst

TR

Date Completed

5/2/2022

Sample

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

PROJECT NO: 06-136A

LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3

GTA SAMPLE NO: 4

DATE SAMPLED: 4/25/2022

TIME SAMPLED: 3:30 PM

DATE RECEIVED: 4/26/2022

TIME RECEIVED: 9:30 AM

SAMPLED BY: MI
WPM/OMPC**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-6	22	10	mg/L (PPM)	TR	5/2/2022	WATER
	CHLORIDE EPA 300.0						

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3
GTA SAMPLE NO: 5

DATE SAMPLED: 4/25/2022
TIME SAMPLED: 3:45 PM
DATE RECEIVED: 4/26/2022
TIME RECEIVED: 9:30 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-7						
	CHLORIDE EPA 300.0	26	10	mg/L (PPM)	TR	5/2/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3
GTA SAMPLE NO: 6

DATE SAMPLED: 4/25/2022
TIME SAMPLED: 3:55 PM
DATE RECEIVED: 4/26/2022
TIME RECEIVED: 9:30 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
	SAMPLE ID: MW-8						
	CHLORIDE EPA 300.0	30	10	mg/L (PPM)	TR	5/2/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3
GTA SAMPLE NO: 7

DATE SAMPLED: 4/25/2022
TIME SAMPLED: 4:15 PM
DATE RECEIVED: 4/26/2022
TIME RECEIVED: 9:30 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
SAMPLE ID: MW-9							
CHLORIDE EPA 300.0		19	10	mg/L (PPM)	TR	5/2/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

PROJECT NO: 06-136A

LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3

GTA SAMPLE NO: 8

DATE SAMPLED: 4/25/2022

TIME SAMPLED: 3:00 PM

DATE RECEIVED: 4/26/2022

TIME RECEIVED: 9:30 AM

SAMPLED BY: MI
WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-10D

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
92	10	mg/L (PPM)	TR	5/2/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

PROJECT NO: 06-136A

LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3

GTA SAMPLE NO: 9

DATE SAMPLED: 4/25/2022

TIME SAMPLED: 2:50 PM

DATE RECEIVED: 4/26/2022

TIME RECEIVED: 9:30 AM

SAMPLED BY: MI
WPM/OMPC

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-11

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
16	10	mg/L (PPM)	TR	5/2/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 06-136A
LOCATION: PAUSIT 1-26

GTA PROJECT NO: 042622-3
GTA SAMPLE NO: 10

DATE SAMPLED: 4/25/2022
TIME SAMPLED: 3:15 PM
DATE RECEIVED: 4/26/2022
TIME RECEIVED: 9:30 AM

MI
SAMPLED BY: WPM/OMPC

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-14

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample</u>
ND	10	mg/L (PPM)	TR	5/2/2022	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 06-136A	SITE NAME/ADDRESS Pausit 1-26	COMPANY/NAME Riverside
SAMPLED BY WPM	COMPANY OMPC	GTA PROJECT # 0426002-3

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-3	4-25-22	1415	H ₂ O	Chlorides
2	MW-4	↓	1430	↓	↓
3	MW-5		1400		
4	MW-6		1530		
5	MW-7		1545		
6	MW-8		1555		
7	MW-9		1615		
8	MW-10D		1500		
9	MW-11		1450		
10	MW-14		1515		

BILL TO:	TempRec: ☐ 4.5' ✓	On Ice? ☒ Y ☐ N	REPORT TO:
----------	---	--	------------

RELEASED BY J. Haly	DATE/TIME 4-26-22 925	RECEIVED BY [Signature]	DATE/TIME 4-26-2022 / 9:30A
-------------------------------	---------------------------------	-----------------------------------	---------------------------------------

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS