

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 200838-6500
GTA ProjNo: 062822-7

Site Addr: EDWARDS B2-34

Sampled By: LMH-J/ECT
Date Rec: 6/28/2022
Time Rec: 2:45 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	NORTH	6/28/2022		SOIL
2	SOUTH	6/28/2022		SOIL
3	EAST #1	6/28/2022		SOIL
4	WEST #1	6/28/2022		SOIL
5	EAST #2	6/28/2022		SOIL
6	WEST #2	6/28/2022		SOIL
7	EAST #3	6/28/2022		SOIL
8	WEST #3	6/28/2022		SOIL
9	F-1 @ 5'	6/28/2022		SOIL
10	F-2 @ 10'	6/28/2022		SOIL
11	F-2 @ 11'	6/28/2022		SOIL
12	F-3 @ 8'	6/28/2022		SOIL
13	F-3 @ 9'	6/28/2022		SOIL
14	A	6/28/2022		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 1

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

SAMPLED BY: MI
LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: NORTH CHLORIDE EPA 300.0	ND	92	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 2

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SOUTH CHLORIDE EPA 300.0	2,600	93	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 3

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: EAST #1
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	95	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 4

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: WEST #1
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	89	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 5

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: EAST #2
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	100	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 6

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: WEST #2						
	CHLORIDE EPA 300.0	ND	96	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 7

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: EAST #3
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	92	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 8

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: WEST #3							
CHLORIDE EPA 300.0		140	97	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 9

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: F-1 @ 5'
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
180	96	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 10

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: F-2 @ 10'							
CHLORIDE EPA 300.0		480	99	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 11

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: F-2 @ 11'
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	95	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 12

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-3 @ 8'						
	CHLORIDE EPA 300.0	2,900	96	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 13

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-3 @ 9'						
	CHLORIDE EPA 300.0	630	96	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-6500
LOCATION: EDWARDS B2-34

GTA PROJECT NO: 062822-7
GTA SAMPLE NO: 14

DATE SAMPLED: 6/28/2022
TIME SAMPLED:
DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: A							
CHLORIDE EPA 300.0		ND	94	mg/Kg (PPM)	KC/AS	6/29/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

NAME:

PROJECT NO: 200838-6500

GTA PROJECT NO: 062822-
SAMPLED BY: LMH-J/ECT

DATE SAMPLED: 6/28/2022

LOCATION: EDWARDS B2-34

MI

SAMPLE MATRIX: SOIL

DATE RECEIVED: 6/28/2022
TIME RECEIVED: 2:45 PM**MOISTURE**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
	SAMPLE ID: NORTH					
	% MOISTURE EPA 3550C	6.7	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: SOUTH					
	% MOISTURE EPA 3550C	3.4	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: EAST #1					
	% MOISTURE EPA 3550C	3.5	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: WEST #1					
	% MOISTURE EPA 3550C	4.5	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: EAST #2					
	% MOISTURE EPA 3550C	3.5	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: WEST #2					
	% MOISTURE EPA 3550C	1.3	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: EAST #3					
	% MOISTURE EPA 3550C	3.6	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: WEST #3					
	% MOISTURE EPA 3550C	2.2	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: F-1 @ 5'					
	% MOISTURE EPA 3550C	8.4	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: F-2 @ 10'					
	% MOISTURE EPA 3550C	9.1	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: F-2 @ 11'					
	% MOISTURE EPA 3550C	4.4	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: F-3 @ 8'					
	% MOISTURE EPA 3550C	10	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: F-3 @ 9'					
	% MOISTURE EPA 3550C	3.0	0.050	% OF SAMPLE	AS	6/28/2022
	SAMPLE ID: A					
	% MOISTURE EPA 3550C	5.9	0.050	% OF SAMPLE	AS	6/28/2022

CHAIN OF CUSTODY

PROJECT NUMBER 200838-6500	SITE NAME/ADDRESS Edwards B2-34	COMPANY/NAME RIVERSIDE
SAMPLED BY LMH-J	COMPANY ECT	GTA PROJECT # 060822-7

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	NORTH	6-28-22		SOIL	CL
2	SOUTH				
3	EAST #1				
4	WEST #1				
5	EAST #2				
6	WEST #2				
7	EAST #3				
8	WEST #3				
9	F-1 @ 5'				
10	F-2 @ 10'				
11	F-2 @ 11'				
12	F-3 @ 8'				
13	F-3 @ 9'				
14	A				

BILL TO: Riverside	TempRec: ☐ Y ☐ N On Ice? ☐ ☐	REPORT TO: Lisa
RELEASED BY Lisa H. Jones	DATE/TIME 6-28-22 2:45	RECEIVED BY [Signature]
		DATE/TIME 6/28/22 2:45
REQUESTED TAT ☐ STANDARD ☒ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS		