



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MOMAC PROPERTIES LLC
Name:
ClientProj: 220553-0200
GTA ProjNo: 072222-15

Site Addr: 4030 COLUMBUS DR NE
KALKASKA
Sampled By: BJB/JSL - ECT
Date Rec: 7/22/2022
Time Rec: 2:35 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	TMW-1	7/22/2022	8:46 AM	WATER
2	TMW-3	7/22/2022	10:58 AM	WATER
3	TMW-4	7/22/2022	9:59 AM	WATER
4	B-7-2'	7/22/2022	9:10 AM	SOIL
5	B-8-0.5'	7/22/2022	10:05 AM	SOIL
6	B-9-2'	7/22/2022	11:05 AM	SOIL
7	B-10-2'	7/22/2022	11:40 AM	SOIL
8	B-11-2'	7/22/2022	12:10 PM	SOIL
9	B-12-0.5'	7/22/2022	12:50 PM	SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 1

DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 8:46 AM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

SAMPLED BY: KALKASKA
 BJB/JSL - ECT

SAMPLE MATRIX: WATER

SAMPLE ID: TMW-1

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 7/23/2022

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROENZENE	ND	1.0
1,2,4-TRICHLOROENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 2

DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 10:58 AM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

SAMPLED BY: KALKASKA
 BJB/JSL - ECT

SAMPLE MATRIX: WATER

SAMPLE ID: TMW-3

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 7/23/2022

Prep Method= EPA 5030B

<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>	<u>Analyte</u>	<u>Concentration</u>	<u>LOD</u>
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 3

DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 9:59 AM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

SAMPLED BY: KALKASKA
 BJB/JSL - ECT

SAMPLE MATRIX: WATER

SAMPLE ID: TMW-4

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 7/23/2022

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	5.0
NAPHTHALENE	ND	5.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROENZENE	ND	1.0
1,2,4-TRICHLOROENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE
 KALKASKA
 SAMPLED BY: BJB/JSL - ECT
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 4
 DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 9:10 AM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: B-7-2'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) **Analyst=** MR **Date Extracted=** 7/22/2022 **Date Completed=** 7/23/2022 **Prep Method=** EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

PROJECT NO: 220553-0200

LOCATION: 4030 COLUMBUS DR NE

GTA PROJECT NO: 072222-15

GTA SAMPLE NO: 5

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 10:05 AM

DATE RECEIVED: 7/22/2022

TIME RECEIVED: 2:35 PM

SAMPLED BY: KALKASKA
BJB/JSL - ECT

SAMPLE MATRIX: SOIL

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: B-8-0.5'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) **Analyst=** MR **Date Extracted=** 7/22/2022 **Date Completed=** 7/23/2022 **Prep Method=** EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

PROJECT NO: 220553-0200

LOCATION: 4030 COLUMBUS DR NE

SAMPLED BY: KALKASKA
BJB/JSL - ECT

SAMPLE MATRIX: SOIL

GTA PROJECT NO: 072222-15

GTA SAMPLE NO: 6

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 11:05 AM

DATE RECEIVED: 7/22/2022

TIME RECEIVED: 2:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: B-9-2'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) **Analyst=** MR **Date Extracted=** 7/22/2022 **Date Completed=** 7/23/2022 **Prep Method=** EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

PROJECT NO: 220553-0200

LOCATION: 4030 COLUMBUS DR NE

SAMPLED BY: KALKASKA
BJB/JSL - ECT

SAMPLE MATRIX: SOIL

GTA PROJECT NO: 072222-15

GTA SAMPLE NO: 7

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 11:40 AM

DATE RECEIVED: 7/22/2022

TIME RECEIVED: 2:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: B-10-2'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) **Analyst=** MR **Date Extracted=** 7/22/2022 **Date Completed=** 7/23/2022 **Prep Method=** EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE
 SAMPLED BY: KALKASKA
 BJB/JSL - ECT
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 8
 DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 12:10 PM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: B-11-2'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) **Analyst=** MR **Date Extracted=** 7/22/2022 **Date Completed=** 7/23/2022 **Prep Method=** EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE
 KALKASKA
 SAMPLED BY: BJB/JSL - ECT
 SAMPLE MATRIX: SOIL

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 9
 DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 12:50 PM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: B-12-0.5'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) **Analyst=** MR **Date Extracted=** 7/22/2022 **Date Completed=** 7/23/2022 **Prep Method=** EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	250
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	250
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	250
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE
 KALKASKA MI
 SAMPLED BY: BJB/JSL - ECT
 SAMPLE MATRIX: WATER
 SAMPLE ID: TMW-1

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 1
 DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 8:46 AM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/MR	7/24/2022	7/24/2022	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
2-Methylnaphthalene	ND	5.0					
Naphthalene	ND	5.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE
 KALKASKA MI
 SAMPLED BY: BJB/JSL - ECT
 SAMPLE MATRIX: WATER
 SAMPLE ID: TMW-3

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 2
 DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 10:58 AM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/MR	7/24/2022	7/24/2022	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
2-Methylnaphthalene	ND	5.0					
Naphthalene	ND	5.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE
 KALKASKA MI
 SAMPLED BY: BJB/JSL - ECT
 SAMPLE MATRIX: WATER
 SAMPLE ID: TMW-4

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 3
 DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 9:59 AM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	5.0	ug/L (PPB)	KC/MR	7/24/2022	7/24/2022	EPA 3511
Acenaphthylene	ND	5.0					
Anthracene	ND	5.0					
Benzo(a)anthracene	ND	1.0					
Benzo(b)fluoranthene	ND	1.0					
Benzo(k)fluoranthene	ND	1.0					
Benzo(a)pyrene	ND	1.0					
Benzo(ghi)perylene	ND	2.0					
2-Chloronaphthalene	ND	5.0					
Chrysene	ND	1.0					
Dibenz(ah)anthracene	ND	2.0					
Fluoranthene	ND	1.0					
Fluorene	ND	5.0					
Indeno(123-cd)pyrene	ND	2.0					
2-Methylnaphthalene	ND	5.0					
Naphthalene	ND	5.0					
Phenanthrene	ND	2.0					
Pyrene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	4
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	9:10 AM
	KALKASKA	DATE RECEIVED:	7/22/2022
	MI	TIME RECEIVED:	2:35 PM
SAMPLED BY:	BJB/JSJ - ECT		
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	B-7-2'		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	7/23/2022	7/24/2022	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	5
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	10:05 AM
	KALKASKA	DATE RECEIVED:	7/22/2022
	MI	TIME RECEIVED:	2:35 PM
SAMPLED BY:	BJB/JSL - ECT		
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	B-8-0.5'		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330	ug/Kg (PPB)	KC/TR	7/23/2022	7/24/2022	EPA 3550B
Acenaphthylene	ND	330					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	4
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	9:10 AM
	KALKASKA	DATE RECEIVED:	7/22/2022
	MI	TIME RECEIVED:	2:35 PM
SAMPLED BY:	BJB/JSL - ECT		
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	B-7-2'		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330.0	ug/Kg (PPB)	KC/TR	7/23/2022	7/24/2022	EPA 3550B
Acenaphthylene	ND	330.0					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	5
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	10:05 AM
	KALKASKA	DATE RECEIVED:	7/22/2022
	MI	TIME RECEIVED:	2:35 PM
SAMPLED BY:	BJB/JSL - ECT		
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	B-8-0.5'		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330.0	ug/Kg (PPB)	KC/TR	7/23/2022	7/24/2022	EPA 3550B
Acenaphthylene	ND	330.0					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	6
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	11:05 AM
	KALKASKA	DATE RECEIVED:	7/22/2022
	MI	TIME RECEIVED:	2:35 PM
SAMPLED BY:	BJB/JSL - ECT		
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	B-9-2'		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330.0	ug/Kg (PPB)	KC/TR	7/23/2022	7/24/2022	EPA 3550B
Acenaphthylene	ND	330.0					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE
 KALKASKA
 MI
 SAMPLED BY: BJB/JSL - ECT
 SAMPLE MATRIX: SOIL
 SAMPLE ID: B-10-2'

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 7
 DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 11:40 AM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330.0	ug/Kg (PPB)	KC/TR	7/23/2022	7/24/2022	EPA 3550B
Acenaphthylene	ND	330.0					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC
 PROJECT NO: 220553-0200
 LOCATION: 4030 COLUMBUS DR NE
 KALKASKA MI
 SAMPLED BY: BJB/JSL - ECT
 SAMPLE MATRIX: SOIL
 SAMPLE ID: B-11-2'

GTA PROJECT NO: 072222-15
 GTA SAMPLE NO: 8
 DATE SAMPLED: 7/22/2022
 TIME SAMPLED: 12:10 PM
 DATE RECEIVED: 7/22/2022
 TIME RECEIVED: 2:35 PM

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330.0	ug/Kg (PPB)	KC/TR	7/23/2022	7/24/2022	EPA 3550B
Acenaphthylene	ND	330.0					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	9
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	12:50 PM
	KALKASKA	DATE RECEIVED:	7/22/2022
	MI	TIME RECEIVED:	2:35 PM
SAMPLED BY:	BJB/JSL - ECT		
SAMPLE MATRIX:	SOIL		
SAMPLE ID:	B-12-0.5'		

PNA EPA 8270D (SIM)

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Acenaphthene	ND	330.0	ug/Kg (PPB)	KC/TR	7/23/2022	7/24/2022	EPA 3550B
Acenaphthylene	ND	330.0					
Anthracene	ND	330					
Benzo(a)anthracene	ND	330					
Benzo(b)fluoranthene	ND	330					
Benzo(k)fluoranthene	ND	330					
Benzo(a)pyrene	ND	330					
Benzo(ghi)perylene	ND	330					
2-Chloronaphthalene	ND	330					
Chrysene	ND	330					
Dibenz(ah)anthracene	ND	330					
Fluoranthene	ND	330					
Fluorene	ND	330					
Indeno(123-cd)pyrene	ND	330					
2-Methylnaphthalene	ND	330					
Naphthalene	ND	330					
Phenanthrene	ND	330					
Pyrene	ND	330					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

GTA PROJECT NO: 072222-15

PROJECT NO: 220553-0200

GTA SAMPLE NO: 1

LOCATION: 4030 COLUMBUS DR NE

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 8:46 AM

KALKASKA

DATE RECEIVED: 7/22/2022

MI

TIME RECEIVED: 2:35 PM

SAMPLED BY: BJB/JSL - ECT

SAMPLE MATRIX: WATER

SAMPLE ID: TMW-1

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
BARIUM TOTAL EPA 6020A	0.0060	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.0044	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
COPPER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.0002	mg/L (PPM)	MR	7/26/2022	EPA 7470
SELENIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
ZINC TOTAL EPA 6020A	ND	0.010	mg/L (PPM)	MR	7/25/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

GTA PROJECT NO: 072222-15

PROJECT NO: 220553-0200

GTA SAMPLE NO: 2

LOCATION: 4030 COLUMBUS DR NE

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 10:58 AM

KALKASKA

DATE RECEIVED: 7/22/2022

MI

TIME RECEIVED: 2:35 PM

SAMPLED BY: BJB/JSL - ECT

SAMPLE MATRIX: WATER

SAMPLE ID: TMW-3

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
BARIUM TOTAL EPA 6020A	0.0040	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.0055	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
COPPER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.0002	mg/L (PPM)	MR	7/26/2022	EPA 7470
SELENIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
ZINC TOTAL EPA 6020A	ND	0.010	mg/L (PPM)	MR	7/25/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

GTA PROJECT NO: 072222-15

PROJECT NO: 220553-0200

GTA SAMPLE NO: 3

LOCATION: 4030 COLUMBUS DR NE

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 9:59 AM

KALKASKA

DATE RECEIVED: 7/22/2022

MI

TIME RECEIVED: 2:35 PM

SAMPLED BY: BJB/JSL - ECT

SAMPLE MATRIX: WATER

SAMPLE ID: TMW-4

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
BARIUM TOTAL EPA 6020A	0.011	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
CADMIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
CHROMIUM TOTAL EPA 6020A	0.0081	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
COPPER TOTAL EPA 6020A	0.0015	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
LEAD TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
MERCURY TOTAL EPA 7470A	ND	0.0002	mg/L (PPM)	MR	7/26/2022	EPA 7470
SELENIUM TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
SILVER TOTAL EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/25/2022	EPA 3005A
ZINC TOTAL EPA 6020A	ND	0.010	mg/L (PPM)	MR	7/25/2022	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

GTA PROJECT NO: 072222-15

PROJECT NO: 220553-0200

GTA SAMPLE NO: 4

LOCATION: 4030 COLUMBUS DR NE

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 9:10 AM

KALKASKA

DATE RECEIVED: 7/22/2022

MI

TIME RECEIVED: 2:35 PM

SAMPLED BY: BJB/JSL - ECT

SAMPLE MATRIX: SOIL

SAMPLE ID: B-7-2'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.53	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
BARIUM TOTAL EPA 6020A	8.2	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CHROMIUM TOTAL EPA 6020A	2.0	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
COPPER TOTAL EPA 6020A	3.6	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
LEAD TOTAL EPA 6020A	4.4	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.016	mg/Kg (PPM)	MR	7/26/2022	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
ZINC TOTAL EPA 6020A	19	3.3	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

GTA PROJECT NO: 072222-15

PROJECT NO: 220553-0200

GTA SAMPLE NO: 5

LOCATION: 4030 COLUMBUS DR NE

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 10:05 AM

KALKASKA

DATE RECEIVED: 7/22/2022

MI

TIME RECEIVED: 2:35 PM

SAMPLED BY: BJB/JSL - ECT

SAMPLE MATRIX: SOIL

SAMPLE ID: B-8-0.5'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.59	0.37	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
BARIUM TOTAL EPA 6020A	16	0.37	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.37	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CHROMIUM TOTAL EPA 6020A	2.2	0.37	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
COPPER TOTAL EPA 6020A	12	0.37	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
LEAD TOTAL EPA 6020A	100	0.37	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.015	mg/Kg (PPM)	MR	7/26/2022	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.37	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.37	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
ZINC TOTAL EPA 6020A	42	3.7	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

GTA PROJECT NO: 072222-15

PROJECT NO: 220553-0200

GTA SAMPLE NO: 6

LOCATION: 4030 COLUMBUS DR NE

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 11:05 AM

KALKASKA

DATE RECEIVED: 7/22/2022

MI

TIME RECEIVED: 2:35 PM

SAMPLED BY: BJB/JSL - ECT

SAMPLE MATRIX: SOIL

SAMPLE ID: B-9-2'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
BARIUM TOTAL EPA 6020A	3.3	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CHROMIUM TOTAL EPA 6020A	0.82	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
COPPER TOTAL EPA 6020A	1.7	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
LEAD TOTAL EPA 6020A	0.43	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.015	mg/Kg (PPM)	MR	7/26/2022	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
ZINC TOTAL EPA 6020A	ND	3.3	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

GTA PROJECT NO: 072222-15

PROJECT NO: 220553-0200

GTA SAMPLE NO: 7

LOCATION: 4030 COLUMBUS DR NE

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 11:40 AM

KALKASKA

DATE RECEIVED: 7/22/2022

MI

TIME RECEIVED: 2:35 PM

SAMPLED BY: BJB/JSL - ECT

SAMPLE MATRIX: SOIL

SAMPLE ID: B-10-2'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
BARIUM TOTAL EPA 6020A	3.6	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CHROMIUM TOTAL EPA 6020A	0.90	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
COPPER TOTAL EPA 6020A	0.99	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
LEAD TOTAL EPA 6020A	0.42	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.012	mg/Kg (PPM)	MR	7/26/2022	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
ZINC TOTAL EPA 6020A	ND	3.2	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

GTA PROJECT NO: 072222-15

PROJECT NO: 220553-0200

GTA SAMPLE NO: 8

LOCATION: 4030 COLUMBUS DR NE

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 12:10 PM

KALKASKA

DATE RECEIVED: 7/22/2022

MI

TIME RECEIVED: 2:35 PM

SAMPLED BY: BJB/JSL - ECT

SAMPLE MATRIX: SOIL

SAMPLE ID: B-11-2'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
BARIUM TOTAL EPA 6020A	1.6	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CHROMIUM TOTAL EPA 6020A	0.96	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
COPPER TOTAL EPA 6020A	0.79	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
LEAD TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.015	mg/Kg (PPM)	MR	7/26/2022	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.32	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
ZINC TOTAL EPA 6020A	ND	3.2	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

GTA PROJECT NO: 072222-15

PROJECT NO: 220553-0200

GTA SAMPLE NO: 9

LOCATION: 4030 COLUMBUS DR NE

DATE SAMPLED: 7/22/2022

TIME SAMPLED: 12:50 PM

KALKASKA

DATE RECEIVED: 7/22/2022

MI

TIME RECEIVED: 2:35 PM

SAMPLED BY: BJB/JSL - ECT

SAMPLE MATRIX: SOIL

SAMPLE ID: B-12-0.5'

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
ARSENIC TOTAL EPA 6020A	0.65	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
BARIUM TOTAL EPA 6020A	11	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CADMIUM TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
CHROMIUM TOTAL EPA 6020A	1.6	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
COPPER TOTAL EPA 6020A	5.1	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
LEAD TOTAL EPA 6020A	27	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
MERCURY TOTAL EPA 7471B	ND	0.014	mg/Kg (PPM)	MR	7/26/2022	EPA 7471
SELENIUM TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
SILVER TOTAL EPA 6020A	ND	0.33	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B
ZINC TOTAL EPA 6020A	15	3.3	mg/Kg (PPM)	MR	7/25/2022	EPA 3050B

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

COMPANY: MOMAC PROPERTIES LLC
PROJECT NO: 220553-0200
LOCATION: 4030 COLUMBUS DR NE

KALKASKA
MI
SAMPLED BY: BJB/JSL - ECT

GTA PROJECT NO: 072222-15
GTA SAMPLE NO: 1

DATE SAMPLED: 7/22/2022
TIME SAMPLED: 8:46 AM
DATE RECEIVED: 7/22/2022
TIME RECEIVED: 2:35 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: TMW-1	CHLORIDE EPA 300.0	52	10	mg/L (PPM)	KC/AS	7/26/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MOMAC PROPERTIES LLC
PROJECT NO: 220553-0200
LOCATION: 4030 COLUMBUS DR NE

KALKASKA
MI
SAMPLED BY: BJB/JSL - ECT

GTA PROJECT NO: 072222-15
GTA SAMPLE NO: 2

DATE SAMPLED: 7/22/2022
TIME SAMPLED: 10:58 AM
DATE RECEIVED: 7/22/2022
TIME RECEIVED: 2:35 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	TMW-3	14	10	mg/L (PPM)	KC/AS	7/26/2022	WATER
	CHLORIDE EPA 300.0						

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MOMAC PROPERTIES LLC
PROJECT NO: 220553-0200
LOCATION: 4030 COLUMBUS DR NE

KALKASKA
MI
SAMPLED BY: BJB/JSL - ECT

GTA PROJECT NO: 072222-15
GTA SAMPLE NO: 3

DATE SAMPLED: 7/22/2022
TIME SAMPLED: 9:59 AM
DATE RECEIVED: 7/22/2022
TIME RECEIVED: 2:35 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	TMW-4	54	10	mg/L (PPM)	KC/AS	7/26/2022	WATER
	CHLORIDE EPA 300.0						

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	4
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	9:10 AM
		DATE RECEIVED:	7/22/2022
		TIME RECEIVED:	2:35 PM
	KALKASKA		
	MI		
SAMPLED BY:	BJB/JSL - ECT		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: B-7-2'	CHLORIDE EPA 300.0	ND	97	mg/Kg (PPM)	KC/AS	7/26/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	5
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	10:05 AM
		DATE RECEIVED:	7/22/2022
		TIME RECEIVED:	2:35 PM
	KALKASKA		
	MI		
SAMPLED BY:	BJB/JSL - ECT		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: B-8-0.5'						
	CHLORIDE EPA 300.0	ND	89	mg/Kg (PPM)	KC/AS	7/26/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	6
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	11:05 AM
	KALKASKA	DATE RECEIVED:	7/22/2022
	MI	TIME RECEIVED:	2:35 PM
SAMPLED BY:	BJB/JSL - ECT		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: B-9-2'	CHLORIDE EPA 300.0	ND	96	mg/Kg (PPM)	KC/AS	7/26/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	7
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	11:40 AM
	KALKASKA	DATE RECEIVED:	7/22/2022
	MI	TIME RECEIVED:	2:35 PM
SAMPLED BY:	BJB/JSL - ECT		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: B-10-2'	CHLORIDE EPA 300.0	ND	88	mg/Kg (PPM)	KC/AS	7/26/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	8
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	12:10 PM
	KALKASKA	DATE RECEIVED:	7/22/2022
	MI	TIME RECEIVED:	2:35 PM
SAMPLED BY:	BJB/JSL - ECT		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: B-11-2'	CHLORIDE EPA 300.0	ND	94	mg/Kg (PPM)	KC/AS	7/26/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	MOMAC PROPERTIES LLC	GTA PROJECT NO:	072222-15
PROJECT NO:	220553-0200	GTA SAMPLE NO:	9
LOCATION:	4030 COLUMBUS DR NE	DATE SAMPLED:	7/22/2022
		TIME SAMPLED:	12:50 PM
		DATE RECEIVED:	7/22/2022
		TIME RECEIVED:	2:35 PM
	KALKASKA		
	MI		
SAMPLED BY:	BJB/JSL - ECT		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: B-12-0.5' CHLORIDE EPA 300.0	ND	99	mg/Kg (PPM)	KC/AS	7/26/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MOMAC PROPERTIES LLC

NAME:
PROJECT NO: 220553-0200

LOCATION: 4030 COLUMBUS DR NE
KALKASKA
MI

GTA PROJECT NO: 072222-
SAMPLED BY: BJB/JSJ - ECT

DATE SAMPLED: 7/22/2022

SAMPLE MATRIX: SOIL

DATE RECEIVED: 7/22/2022
TIME RECEIVED: 2:35 PM

MOISTURE

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: B-7-2' % MOISTURE EPA 3550C	1.8	0.050	% OF SAMPLE	AS	7/22/2022
SAMPLE ID: B-8-0.5' % MOISTURE EPA 3550C	5.3	0.050	% OF SAMPLE	AS	7/22/2022
SAMPLE ID: B-9-2' % MOISTURE EPA 3550C	1.8	0.050	% OF SAMPLE	AS	7/22/2022
SAMPLE ID: B-10-2' % MOISTURE EPA 3550C	1.0	0.050	% OF SAMPLE	AS	7/22/2022
SAMPLE ID: B-11-2' % MOISTURE EPA 3550C	2.6	0.050	% OF SAMPLE	AS	7/22/2022
SAMPLE ID: B-12-0.5' % MOISTURE EPA 3550C	1.4	0.050	% OF SAMPLE	AS	7/22/2022

CHAIN OF CUSTODY

PROJECT NUMBER <i>220553-0200</i>	SITE NAME/ADDRESS <i>4030 Columbus Dr. NE</i>	COMPANY/NAME <i>Momac Properties</i>
SAMPLED BY <i>BTB/JSL</i>	COMPANY <i>ECT</i>	GTA PROJECT # <i>072202-15</i>

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	<i>TMW-1</i>	<i>7/22/22</i>	<i>8:46</i>	<i>GW</i>	<i>Full VOCs/PNAs/Chloride/ 10 MI Metals</i>
2	<i>TMW-3</i>		<i>10:58</i>	↓	
3	<i>TMW-4</i>		<i>9:59</i>	↓	
4	<i>B-7-2'</i>		<i>9:10</i>	<i>Soil</i>	
5	<i>B-8-0.5'</i>		<i>10:05</i>	↓	
6	<i>B-9-2'</i>		<i>11:05</i>	↓	
7	<i>B-10-2'</i>		<i>11:40</i>	↓	
8	<i>B-11-2'</i>		<i>12:10</i>	↓	
9	<i>B-12-0.5'</i>		↓	<i>12:50</i>	↓

BILL TO: <i>ECT</i>	TempRec: <input type="checkbox"/> <i>4.00°C</i>	On Ice? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	REPORT TO: <i>Brian Bauman Jeremy Henderson</i>
------------------------	--	--	--

RELEASED BY <i>[Signature]</i>	DATE/TIME <i>7/22/22 @ 2:35p</i>	RECEIVED BY <i>[Signature]</i>	DATE/TIME <i>7/22/22 2:35p</i>
-----------------------------------	-------------------------------------	-----------------------------------	-----------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS