

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: RIVERSIDE
Name:
ClientProj: 200838-7200
GTA ProjNo: 082622-3

Site Addr: WHYTE 1-33 SWD

Sampled By: LMH-J/ECT
Date Rec: 8/26/2022
Time Rec: 8:40 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	R-SW-1	8/24/2022		SOIL
2	R-SW-2	8/24/2022		SOIL
3	SW-3	8/24/2022		SOIL
4	SW-4	8/24/2022		SOIL
5	F-1	8/24/2022		SOIL
6	F-2	8/24/2022		SOIL
7	F-3	8/24/2022		SOIL
8	F-4	8/24/2022		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-7200
LOCATION: WHYTE 1-33 SWD

GTA PROJECT NO: 082622-3
GTA SAMPLE NO: 1

DATE SAMPLED: 8/24/2022
TIME SAMPLED:
DATE RECEIVED: 8/26/2022
TIME RECEIVED: 8:40 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: R-SW-1
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	110	mg/Kg (PPM)	KC/TR	8/30/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE
PROJECT NO: 200838-7200
LOCATION: WHYTE 1-33 SWD

GTA PROJECT NO: 082622-3
GTA SAMPLE NO: 2

DATE SAMPLED: 8/24/2022
TIME SAMPLED:
DATE RECEIVED: 8/26/2022
TIME RECEIVED: 8:40 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: R-SW-2
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	110	mg/Kg (PPM)	KC/TR	8/30/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-7200
LOCATION: WHYTE 1-33 SWD

GTA PROJECT NO: 082622-3
GTA SAMPLE NO: 3

DATE SAMPLED: 8/24/2022
TIME SAMPLED:
DATE RECEIVED: 8/26/2022
TIME RECEIVED: 8:40 AM

SAMPLED BY: MI
LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SW-3						
	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/TR	8/30/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-7200
LOCATION: WHYTE 1-33 SWD

GTA PROJECT NO: 082622-3
GTA SAMPLE NO: 4

DATE SAMPLED: 8/24/2022
TIME SAMPLED:
DATE RECEIVED: 8/26/2022
TIME RECEIVED: 8:40 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SW-4						
	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/TR	8/30/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-7200
LOCATION: WHYTE 1-33 SWD

GTA PROJECT NO: 082622-3
GTA SAMPLE NO: 5

DATE SAMPLED: 8/24/2022
TIME SAMPLED:
DATE RECEIVED: 8/26/2022
TIME RECEIVED: 8:40 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-1						
	CHLORIDE EPA 300.0	140	110	mg/Kg (PPM)	KC/TR	8/30/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-7200
LOCATION: WHYTE 1-33 SWD

GTA PROJECT NO: 082622-3
GTA SAMPLE NO: 6

DATE SAMPLED: 8/24/2022
TIME SAMPLED:
DATE RECEIVED: 8/26/2022
TIME RECEIVED: 8:40 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: F-2							
CHLORIDE EPA 300.0		ND	110	mg/Kg (PPM)	KC/TR	8/30/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-7200
LOCATION: WHYTE 1-33 SWD

GTA PROJECT NO: 082622-3
GTA SAMPLE NO: 7

DATE SAMPLED: 8/24/2022
TIME SAMPLED:
DATE RECEIVED: 8/26/2022
TIME RECEIVED: 8:40 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-3						
	CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/TR	8/30/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: RIVERSIDE
PROJECT NO: 200838-7200
LOCATION: WHYTE 1-33 SWD

GTA PROJECT NO: 082622-3
GTA SAMPLE NO: 8

DATE SAMPLED: 8/24/2022
TIME SAMPLED:
DATE RECEIVED: 8/26/2022
TIME RECEIVED: 8:40 AM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-4						
	CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/TR	8/30/2022	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: RIVERSIDE

NAME:

PROJECT NO: 200838-7200

GTA PROJECT NO: 082622-
SAMPLED BY: LMH-J/ECT

DATE SAMPLED: 8/24/2022

LOCATION: WHYTE 1-33 SWD

MI

SAMPLE MATRIX: SOIL

DATE RECEIVED: 8/26/2022
TIME RECEIVED: 8:40 AM

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: R-SW-1	% MOISTURE EPA 3550C	7.5	0.050	% OF SAMPLE	AS	8/30/2022
SAMPLE ID: R-SW-2	% MOISTURE EPA 3550C	6.0	0.050	% OF SAMPLE	AS	8/30/2022
SAMPLE ID: SW-3	% MOISTURE EPA 3550C	1.9	0.050	% OF SAMPLE	AS	8/30/2022
SAMPLE ID: SW-4	% MOISTURE EPA 3550C	1.0	0.050	% OF SAMPLE	AS	8/30/2022
SAMPLE ID: F-1	% MOISTURE EPA 3550C	7.5	0.050	% OF SAMPLE	AS	8/30/2022
SAMPLE ID: F-2	% MOISTURE EPA 3550C	7.6	0.050	% OF SAMPLE	AS	8/30/2022
SAMPLE ID: F-3	% MOISTURE EPA 3550C	6.4	0.050	% OF SAMPLE	AS	8/30/2022
SAMPLE ID: F-4	% MOISTURE EPA 3550C	6.6	0.050	% OF SAMPLE	AS	8/30/2022

CHAIN OF CUSTODY

PROJECT NUMBER 200838-7200	SITE NAME/ADDRESS Whyte 1-33 SWA	COMPANY/NAME Riverside
SAMPLED BY LMH-J	COMPANY ECT	GTA PROJECT # 082622-3

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	R-SW-1	8-24-22		Soil	CL
2	R-SW-2				
3	SW-3				
4	SW-4				
5	F-1				
6	F-2				
7	F-3				
8	F-4	✓		✓	✓

BILL TO:

Riverside

REPORT TO:

Risa

RELEASED BY

DATE/TIME

Lisa H. Jones **8-26-22**
8:40 AM

RECEIVED BY

DATE/TIME

Trevor Ruel **8-26-22**
8:40 AM

REQUESTED TAT



STANDARD



1 BUSINESS DAY



2 BUSINESS DAYS



3 BUSINESS DAYS