



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: WHITE PINE PRODUCTION
Name:
ClientProj: 10-228A
GTA ProjNo: 091024-7

Site Addr: SBC TANGELO RD

Sampled By: WPM/OMPC
Date Rec: 9/10/2024
Time Rec: 4:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	9/9/2024	11:20 AM	WATER
2	MW-2	9/9/2024	1:30 PM	WATER
3	MW-3	9/9/2024	2:30 PM	WATER
4	MW-4	9/10/2024	11:40 AM	WATER
5	MW-5	9/10/2024	10:50 AM	WATER
6	MW-6	9/9/2024	3:25 PM	WATER
7	MW-7	9/9/2024	12:30 PM	WATER
8	MW-7D	9/9/2024	12:00 PM	WATER
9	MW-8	9/10/2024	10:00 AM	WATER
10	MW-9	9/9/2024	1:00 PM	WATER
11	MW-10	9/10/2024	12:15 PM	WATER
12	MW-11	9/10/2024	1:10 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WHITE PINE PRODUCTION
PROJECT NO: 10-228A
LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
GTA SAMPLE NO: 1
DATE SAMPLED: 9/9/2024
TIME SAMPLED: 11:20 AM
DATE RECEIVED: 9/10/2024
TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1		21	10	mg/L (PPM)	KC/TR	9/13/2024	WATER
CHLORIDE EPA 300.0							

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WHITE PINE PRODUCTION
PROJECT NO: 10-228A
LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
GTA SAMPLE NO: 2
DATE SAMPLED: 9/9/2024
TIME SAMPLED: 1:30 PM
DATE RECEIVED: 9/10/2024
TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-2	CHLORIDE EPA 300.0	49	10	mg/L (PPM)	KC/TR	9/13/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WHITE PINE PRODUCTION
PROJECT NO: 10-228A
LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
GTA SAMPLE NO: 3
DATE SAMPLED: 9/9/2024
TIME SAMPLED: 2:30 PM
DATE RECEIVED: 9/10/2024
TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-3	CHLORIDE EPA 300.0	72	10	mg/L (PPM)	KC/TR	9/13/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WHITE PINE PRODUCTION
 PROJECT NO: 10-228A
 LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
 GTA SAMPLE NO: 4
 DATE SAMPLED: 9/10/2024
 TIME SAMPLED: 11:40 AM
 DATE RECEIVED: 9/10/2024
 TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/13/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WHITE PINE PRODUCTION
 PROJECT NO: 10-228A
 LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
 GTA SAMPLE NO: 5
 DATE SAMPLED: 9/10/2024
 TIME SAMPLED: 10:50 AM
 DATE RECEIVED: 9/10/2024
 TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	MW-5	ND	10	mg/L (PPM)	KC/TR	9/13/2024	WATER
	CHLORIDE EPA 300.0						

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WHITE PINE PRODUCTION
 PROJECT NO: 10-228A
 LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
 GTA SAMPLE NO: 6
 DATE SAMPLED: 9/9/2024
 TIME SAMPLED: 3:25 PM
 DATE RECEIVED: 9/10/2024
 TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-6	CHLORIDE EPA 300.0	200	10	mg/L (PPM)	KC/TR	9/13/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WHITE PINE PRODUCTION
 PROJECT NO: 10-228A
 LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
 GTA SAMPLE NO: 7
 DATE SAMPLED: 9/9/2024
 TIME SAMPLED: 12:30 PM
 DATE RECEIVED: 9/10/2024
 TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7	CHLORIDE EPA 300.0	110	10	mg/L (PPM)	KC/TR	9/16/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WHITE PINE PRODUCTION
 PROJECT NO: 10-228A
 LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
 GTA SAMPLE NO: 8
 DATE SAMPLED: 9/9/2024
 TIME SAMPLED: 12:00 PM
 DATE RECEIVED: 9/10/2024
 TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/16/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WHITE PINE PRODUCTION
PROJECT NO: 10-228A
LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
GTA SAMPLE NO: 9
DATE SAMPLED: 9/10/2024
TIME SAMPLED: 10:00 AM
DATE RECEIVED: 9/10/2024
TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-8 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/16/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: WHITE PINE PRODUCTION
PROJECT NO: 10-228A
LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
GTA SAMPLE NO: 10
DATE SAMPLED: 9/9/2024
TIME SAMPLED: 1:00 PM
DATE RECEIVED: 9/10/2024
TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-9 CHLORIDE EPA 300.0	36	10	mg/L (PPM)	KC/TR	9/16/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WHITE PINE PRODUCTION
 PROJECT NO: 10-228A
 LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
 GTA SAMPLE NO: 11
 DATE SAMPLED: 9/10/2024
 TIME SAMPLED: 12:15 PM
 DATE RECEIVED: 9/10/2024
 TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-10 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/16/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: WHITE PINE PRODUCTION
 PROJECT NO: 10-228A
 LOCATION: SBC TANGELO RD

GTA PROJECT NO: 091024-7
 GTA SAMPLE NO: 12
 DATE SAMPLED: 9/10/2024
 TIME SAMPLED: 1:10 PM
 DATE RECEIVED: 9/10/2024
 TIME RECEIVED: 4:20 PM

SAMPLED BY: MI
 WPM/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-11	CHLORIDE EPA 300.0	53	10	mg/L (PPM)	KC/TR	9/16/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER <i>10-228A</i>	SITE NAME/ADDRESS <i>SIBC Tansy Rd</i>	COMPANY/NAME <i>White Pine</i>
SAMPLED BY <i>WPM</i>	COMPANY <i>OMC</i>	GTA PROJECT # <i>091024-7</i>

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	9/9/24	1120	H ₂ O	Chlorides
2	MW-2	↓	1330	↓	↓
3	MW-3	↓	1430	↓	↓
4	MW-4	9/10/24	1140	↓	↓
5	MW-5	↓	1050	↓	↓
6	MW-6	9/9/24	1525	↓	↓
7	MW-7	↓	1230	↓	↓
8	MW-7a	↓	1200	↓	↓
9	MW-8	9/10/24	1000	↓	↓
10	MW-9	9/9/24	1300	↓	↓
11	MW-10	9/10/24	1215	↓	↓
12	MW-11	↓	1310	↓	↓

BILL TO:	TempRec: <input type="checkbox"/>	On Ice? <input type="checkbox"/> <input type="checkbox"/>	REPORT TO: <i>Dan Barton</i>
----------	-----------------------------------	---	---------------------------------

RELEASED BY <i>[Signature]</i>	DATE/TIME <i>9/10/24 1620</i>	RECEIVED BY <i>[Signature]</i>	DATE/TIME <i>9/10/24 1620</i>
-----------------------------------	----------------------------------	-----------------------------------	----------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS