



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: LAMBDA ENERGY RESOURCES, LLC      Site Addr: JOHNSON-HILLIARD 7-26  
Name:  
ClientProj: 2018100168.01  
GTA ProjNo: 091825-8      Sampled By: JOSHUA GERRIE/GCES  
Date Rec: 9/18/2025  
Time Rec: 1:55 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-17I	9/17/2025		WATER
2	MW-12D	9/17/2025		WATER
3	MW-12S	9/17/2025		WATER
4	MW-13I	9/17/2025		WATER
5	MW-18	9/17/2025		WATER
6	MW-16	9/17/2025		WATER
7	MW-17	9/17/2025		WATER
8	MW-19	9/17/2025		WATER
9	MW-13D	9/17/2025		WATER
10	MW-11S	9/18/2025		WATER
11	MW-11I	9/18/2025		WATER
12	MW-20D	9/18/2025		WATER
13	MW-11D	9/18/2025		WATER
14	MW-2D	9/18/2025		WATER
15	MW-20I	9/18/2025		WATER
16	MW-1D (52')	9/18/2025		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100168.01

LOCATION: JOHNSON-HILLIARD 7-26

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-171

GTA PROJECT NO: 091825-8

GTA SAMPLE NO: 1

DATE SAMPLED: 9/17/2025

TIME SAMPLED:

DATE RECEIVED: 9/18/2025

TIME RECEIVED: 1:55 PM

SAMPLED BY: JOSHUA GERRIE/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/19/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-11S

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 10  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

SAMPLED BY: JOSHUA GERRIE/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/19/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-111

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 11  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

SAMPLED BY: JOSHUA GERRIE/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/19/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION





**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-11D

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 13  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

SAMPLED BY: JOSHUA GERRIE/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/19/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-2D

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 14  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

SAMPLED BY: JOSHUA GERRIE/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/19/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
PROJECT NO: 2018100168.01  
LOCATION: JOHNSON-HILLIARD 7-26  
MI  
SAMPLE MATRIX: WATER  
SAMPLE ID: MW-20I

GTA PROJECT NO: 091825-8  
GTA SAMPLE NO: 15  
DATE SAMPLED: 9/18/2025  
TIME SAMPLED:  
DATE RECEIVED: 9/18/2025  
TIME RECEIVED: 1:55 PM

SAMPLED BY: JOSHUA GERRIE/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/19/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-1D (52')

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 16  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

SAMPLED BY: JOSHUA GERRIE/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/19/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 2018100168.01

LOCATION: JOHNSON-HILLIARD 7-26

GTA PROJECT NO: 091825-8

GTA SAMPLE NO: 1

DATE SAMPLED: 9/17/2025

TIME SAMPLED:

DATE RECEIVED: 9/18/2025

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: JOSHUA GERRIE/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-171 CHLORIDE EPA 300.0	20	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 2  
 DATE SAMPLED: 9/17/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-12D CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 3  
 DATE SAMPLED: 9/17/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-12S CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 4  
 DATE SAMPLED: 9/17/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-131 CHLORIDE EPA 300.0	58	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C





COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 7  
 DATE SAMPLED: 9/17/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-17	CHLORIDE EPA 300.0	120	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 8  
 DATE SAMPLED: 9/17/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-19 CHLORIDE EPA 300.0	480	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 9  
 DATE SAMPLED: 9/17/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-13D CHLORIDE EPA 300.0	2,800	100	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 10  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-11S CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 11  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-111 CHLORIDE EPA 300.0	15	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 12  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-20D CHLORIDE EPA 300.0	22	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 13  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-11D CHLORIDE EPA 300.0	110	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 14  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-2D CHLORIDE EPA 300.0	55	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 15  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-201 CHLORIDE EPA 300.0	210	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100168.01  
 LOCATION: JOHNSON-HILLIARD 7-26  
 MI  
 SAMPLED BY: JOSHUA GERRIE/GCES

GTA PROJECT NO: 091825-8  
 GTA SAMPLE NO: 16  
 DATE SAMPLED: 9/18/2025  
 TIME SAMPLED:  
 DATE RECEIVED: 9/18/2025  
 TIME RECEIVED: 1:55 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-1D (52') CHLORIDE EPA 300.0	270	10	mg/L (PPM)	KC/TR	9/24/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

**CHAIN OF CUSTODY**

PROJECT NUMBER 2018100108.01	SITE NAME/ADDRESS Johnson-Hilliard 7-26	COMPANY/NAME Lambda Energy Resources
SAMPLED BY Joshua Gervie	COMPANY Gosling Czubak	GTA PROJECT # 091825-8

**SAMPLE INFORMATION**

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-17I	9-17-25		GW	BTEX + Chloride
2	MW-12d				Chloride
3	MW-12s				
4	MW-13I				
5	MW-18				
6	MW-16				
7	MW-17				
8	MW-19				
9	MW-13d	√			↓
10	MW-11s	9-18-25			BTEX + Chloride
11	MW-11I				
12	MW-20d				
13	MW-11d				
14	MW-2d				
15	MW-20I				
16	MW-1d (52)	↓		↓	↓

BILL TO: Lambda Energy Resources	TempRec: <input type="checkbox"/> 59°C	On Ice? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N	REPORT TO: Jeff Simsa
RELEASED BY 	DATE/TIME 9-18-25/1355	RECEIVED BY 	DATE/TIME 9/18/25 1355

REQUESTED TAT  STANDARD  1 BUSINESS DAY  2 BUSINESS DAYS  3 BUSINESS DAYS