



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj: 2018100168.01
GTA ProjNo: 121522-3

Site Addr: JOHNSON HILLIARD 7-26

Sampled By: MAX KORNDORFER/GCES
Date Rec: 12/15/2022
Time Rec: 12:30 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-11S	12/12/2022	3:00 PM	WATER
2	MW-11I	12/13/2022	10:52 AM	WATER
3	MW-11D	12/13/2022	11:10 AM	WATER
4	MW-12S	12/13/2022	11:30 AM	WATER
5	MW-12D	12/13/2022	11:35 AM	WATER
6	MW-20D	12/13/2022	12:10 PM	WATER
7	MW-20I	12/13/2022	12:30 PM	WATER
8	MW-20	12/13/2022	1:00 PM	WATER
9	MW-18	12/13/2022	1:35 PM	WATER
10	MW-16	12/13/2022	2:00 PM	WATER
11	MW-17I	12/13/2022	2:37 PM	WATER
12	MW-17	12/13/2022	3:00 PM	WATER
13	MW-19	12/13/2022	3:30 PM	WATER
14	MW-13I	12/13/2022	3:50 PM	WATER
15	MW-13D	12/13/2022	4:20 PM	WATER
16	MW-1D (52')	12/13/2022	4:45 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100168.01
LOCATION: JOHNSON HILLIARD 7-26
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-11S

GTA PROJECT NO: 121522-3
GTA SAMPLE NO: 1
DATE SAMPLED: 12/12/2022
TIME SAMPLED: 3:00 PM
DATE RECEIVED: 12/15/2022
TIME RECEIVED: 12:30 PM

SAMPLED BY: MAX KORNDORFER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100168.01
LOCATION: JOHNSON HILLIARD 7-26
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-111

GTA PROJECT NO: 121522-3
GTA SAMPLE NO: 2
DATE SAMPLED: 12/13/2022
TIME SAMPLED: 10:52 AM
DATE RECEIVED: 12/15/2022
TIME RECEIVED: 12:30 PM

SAMPLED BY: MAX KORNDORFER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-20D

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 6
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 12:10 PM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

SAMPLED BY: MAX KORNDORFER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-20I

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 7
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 12:30 PM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

SAMPLED BY: MAX KORNDORFER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-20

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 8
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 1:00 PM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

SAMPLED BY: MAX KORNDORFER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/17/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100168.01
LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
GTA SAMPLE NO: 1

DATE SAMPLED: 12/12/2022
TIME SAMPLED: 3:00 PM
DATE RECEIVED: 12/15/2022
TIME RECEIVED: 12:30 PM

MI
SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-11S CHLORIDE EPA 300.0	14	10	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 2
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 10:52 AM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

MI
 SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-111 CHLORIDE EPA 300.0	19	10	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100168.01
LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
GTA SAMPLE NO: 3

DATE SAMPLED: 12/13/2022
TIME SAMPLED: 11:10 AM
DATE RECEIVED: 12/15/2022
TIME RECEIVED: 12:30 PM

MI
SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-11D	CHLORIDE EPA 300.0	68	10	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 4
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 11:30 AM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

MI
 SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	MW-12S	84	10	mg/L (PPM)	TR/KC	12/27/2022	WATER
	CHLORIDE EPA 300.0						

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 5
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 11:35 AM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

MI
 SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	MW-12D	64	10	mg/L (PPM)	TR/KC	12/27/2022	WATER
	CHLORIDE EPA 300.0						

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 121522-3
PROJECT NO: 2018100168.01 GTA SAMPLE NO: 8
LOCATION: JOHNSON HILLIARD 7-26 DATE SAMPLED: 12/13/2022
TIME SAMPLED: 1:00 PM
DATE RECEIVED: 12/15/2022
TIME RECEIVED: 12:30 PM
MI
SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-20							
CHLORIDE EPA 300.0		61	10	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 9
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 1:35 PM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

MI
 SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-18	CHLORIDE EPA 300.0	55	10	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100168.01
LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
GTA SAMPLE NO: 10
DATE SAMPLED: 12/13/2022
TIME SAMPLED: 2:00 PM
DATE RECEIVED: 12/15/2022
TIME RECEIVED: 12:30 PM

MI
SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-16	CHLORIDE EPA 300.0	130	10	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 11
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 2:37 PM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

MI
 SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-171 CHLORIDE EPA 300.0	14	10	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 12
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 3:00 PM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

MI
 SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-17	CHLORIDE EPA 300.0	190	10	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 2018100168.01
LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
GTA SAMPLE NO: 14
DATE SAMPLED: 12/13/2022
TIME SAMPLED: 3:50 PM
DATE RECEIVED: 12/15/2022
TIME RECEIVED: 12:30 PM

MI
SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-131	CHLORIDE EPA 300.0	100	10	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 15
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 4:20 PM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

MI
 SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-13D	CHLORIDE EPA 300.0	1,300	50	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 2018100168.01
 LOCATION: JOHNSON HILLIARD 7-26

GTA PROJECT NO: 121522-3
 GTA SAMPLE NO: 16
 DATE SAMPLED: 12/13/2022
 TIME SAMPLED: 4:45 PM
 DATE RECEIVED: 12/15/2022
 TIME RECEIVED: 12:30 PM

MI
 SAMPLED BY: MAX KORNDORFER/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-1D (52') CHLORIDE EPA 300.0	540	20	mg/L (PPM)	TR/KC	12/27/2022	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 2018106168.01	SITE NAME/ADDRESS Johnson-Hilliard 7-26	COMPANY/NAME Lambda Energy Resources, LLC
SAMPLED BY Max Korndorfer	COMPANY GCS	GTA PROJECT # 121522-3

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-11s	12-12-22	3:00 p	GW	BTEX, CI
2	MW-11i	12-13-22	10:52	GW	BTEX, CI
3	MW-11D	12-13-22	11:10	GW	BTEX, CI
4	MW-12s	12-13-22	11:30	GW	CI <small>*might be switched #</small>
5	MW-12D	12-13-22	11:35	GW	CI <small>*same name</small>
6	MW-20D	12-13-22	12:10	GW	BTEX, CI <small>different samples</small>
7	MW-20I	12-13-22	12:30	GW	BTEX, CI
8	MW-20	12-13-22	1:00	GW	BTEX, CI
9	MW-18	12-13-22	1:35	GW	CI
10	MW-16	12-13-22	2:00	GW	CI
11	MW-17I	12-13-22	2:37	GW	BTEX, CI
12	MW-17	12-13-22	3:00	GW	CI
13	MW-19	12-13-22	3:30	GW	CI
14	MW-13I	12-13-22	3:50	GW	CI
15	MW-13D	12-13-22	4:20	GW	CI
16	MW-20 (S2)	12-13-22	4:45	GW	BTEX, CI

BILL TO:

Lambda Energy

TempRec:

3.1°C

On Ice?

REPORT TO:

Jeff Simsa (GCS)

RELEASED BY

DATE/TIME

RECEIVED BY

DATE/TIME

[Signature]
[Signature]

12-13-22 6:00 p
12-15-22 12:30 p

GCS, Sample fridge / 12-13-22 6:00 p
12/15/22 1230

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS