



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAYLINE
Name:
ClientProj: 2019505005.01
GTA ProjNo: 122922-7

Site Addr: EDWARDS 7-36

Sampled By: DJT/GCES
Date Rec: 12/29/2022
Time Rec: 2:37 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-5	12/29/2022	11:50 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAYLINE ENERGY

PROJECT NO: 2019505005.01

LOCATION: EDWARDS 7-36

MI

SAMPLE MATRIX: WATER

SAMPLE ID: MW-5

GTA PROJECT NO: 122922-7

GTA SAMPLE NO: 1

DATE SAMPLED: 12/29/2022

TIME SAMPLED: 11:50 AM

DATE RECEIVED: 12/29/2022

TIME RECEIVED: 2:37 PM

SAMPLED BY: DJT/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/30/2022	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAYLINE

GTA PROJECT NO: 122922-7

PROJECT NO: 2019505005.01

GTA SAMPLE NO: 1

LOCATION: EDWARDS 7-36

DATE SAMPLED: 12/29/2022

TIME SAMPLED: 11:50 AM

DATE RECEIVED: 12/29/2022

TIME RECEIVED: 2:37 PM

SAMPLED BY: MI
DJT/GCES**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-5						
	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	1/5/2023	WATER
	CONDUCTIVITY SM2510-B	740	1.0	uS/cm@25C	TR	1/4/2023	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

CHAIN OF CUSTODY

PROJECT NUMBER 2019505005	SITE NAME/ADDRESS Edwards 7-36	COMPANY/NAME Lynline
SAMPLED BY DJT	COMPANY GCEs	GTA PROJECT # 122922-7

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
	MW-5	12/29/22	1150	W	BTEX, CI, Cond.

BILL TO: GCEs	TempRec: ☐ 9.6°C	On Ice? ☒ Y ☐ N	REPORT TO: E. Vincke
-------------------------	---	--	--------------------------------

RELEASED BY Brian Shaw	DATE/TIME	RECEIVED BY K. W.	DATE/TIME 12/29/22 2:37

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS