



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAYLINE
Name:
ClientProj: 2019505005
GTA ProjNo: 120723-12

Site Addr: RIVERSIDE 25

Sampled By: DJT/GCES
Date Rec: 12/7/2023
Time Rec: 1:23 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	12/6/2023	11:20 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAYLINE	GTA PROJECT NO:	120723-12
PROJECT NO:	2019505005	GTA SAMPLE NO:	1
LOCATION:	RIVERSIDE 25	DATE SAMPLED:	12/6/2023
		TIME SAMPLED:	11:20 AM
		DATE RECEIVED:	12/7/2023
	MI	TIME RECEIVED:	1:23 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-1	SAMPLED BY:	DJT/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/8/2023	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAYLINE
PROJECT NO: 2019505005
LOCATION: RIVERSIDE 25

GTA PROJECT NO: 120723-12
GTA SAMPLE NO: 1

DATE SAMPLED: 12/6/2023
TIME SAMPLED: 11:20 AM

DATE RECEIVED: 12/7/2023
TIME RECEIVED: 1:23 PM

MI
SAMPLED BY: DJT/GCES

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-1						
	CHLORIDE EPA 300.0	16	10	mg/L (PPM)	KC/TR	12/13/2023	WATER
	CONDUCTIVITY SM2510-B	250	1.0	uS/cm@25C	TR	12/12/2023	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C
DISS = DISSOLVED

