



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAYLINE
Name:
ClientProj: 2019505005
GTA ProjNo: 122024-12

Site Addr: RIVERSIDE 25

Sampled By: DJT/GCES
Date Rec: 12/20/2024
Time Rec: 11:37 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	12/20/2024	9:40 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAYLINE	GTA PROJECT NO:	122024-12
PROJECT NO:	2019505005	GTA SAMPLE NO:	1
LOCATION:	RIVERSIDE 25	DATE SAMPLED:	12/20/2024
		TIME SAMPLED:	9:40 AM
		DATE RECEIVED:	12/20/2024
	MI	TIME RECEIVED:	11:37 AM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-1	SAMPLED BY:	DJT/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		12/23/2024	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAYLINE
PROJECT NO: 2019505005
LOCATION: RIVERSIDE 25

GTA PROJECT NO: 122024-12
GTA SAMPLE NO: 1

DATE SAMPLED: 12/20/2024
TIME SAMPLED: 9:40 AM

DATE RECEIVED: 12/20/2024
TIME RECEIVED: 11:37 AM

MI
SAMPLED BY: DJT/GCES

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: MW-1

CHLORIDE EPA 300.0

CONDUCTIVITY SM2510-B

Concentration**LOD****Units****Analyst****Date Completed****Sample Matrix**

55

10

mg/L (PPM)

KC

12/28/2024

WATER

390

1.0

uS/cm@25C

TR

12/23/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

DISS = DISSOLVED

