

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MICHIGAN CONSULTING &
Name: ENVIRONMENTAL
ClientProj: 64936
GTA ProjNo: 090123-2

Site Addr: GPM #1433
2204 W. 9TH STREET
MARION
Sampled By: BOBBY GLASSER/MCE
Date Rec: 9/1/2023
Time Rec: 11:40 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SB-2 7'-8'	8/30/2023	9:40 AM	SOIL
2	SB-2 12'-13'	8/30/2023	10:00 AM	SOIL
3	TW-2	8/30/2023	10:30 AM	WATER
4	SB-1 12'-13'	8/30/2023	11:25 AM	SOIL
5	SB-1 15'-16'	8/30/2023	11:45 AM	SOIL
6	TW-1	8/30/2023	12:10 PM	WATER
7	DUPLICATE (SOIL)	8/30/2023		SOIL
8	DUPLICATE (H ₂ O)	8/30/2023		WATER
9	BLANK	8/29/2023	1:00 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64936
LOCATION: GPM #1433
2204 W. 9TH STREET
MARION
SAMPLED BY: BOBBY GLASSER/MCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090123-2
GTA SAMPLE NO: 1
DATE SAMPLED: 8/30/2023
TIME SAMPLED: 9:40 AM
DATE RECEIVED: 9/1/2023
TIME RECEIVED: 11:40 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-2 7'-8'

EPA 8260B VOLATILE ORGANICSUnits= ug/Kg (PPB)Analyst= MRDate Extracted= 8/30/2023Date Completed= 9/5/2023Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
PROJECT NO: 64936
LOCATION: GPM #1433
2204 W. 9TH STREET
MARION
SAMPLED BY: BOBBY GLASSER/MCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090123-2
GTA SAMPLE NO: 2
DATE SAMPLED: 8/30/2023
TIME SAMPLED: 10:00 AM
DATE RECEIVED: 9/1/2023
TIME RECEIVED: 11:40 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-2 12'-13'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 8/30/2023 Date Completed= 9/5/2023 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL

PROJECT NO: 64936

LOCATION: GPM #1433
2204 W. 9TH STREET

MARION

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE MATRIX: WATER

SAMPLE ID: TW-2

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 3

DATE SAMPLED: 8/30/2023

TIME SAMPLED: 10:30 AM

DATE RECEIVED: 9/1/2023

TIME RECEIVED: 11:40 AM

Date Completed= 9/5/2023

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
PROJECT NO: 64936
LOCATION: GPM #1433
2204 W. 9TH STREET
MARION
SAMPLED BY: BOBBY GLASSER/MCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090123-2
GTA SAMPLE NO: 4
DATE SAMPLED: 8/30/2023
TIME SAMPLED: 11:25 AM
DATE RECEIVED: 9/1/2023
TIME RECEIVED: 11:40 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-1 12'-13'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 8/30/2023 Date Completed= 9/5/2023 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROETHANE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROETHANE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROETHANE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROETHANE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROETHANE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLOROFUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
PROJECT NO: 64936
LOCATION: GPM #1433
2204 W. 9TH STREET
MARION
SAMPLED BY: BOBBY GLASSER/MCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090123-2
GTA SAMPLE NO: 5
DATE SAMPLED: 8/30/2023
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 9/1/2023
TIME RECEIVED: 11:40 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: SB-1 15'-16'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 8/30/2023 Date Completed= 9/5/2023 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL

PROJECT NO: 64936

LOCATION: GPM #1433
2204 W. 9TH STREET

SAMPLED BY: MARION
BOBBY GLASSER/MCE

SAMPLE MATRIX: WATER

SAMPLE ID: TW-1

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 6

DATE SAMPLED: 8/30/2023

TIME SAMPLED: 12:10 PM

DATE RECEIVED: 9/1/2023

TIME RECEIVED: 11:40 AM

Date Completed= 9/5/2023

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
PROJECT NO: 64936
LOCATION: GPM #1433
2204 W. 9TH STREET
MARION
SAMPLED BY: BOBBY GLASSER/MCE
SAMPLE MATRIX: SOIL

GTA PROJECT NO: 090123-2
GTA SAMPLE NO: 7
DATE SAMPLED: 8/30/2023
TIME SAMPLED:
DATE RECEIVED: 9/1/2023
TIME RECEIVED: 11:40 AM

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

SAMPLE ID: DUPLICATE (SOIL)

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 8/30/2023 Date Completed= 9/5/2023 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL

PROJECT NO: 64936

LOCATION: GPM #1433
2204 W. 9TH STREET

SAMPLED BY: MARION
BOBBY GLASSER/MCE

SAMPLE MATRIX: WATER

SAMPLE ID: DUPLICATE (H2O)

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 8

DATE SAMPLED: 8/30/2023

TIME SAMPLED:

DATE RECEIVED: 9/1/2023

TIME RECEIVED: 11:40 AM

Date Completed= 9/5/2023

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64936
LOCATION: GPM #1433
2204 W. 9TH STREET
MARION
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 090123-2
GTA SAMPLE NO: 9
DATE SAMPLED: 8/29/2023
TIME SAMPLED: 1:00 PM
DATE RECEIVED: 9/1/2023
TIME RECEIVED: 11:40 AM

SAMPLE MATRIX: WATER

SAMPLE ID: BLANK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 9/5/2023

Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	3.6	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	4.2	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	2.5	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 1

NAME:

PROJECT NO: 64936

DATE SAMPLED: 8/30/2023

LOCATION: GPM #1433

TIME SAMPLED: 9:40 AM

2204 W. 9TH STREET

DATE RECEIVED: 9/1/2023

MARION

TIME RECEIVED: 11:40 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	SB-2 7'-8'							
SAMPLE	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	8/30/2023	9/5/2023	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 2

NAME:

PROJECT NO: 64936

DATE SAMPLED: 8/30/2023

LOCATION: GPM #1433

TIME SAMPLED: 10:00 AM

2204 W. 9TH STREET

DATE RECEIVED: 9/1/2023

MARION

TIME RECEIVED: 11:40 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	SB-2 12'-13'							
SAMPLE	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	8/30/2023	9/5/2023	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 3

NAME:

PROJECT NO: 64936

DATE SAMPLED: 8/30/2023

LOCATION: GPM #1433

TIME SAMPLED: 10:30 AM

2204 W. 9TH STREET

DATE RECEIVED: 9/1/2023

MARION

TIME RECEIVED: 11:40 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	TW-2							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		9/5/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 4

NAME:

PROJECT NO: 64936

DATE SAMPLED: 8/30/2023

LOCATION: GPM #1433

TIME SAMPLED: 11:25 AM

2204 W. 9TH STREET

DATE RECEIVED: 9/1/2023

MARION

TIME RECEIVED: 11:40 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	SB-1 12'-13'							
SAMPLE	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	8/30/2023	9/5/2023	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 5

NAME:

PROJECT NO: 64936

DATE SAMPLED: 8/30/2023

LOCATION: GPM #1433

TIME SAMPLED: 11:45 AM

2204 W. 9TH STREET

DATE RECEIVED: 9/1/2023

MARION

TIME RECEIVED: 11:40 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	SB-1 15'-16'							
SAMPLE	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	8/30/2023	9/5/2023	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 6

NAME:

PROJECT NO: 64936

DATE SAMPLED: 8/30/2023

LOCATION: GPM #1433

TIME SAMPLED: 12:10 PM

2204 W. 9TH STREET

DATE RECEIVED: 9/1/2023

MARION

TIME RECEIVED: 11:40 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	TW-1							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		9/5/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 7

NAME:

PROJECT NO: 64936

DATE SAMPLED: 8/30/2023

LOCATION: GPM #1433

TIME SAMPLED:

2204 W. 9TH STREET

DATE RECEIVED: 9/1/2023

MARION

TIME RECEIVED: 11:40 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	DUPLICATE (SOIL)							
SAMPLE	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	8/30/2023	9/5/2023	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 8

NAME:

PROJECT NO: 64936

DATE SAMPLED: 8/30/2023

LOCATION: GPM #1433

TIME SAMPLED:

2204 W. 9TH STREET

DATE RECEIVED: 9/1/2023

MARION

TIME RECEIVED: 11:40 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	DUPLICATE (H2O)							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		9/5/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 090123-2

GTA SAMPLE NO: 9

NAME:

PROJECT NO: 64936

DATE SAMPLED: 8/29/2023

LOCATION:

GPM #1433

TIME SAMPLED: 1:00 PM

2204 W. 9TH STREET

DATE RECEIVED: 9/1/2023

MARION

TIME RECEIVED: 11:40 AM

IN

SAMPLED BY:

BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	BLANK							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		9/5/2023	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64936LOCATION: GPM #1433
2204 W. 9TH STREET
MARION
IN

GTA PROJECT NO: 090123-2

SAMPLED BY: BOBBY GLASSER/MCE

DATE SAMPLED: 8/30/2023

SAMPLE SOIL

DATE RECEIVED: 9/1/2023
TIME RECEIVED: 11:40 AM**MOISTURE**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: SB-2 7'-8'	% MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	9/1/2023
SAMPLE ID: SB-2 12'-13'	% MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	9/1/2023
SAMPLE ID: SB-1 12'-13'	% MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	9/1/2023
SAMPLE ID: SB-1 15'-16'	% MOISTURE EPA 3550C	16	0.10	% OF SAMPLE	AS	9/1/2023
SAMPLE ID: DUPLICATE (SOIL)	% MOISTURE EPA 3550C	12	0.10	% OF SAMPLE	AS	9/1/2023

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME (MCE)
MCE #64936	GPM #1433 - 2204 W. 9th Street, Marion, IN 46953	Michigan Consulting & Environmental
SAMPLED BY	COMPANY	GTA PROJECT #
Bobby Glasser, Sr. Project Manager	MCE	090123-2

SAMPLE INFORMATION *NOTE: Full QA/QC Report Required

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	SB-2 7-8'	08.30.23	09:40	soil	VOCs, Naphthalene, 1-MN, & 2-MN
2	SB-2 12-13'	08.30.23	10:00	soil	Same
3	TW-2	08.30.23	10:30	H ₂ O	Same
4	SB-1 12-13'	08.30.23	11:25	soil	Same
5	SB-1 15-16'	08.30.23	11:45	soil	Same
6	TW-1	08.30.23	12:10	H ₂ O	Same
7	Duplicate (soil)	08.30.23	—	soil	Same
8	Duplicate (H ₂ O)	08.30.23	—	H ₂ O	Same
9	Blank	09.29.23	13:00	H ₂ O	Same

"MN" = Methylnaphthalene

BILL TO: Michigan Consulting & Environmental
2748 Garfield Road, Suite #10
Traverse City, MI 49686

REPORT TO:

John Veldhuis: jveldhuis@michenv.com
Bobby Glasser: bglasser@michenv.com

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Bobby Glasser	08.30.23 / 17:30	Placed into Cold Storage	08.30.23 / 17:30
Bobby Glasser	08.31.2023 / 15:45	Packed in cooler for shipping via UPS	08.31.23 / 15:45
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			