

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj:

Site Addr: WEDHOLM MCCAGUE 1-31

GTA ProjNo: 083123-10

Sampled By: NICK SUMMERLAND/LER
Date Rec: 8/31/2023
Time Rec: 1:55 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	VSR-1 FL	8/29/2023	1:44 PM	SOIL
2	VSR-2 SW	8/29/2023	1:50 PM	SOIL
3	VSR-3 SW	8/29/2023	3:42 PM	SOIL
4	VSR-4 SW	8/29/2023	4:00 PM	SOIL
5	VSR-5 SW	8/29/2023	4:06 PM	SOIL
6	VSR-6 SW	8/29/2023	4:17 PM	SOIL
7	VSR-7 FL	8/30/2023	1:19 PM	SOIL
8	VSR-8 FL	8/30/2023	1:40 PM	SOIL
9	VSR-9 FL	8/30/2023	1:46 PM	SOIL
10	VSR-10 FL	8/30/2023	1:57 PM	SOIL
11	VSR-11 SW	8/30/2023	2:48 PM	SOIL
12	VSR-12 SW	8/30/2023	2:52 PM	SOIL
13	VSR-13 SW	8/30/2023	2:55 PM	SOIL
14	VSR-14 SW	8/30/2023	2:58 PM	SOIL
15	VSR-15 SW	8/30/2023	3:01 PM	SOIL
16	VSR-16 SW	8/30/2023	3:24 PM	SOIL
17	VSR-17 SW	8/30/2023	3:28 PM	SOIL
18	SUMP SAMPLE	8/30/2023	2:40 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

PROJECT NO:

GTA SAMPLE NO: 1

LOCATION: WEDHOLM MCCAGUE 1-31

DATE SAMPLED: 8/29/2023

TIME SAMPLED: 1:44 PM

MI

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

SAMPLE MATRIX: SOIL

SAMPLE ID: VSR-1 FL

SAMPLED BY: NICK SUMMERLAND/LER

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB) MR		8/29/2023	9/5/2023	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

PROJECT NO:

GTA SAMPLE NO: 2

LOCATION: WEDHOLM MCCAGUE 1-31

DATE SAMPLED: 8/29/2023

TIME SAMPLED: 1:50 PM

MI

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

SAMPLE MATRIX: SOIL

SAMPLE ID: VSR-2 SW

SAMPLED BY: NICK SUMMERLAND/LER

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB) MR		8/29/2023	9/5/2023	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO:

LOCATION: WEDHOLM MCCAGUE 1-31

MI

SAMPLE MATRIX: SOIL

SAMPLE ID: VSR-3 SW

GTA PROJECT NO: 083123-10

GTA SAMPLE NO: 3

DATE SAMPLED: 8/29/2023

TIME SAMPLED: 3:42 PM

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

SAMPLED BY: NICK SUMMERLAND/LER

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB) MR		8/29/2023	9/5/2023	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

PROJECT NO:

GTA SAMPLE NO: 4

LOCATION: WEDHOLM MCCAGUE 1-31

DATE SAMPLED: 8/29/2023

TIME SAMPLED: 4:00 PM

MI

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

SAMPLE MATRIX: SOIL

SAMPLE ID: VSR-4 SW

SAMPLED BY: NICK SUMMERLAND/LER

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB) MR		8/29/2023	9/5/2023	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

PROJECT NO:

GTA SAMPLE NO: 5

LOCATION: WEDHOLM MCCAGUE 1-31

DATE SAMPLED: 8/29/2023

TIME SAMPLED: 4:06 PM

MI

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

SAMPLE MATRIX: SOIL

SAMPLE ID: VSR-5 SW

SAMPLED BY: NICK SUMMERLAND/LER

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB)	MR	8/29/2023	9/5/2023	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

PROJECT NO:

GTA SAMPLE NO: 6

LOCATION: WEDHOLM MCCAGUE 1-31

DATE SAMPLED: 8/29/2023

TIME SAMPLED: 4:17 PM

MI

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

SAMPLE MATRIX: SOIL

SAMPLE ID: VSR-6 SW

SAMPLED BY: NICK SUMMERLAND/LER

**THIS SAMPLE WAS RECEIVED MEOH PRESERVED.

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	ND	50	ug/Kg (PPB) MR		8/29/2023	9/5/2023	EPA 5035A
Toluene	ND	50					
Ethylbenzene	ND	50					
Xylene(Total)	ND	150					
1,2,4-Trimethylbenzene	ND	50					
1,3,5-Trimethylbenzene	ND	50					
Naphthalene	ND	250					
2-Methylnaphthalene	ND	250					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: WEDHOLM MCCAGUE 1-31
MI
SAMPLE MATRIX: WATER
SAMPLE ID: SUMP SAMPLE

GTA PROJECT NO: 083123-10
GTA SAMPLE NO: 18
DATE SAMPLED: 8/30/2023
TIME SAMPLED: 2:40 PM
DATE RECEIVED: 8/31/2023
TIME RECEIVED: 1:55 PM

SAMPLED BY: NICK SUMMERLAND/LER

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
Benzene	2.0	1.0	ug/L (PPB)	MR		9/1/2023	EPA 5030B
Toluene	21	1.0					
Ethylbenzene	20	1.0					
Xylene(Total)	61	3.0					
1,2,4-Trimethylbenzene	58	1.0					
1,3,5-Trimethylbenzene	9.5	1.0					
Naphthalene	5.1	5.0					
2-Methylnaphthalene	13	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: WEDHOLM MCCAGUE 1-31
MI
SAMPLED BY: NICK SUMMERLAND/LER

GTA PROJECT NO: 083123-10
GTA SAMPLE NO: 1
DATE SAMPLED: 8/29/2023
TIME SAMPLED: 1:44 PM
DATE RECEIVED: 8/31/2023
TIME RECEIVED: 1:55 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: VSR-1 FL CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AS	9/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

PROJECT NO:

GTA SAMPLE NO: 2

LOCATION: WEDHOLM MCCAGUE 1-31

DATE SAMPLED: 8/29/2023

TIME SAMPLED: 1:50 PM

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: NICK SUMMERLAND/LER

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: VSR-2 SW

CHLORIDE EPA 300.0

Concentration

ND

LOD

100

Units

mg/Kg (PPM)

Analyst

KC/AS

Date Completed

9/5/2023

Sample Matrix

SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: GTA PROJECT NO: 083123-10
LOCATION: WEDHOLM MCCAGUE 1-31
DATE SAMPLED: 8/29/2023
TIME SAMPLED: 3:42 PM
DATE RECEIVED: 8/31/2023
TIME RECEIVED: 1:55 PM
MI
SAMPLED BY: NICK SUMMERLAND/LER

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	VSR-3 SW						
CHLORIDE EPA 300.0		ND	120	mg/Kg (PPM)	KC/AS	9/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO:
LOCATION: WEDHOLM MCCAGUE 1-31
MI
SAMPLED BY: NICK SUMMERLAND/LER

GTA PROJECT NO: 083123-10
GTA SAMPLE NO: 4
DATE SAMPLED: 8/29/2023
TIME SAMPLED: 4:00 PM
DATE RECEIVED: 8/31/2023
TIME RECEIVED: 1:55 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: VSR-4 SW CHLORIDE EPA 300.0	ND	200	mg/Kg (PPM)	KC/AS	9/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: GTA PROJECT NO: 083123-10
LOCATION: WEDHOLM MCCAGUE 1-31
DATE SAMPLED: 8/29/2023
TIME SAMPLED: 4:06 PM
DATE RECEIVED: 8/31/2023
TIME RECEIVED: 1:55 PM
MI
SAMPLED BY: NICK SUMMERLAND/LER

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: VSR-5 SW						
	CHLORIDE EPA 300.0	2,000	100	mg/Kg (PPM)	KC/AS	9/5/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

PROJECT NO:

GTA SAMPLE NO: 6

LOCATION: WEDHOLM MCCAGUE 1-31

DATE SAMPLED: 8/29/2023

TIME SAMPLED: 4:17 PM

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: NICK SUMMERLAND/LER

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: VSR-6 SW

CHLORIDE EPA 300.0

Concentration

ND

LOD

110

Units

mg/Kg (PPM)

Analyst

KC/AS

Date Completed

9/5/2023

Sample Matrix

SOIL

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

PROJECT NO:

GTA SAMPLE NO: 18

LOCATION: WEDHOLM MCCAGUE 1-31

DATE SAMPLED: 8/30/2023

TIME SAMPLED: 2:40 PM

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

MI

SAMPLED BY: NICK SUMMERLAND/LER

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: SUMP SAMPLE

CHLORIDE EPA 300.0

Concentration

680

LOD

50

Units

mg/L (PPM)

Analyst

KC/AS

Date Completed

9/3/2023

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

NAME:

SAMPLED BY: NICK SUMMERLAND/LER

PROJECT NO:

DATE SAMPLED: 8/29/2023

LOCATION: WEDHOLM MCCAGUE 1-31

SAMPLE SOIL

DATE RECEIVED: 8/31/2023

TIME RECEIVED: 1:55 PM

MI

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: VSR-1 FL	% MOISTURE EPA 3550C	14	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-2 SW	% MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-3 SW	% MOISTURE EPA 3550C	20	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-4 SW	% MOISTURE EPA 3550C	49	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-5 SW	% MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-6 SW	% MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-7 FL	% MOISTURE EPA 3550C	8.5	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-8 FL	% MOISTURE EPA 3550C	14	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-9 FL	% MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-10 FL	% MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-11 SW	% MOISTURE EPA 3550C	12	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-12 SW	% MOISTURE EPA 3550C	6.4	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-13 SW	% MOISTURE EPA 3550C	14	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-14 SW	% MOISTURE EPA 3550C	8.1	0.10	% OF SAMPLE	AS	8/31/2023

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 083123-10

NAME:

SAMPLED BY: NICK SUMMERLAND/LER

PROJECT NO:

DATE SAMPLED: 8/30/2023

LOCATION: WEDHOLM MCCAGUE 1-31

SAMPLE SOIL

DATE RECEIVED: 8/31/2023

MI

TIME RECEIVED: 1:55 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: VSR-15 SW	% MOISTURE EPA 3550C	6.4	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-16 SW	% MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	8/31/2023
SAMPLE ID: VSR-17 SW	% MOISTURE EPA 3550C	8.5	0.10	% OF SAMPLE	AS	8/31/2023

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	Wedholm McCague 1-31	Lambda Energy
SAMPLED BY	COMPANY	GTA PROJECT #
N Summerland	Lambda	083123-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	VSR-1FL	8-29-23	1:44P	Soil	BTEX + Y, chloride Rush 3
2	VSR-2SW		1:50P		Rush 3
3	VSR-3SW		3:42P		Rush 3
4	VSR-4SW		4:00P		Rush 3
5	VSR-5SW		4:06P		Rush 3
6	VSR-6SW		4:17P		Rush 3
7	VSR-7FL	8-30-23	1:19P		
8	VSR-8FL		1:40P		
9	VSR-9FL		1:46P		
10	VSR-10FL		1:57P		
11	VSR-11SW		2:48P		
12	VSR-12SW		2:52P		
13	VSR-13SW		2:55P		
14	VSR-14SW		2:58P		
15	VSR-15SW		3:01P		

BILL TO:	TempRec: ☐	On Ice? ☒ Y ☐ N	REPORT TO:
Lambda		3.1°C	N Summerland

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
[Signature]	8-31-23 1:55PM	[Signature]	8/31/23 1:55

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	Wedholm McCague 1-31	Lambda Energy
SAMPLED BY	COMPANY	GTA PROJECT #
N Summerland	Lambda	083123-10

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
16	VSR-16SW	8-30-23	3:24P	Soil	BTEX +4, Chloride
17	VSR-17SW	↓	3:28P	Soil	↓
18	Sump Sample	↓	2:40P	Water	↓ Rish 3 day

BILL TO:	TempRec: ☐ On Ice? ☒ ☐	REPORT TO:
Lambda	31°C	N Summerland
RELEASED BY	DATE/TIME	RECEIVED BY
[Signature]	8-31-23 1:55PM	[Signature]
		DATE/TIME
		8/31/23 1:55
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS		