

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: VCP
Name:
ClientProj: 200837-4400
GTA ProjNo: 091223-11

Site Addr: EDGEWOOD EAST FOWLINE RELEASE

Sampled By: BRIAN BAUMANN/ECT
Date Rec: 9/12/2023
Time Rec: 4:10 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	F-1 -9'	9/12/2023		SOIL
2	F-1 + 1.5'	9/12/2023		SOIL
3	F-2-8.5'	9/12/2023		SOIL
4	F-3-5.25'	9/12/2023		SOIL
5	SW-1-4'	9/12/2023		SOIL
6	SW-2-4'	9/12/2023		SOIL
7	SW-3-4'	9/12/2023		SOIL
8	SW-3-7'	9/12/2023		SOIL
9	SW-4-3.75'	9/12/2023		SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 200837-4400
LOCATION: EDGEWOOD EAST FOWLINE RELEASE
MI
SAMPLED BY: BRIAN BAUMANN/ECT

GTA PROJECT NO: 091223-11
GTA SAMPLE NO: 1
DATE SAMPLED: 9/12/2023
TIME SAMPLED:
DATE RECEIVED: 9/12/2023
TIME RECEIVED: 4:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-1 -9'						
	CHLORIDE EPA 300.0	3,200	100	mg/Kg (PPM)	KC/AS	9/13/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 200837-4400
LOCATION: EDGEWOOD EAST FOWLINE RELEASE
MI
SAMPLED BY: BRIAN BAUMANN/ECT

GTA PROJECT NO: 091223-11
GTA SAMPLE NO: 2
DATE SAMPLED: 9/12/2023
TIME SAMPLED:
DATE RECEIVED: 9/12/2023
TIME RECEIVED: 4:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-1 + 1.5'						
	CHLORIDE EPA 300.0	1,600	91	mg/Kg (PPM)	KC/AS	9/13/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 200837-4400
LOCATION: EDGEWOOD EAST FOWLINE RELEASE
MI
SAMPLED BY: BRIAN BAUMANN/ECT

GTA PROJECT NO: 091223-11
GTA SAMPLE NO: 3
DATE SAMPLED: 9/12/2023
TIME SAMPLED:
DATE RECEIVED: 9/12/2023
TIME RECEIVED: 4:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-2-8.5' CHLORIDE EPA 300.0	460	100	mg/Kg (PPM)	KC/AS	9/13/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 200837-4400
LOCATION: EDGEWOOD EAST FOWLINE RELEASE
MI
SAMPLED BY: BRIAN BAUMANN/ECT

GTA PROJECT NO: 091223-11
GTA SAMPLE NO: 4
DATE SAMPLED: 9/12/2023
TIME SAMPLED:
DATE RECEIVED: 9/12/2023
TIME RECEIVED: 4:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-3-5.25'						
	CHLORIDE EPA 300.0	4,600	110	mg/Kg (PPM)	KC/AS	9/13/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 200837-4400
LOCATION: EDGEWOOD EAST FOWLINE RELEASE
MI
SAMPLED BY: BRIAN BAUMANN/ECT

GTA PROJECT NO: 091223-11
GTA SAMPLE NO: 5
DATE SAMPLED: 9/12/2023
TIME SAMPLED:
DATE RECEIVED: 9/12/2023
TIME RECEIVED: 4:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SW-1-4'						
	CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AS	9/13/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 200837-4400
LOCATION: EDGEWOOD EAST FOWLINE RELEASE
MI
SAMPLED BY: BRIAN BAUMANN/ECT

GTA PROJECT NO: 091223-11
GTA SAMPLE NO: 6
DATE SAMPLED: 9/12/2023
TIME SAMPLED:
DATE RECEIVED: 9/12/2023
TIME RECEIVED: 4:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SW-2-4' CHLORIDE EPA 300.0	ND	99	mg/Kg (PPM)	KC/AS	9/13/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 200837-4400
LOCATION: EDGEWOOD EAST FOWLINE RELEASE
MI
SAMPLED BY: BRIAN BAUMANN/ECT

GTA PROJECT NO: 091223-11
GTA SAMPLE NO: 7
DATE SAMPLED: 9/12/2023
TIME SAMPLED:
DATE RECEIVED: 9/12/2023
TIME RECEIVED: 4:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SW-3-4'						
	CHLORIDE EPA 300.0	290	110	mg/Kg (PPM)	KC/AS	9/13/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP
PROJECT NO: 200837-4400
LOCATION: EDGEWOOD EAST FOWLINE RELEASE
MI
SAMPLED BY: BRIAN BAUMANN/ECT

GTA PROJECT NO: 091223-11
GTA SAMPLE NO: 8
DATE SAMPLED: 9/12/2023
TIME SAMPLED:
DATE RECEIVED: 9/12/2023
TIME RECEIVED: 4:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SW-3-7'						
	CHLORIDE EPA 300.0	2,600	99	mg/Kg (PPM)	KC/AS	9/13/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP
PROJECT NO: 200837-4400
LOCATION: EDGEWOOD EAST FOWLINE RELEASE
MI
SAMPLED BY: BRIAN BAUMANN/ECT

GTA PROJECT NO: 091223-11
GTA SAMPLE NO: 9
DATE SAMPLED: 9/12/2023
TIME SAMPLED:
DATE RECEIVED: 9/12/2023
TIME RECEIVED: 4:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SW-4-3.75' CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AS	9/13/2023	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP

GTA PROJECT NO: 091223-11

NAME:

SAMPLED BY: BRIAN BAUMANN/ECT

PROJECT NO: 200837-4400

DATE SAMPLED: 9/12/2023

LOCATION: EDGEWOOD EAST FOWLINE RELEASE

SAMPLE SOIL

DATE RECEIVED: 9/12/2023

TIME RECEIVED: 4:10 PM

MI

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: F-1 -9'	% MOISTURE EPA 3550C	10	0.10	% OF SAMPLE	AS	9/12/2023
SAMPLE ID: F-1 + 1.5'	% MOISTURE EPA 3550C	7.0	0.10	% OF SAMPLE	AS	9/12/2023
SAMPLE ID: F-2-8.5'	% MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AS	9/12/2023
SAMPLE ID: F-3-5.25'	% MOISTURE EPA 3550C	12	0.10	% OF SAMPLE	AS	9/12/2023
SAMPLE ID: SW-1-4'	% MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AS	9/12/2023
SAMPLE ID: SW-2-4'	% MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AS	9/12/2023
SAMPLE ID: SW-3-4'	% MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AS	9/12/2023
SAMPLE ID: SW-3-7'	% MOISTURE EPA 3550C	9.1	0.10	% OF SAMPLE	AS	9/12/2023
SAMPLE ID: SW-4-3.75'	% MOISTURE EPA 3550C	8.4	0.10	% OF SAMPLE	AS	9/12/2023


CHAIN OF CUSTODY

PROJECT NUMBER 200837-4400	SITE NAME/ADDRESS EDGEWOOD EAST FLOWLINE RELEASE	COMPANY/NAME VCP
SAMPLED BY BRIAN BAUMANN	COMPANY ECT	GTA PROJECT # D91223-11

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	F-1-9'	9/12/23		SOIL	CHLORIDE
2	F-1 +1.5'				
3	F-2 -8.5'				
4	F-3 -5.25'				
5	SW-1-4'				
6	SW-2-4'				
7	SW-3-4'				
8	SW-3-7'				
9	SW-4-3.75'				

BILL TO: VCP	TempRec: ☐	On Ice? ☒ Y ☐ N	REPORT TO: BRIAN BAUMANN
------------------------	-----------------------------------	--	------------------------------------

RELEASED BY 	DATE/TIME 9/12/23 1610	RECEIVED BY 	DATE/TIME 9/12/23 1610

REQUESTED TAT ☐ STANDARD ☒ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS