



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MID STATE
Name:
ClientProj: 230199-0100
GTA ProjNo: 071124-2

Site Addr: BEATTY BROWN 1-A

Sampled By: LMH-J/ECT
Date Rec: 7/11/2024
Time Rec: 12:55 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	7/11/2024		WATER
2	MW-2B	7/11/2024		WATER
3	MW-3	7/11/2024		WATER
4	MW-4S	7/11/2024		WATER
5	MW-4D	7/11/2024		WATER
6	MW-5	7/11/2024		WATER
7	MW-6	7/11/2024		WATER
8	MW-7	7/11/2024		WATER
9	MW-8	7/11/2024		WATER
10	MW-9	7/11/2024		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 1

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1							
CHLORIDE EPA 300.0		280	10	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 2

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-2B							
CHLORIDE EPA 300.0		1,100	50	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 3

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-3							
CHLORIDE EPA 300.0		720	50	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 4

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-4S						
	CHLORIDE EPA 300.0	1,100	50	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 5

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4D							
CHLORIDE EPA 300.0		600	20	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 6

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-5							
CHLORIDE EPA 300.0		300	10	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 7

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	MW-6						
CHLORIDE EPA 300.0		730	50	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 8

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

SAMPLED BY: MI
LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7							
CHLORIDE EPA 300.0		660	50	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 9

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-8							
CHLORIDE EPA 300.0		280	10	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO: 230199-0100
LOCATION: BEATTY BROWN 1-A

GTA PROJECT NO: 071124-2
GTA SAMPLE NO: 10

DATE SAMPLED: 7/11/2024
TIME SAMPLED:
DATE RECEIVED: 7/11/2024
TIME RECEIVED: 12:55 PM

MI
SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-9							
CHLORIDE EPA 300.0		280	10	mg/L (PPM)	KC/TR	7/18/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 230199-0100	SITE NAME/ADDRESS Beatty Brown I-A	COMPANY/NAME Mid State
SAMPLED BY LMH.J	COMPANY ECT	GTA PROJECT # 071124-2

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	7-10-24		WTR	CL
2	MW-2B				
3	MW-3				
4	MW-4S				
5	MW-4D				
6	MW-5				
7	MW-6				
8	MW-7				
9	MW-8				
10	MW-9				

BILL TO: Mid State	TempRec: ☐ ☒ On Ice? ☐ ☒	REPORT TO: Lisa
------------------------------	---	---------------------------

RELEASED BY Lisa H	DATE/TIME 7-10-24 7/11/24 12:55	RECEIVED BY [Signature]	DATE/TIME 7/11/24 12:55
------------------------------	---	-----------------------------------	---

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS