

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MID STATE
Name:
ClientProj:

Site Addr: BEATTY BROWN 1A-22

GTA ProjNo: 040224-7

Sampled By: LMH-J/ECT
Date Rec: 4/2/2024
Time Rec: 2:08 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	4/2/2024		WATER
2	MW-2B	4/2/2024		WATER
3	MW-3	4/2/2024		WATER
4	MW-4S	4/2/2024		WATER
5	MW-4D	4/2/2024		WATER
6	MW-5	4/2/2024		WATER
7	MW-6	4/2/2024		WATER
8	MW-7	4/2/2024		WATER
9	MW-8	4/2/2024		WATER
10	MW-9	4/2/2024		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE
PROJECT NO:
LOCATION: BEATTY BROWN 1A-22

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 040224-7
GTA SAMPLE NO: 1

DATE SAMPLED: 4/2/2024
TIME SAMPLED:
DATE RECEIVED: 4/2/2024
TIME RECEIVED: 2:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-1							
CHLORIDE EPA 300.0		150	10	mg/L (PPM)	KC/TR	4/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE
PROJECT NO:
LOCATION: BEATTY BROWN 1A-22

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 040224-7
GTA SAMPLE NO: 2

DATE SAMPLED: 4/2/2024
TIME SAMPLED:
DATE RECEIVED: 4/2/2024
TIME RECEIVED: 2:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-2B							
CHLORIDE EPA 300.0		320	20	mg/L (PPM)	KC/TR	4/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO:
LOCATION: BEATTY BROWN 1A-22

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 040224-7
GTA SAMPLE NO: 3
DATE SAMPLED: 4/2/2024
TIME SAMPLED:
DATE RECEIVED: 4/2/2024
TIME RECEIVED: 2:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-3							
CHLORIDE EPA 300.0		260	20	mg/L (PPM)	KC/TR	4/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO:
LOCATION: BEATTY BROWN 1A-22

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 040224-7
GTA SAMPLE NO: 4
DATE SAMPLED: 4/2/2024
TIME SAMPLED:
DATE RECEIVED: 4/2/2024
TIME RECEIVED: 2:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4S							
CHLORIDE EPA 300.0		730	50	mg/L (PPM)	KC/TR	4/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE
PROJECT NO:
LOCATION: BEATTY BROWN 1A-22

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 040224-7
GTA SAMPLE NO: 5
DATE SAMPLED: 4/2/2024
TIME SAMPLED:
DATE RECEIVED: 4/2/2024
TIME RECEIVED: 2:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4D							
CHLORIDE EPA 300.0		310	10	mg/L (PPM)	KC/TR	4/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE
PROJECT NO:
LOCATION: BEATTY BROWN 1A-22

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 040224-7
GTA SAMPLE NO: 6
DATE SAMPLED: 4/2/2024
TIME SAMPLED:
DATE RECEIVED: 4/2/2024
TIME RECEIVED: 2:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-5							
CHLORIDE EPA 300.0		250	10	mg/L (PPM)	KC/TR	4/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO:
LOCATION: BEATTY BROWN 1A-22

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 040224-7
GTA SAMPLE NO: 7
DATE SAMPLED: 4/2/2024
TIME SAMPLED:
DATE RECEIVED: 4/2/2024
TIME RECEIVED: 2:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-6							
CHLORIDE EPA 300.0		630	50	mg/L (PPM)	KC/TR	4/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: MID STATE
PROJECT NO:
LOCATION: BEATTY BROWN 1A-22

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 040224-7
GTA SAMPLE NO: 8
DATE SAMPLED: 4/2/2024
TIME SAMPLED:
DATE RECEIVED: 4/2/2024
TIME RECEIVED: 2:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7							
CHLORIDE EPA 300.0		190	10	mg/L (PPM)	KC/TR	4/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE

GTA PROJECT NO: 040224-7

GTA SAMPLE NO: 9

PROJECT NO:

LOCATION: BEATTY BROWN 1A-22

DATE SAMPLED: 4/2/2024

TIME SAMPLED:

DATE RECEIVED: 4/2/2024

TIME RECEIVED: 2:08 PM

MI

SAMPLED BY: LMH-J/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-8

CHLORIDE EPA 300.0

Concentration

180

LOD

10

Units

mg/L (PPM)

Analyst

KC/TR

Date Completed

4/9/2024

Sample Matrix

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MID STATE
PROJECT NO:
LOCATION: BEATTY BROWN 1A-22

MI
SAMPLED BY: LMH-J/ECT

GTA PROJECT NO: 040224-7
GTA SAMPLE NO: 10
DATE SAMPLED: 4/2/2024
TIME SAMPLED:
DATE RECEIVED: 4/2/2024
TIME RECEIVED: 2:08 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-9							
CHLORIDE EPA 300.0		150	10	mg/L (PPM)	KC/TR	4/9/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER	SITE NAME/ADDRESS	COMPANY/NAME
	Beatty Brown 1A-22	MID STATE
SAMPLED BY	COMPANY	GTA PROJECT #
LMH-J	ECT	040224-8-7

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	4-2-24		WTR	CL
2	MW-2B				
3	MW-3				
4	MW-4S				
5	MW-4D				
6	MW-5				
7	MW-6				
8	MW-7				
9	MW-8				
10	MW-9				

BILL TO: MID STATE / ECT	TempRec: ☐ Y ☐ N	On Ice? ☐ ☐	REPORT TO: Lisa
RELEASED BY: Lisa Hyman	DATE/TIME: 4-2-24	RECEIVED BY: JCH	DATE/TIME: 4/2/24 2:08p
REQUESTED TAT: ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			