



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj: 20-122
GTA ProjNo: 081525-12

Site Addr: KAL 5 NORTH
Sampled By: JACOB HOLCOMB/OMPC
Date Rec: 8/15/2025
Time Rec: 2:00 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-7D	8/15/2025	10:32 AM	WATER
2	MW-10D	8/15/2025	11:03 AM	WATER
3	MW-26D	8/15/2025	9:03 AM	WATER
4	MW-35D	8/15/2025	12:00 PM	WATER
5	MW-50	8/14/2025	3:37 PM	WATER
6	MW-51	8/14/2025	3:25 PM	WATER
7	MW-52	8/14/2025	2:57 PM	WATER
8	MW-53	8/14/2025	3:12 PM	WATER
9	MW-1	8/14/2025	1:50 PM	WATER
10	MW-4D	8/15/2025	9:48 AM	WATER
11	MW-5D	8/15/2025	10:08 AM	WATER
12	MW-6D	8/14/2025	1:53 PM	WATER
13	MW-8D	8/14/2025	3:00 PM	WATER
14	MW-17D	8/15/2025	9:30 AM	WATER
15	MW-18	8/15/2025	11:41 AM	WATER
16	MW-21DR	8/15/2025	9:20 AM	WATER
17	MW-22R	8/14/2025	10:11 AM	WATER
18	MW-23	8/14/2025	12:17 PM	WATER
19	MW-23D	8/14/2025	1:19 PM	WATER
20	MW-24D	8/14/2025	2:35 PM	WATER
21	MW-25D	8/14/2025	10:34 AM	WATER
22	MW-28DD	8/14/2025		WATER
23	MW-29D	8/14/2025	10:42 AM	WATER
24	MW-30D	8/14/2025	9:22 AM	WATER
25	MW-31D	8/14/2025	9:19 AM	WATER
26	MW-32S	8/14/2025	12:02 PM	WATER
27	MW-32D	8/14/2025	12:33 PM	WATER
28	MW-33D	8/14/2025	11:08 AM	WATER
29	MW-36D	8/14/2025	9:56 AM	WATER
30	MW-37D	8/14/2025	8:42 AM	WATER
31	MW-38D	8/13/2025	3:46 PM	WATER
32	MW-39D	8/13/2025	3:54 PM	WATER
33	MW-40D	8/14/2025	8:45 AM	WATER
34	MW-41D	8/13/2025	2:10 PM	WATER
35	MW-42D	8/13/2025	3:03 PM	WATER
36	MW-45D	8/13/2025	3:13 PM	WATER
37	MW-46D	8/14/2025	11:13 AM	WATER
38	MW-47D	8/15/2025	11:56 AM	WATER
39	MW-48D	8/14/2025	1:03 PM	WATER
40	MW-49D	8/14/2025	1:07 PM	WATER
41	MW-43D	8/13/2025	2:17 PM	WATER



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-7D

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 1
 DATE SAMPLED: 8/15/2025
 TIME SAMPLED: 10:32 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLED BY: JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		8/18/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	081525-12
PROJECT NO:	20-122	GTA SAMPLE NO:	2
LOCATION:	KAL 5 NORTH	DATE SAMPLED:	8/15/2025
		TIME SAMPLED:	11:03 AM
	MI	DATE RECEIVED:	8/15/2025
		TIME RECEIVED:	2:00 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-10D	SAMPLED BY:	JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		8/18/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	081525-12
PROJECT NO:	20-122	GTA SAMPLE NO:	3
LOCATION:	KAL 5 NORTH	DATE SAMPLED:	8/15/2025
		TIME SAMPLED:	9:03 AM
	MI	DATE RECEIVED:	8/15/2025
		TIME RECEIVED:	2:00 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-26D	SAMPLED BY:	JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	3.5	1.0	ug/L (PPB)	MR		8/18/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	081525-12
PROJECT NO:	20-122	GTA SAMPLE NO:	4
LOCATION:	KAL 5 NORTH	DATE SAMPLED:	8/15/2025
		TIME SAMPLED:	12:00 PM
	MI	DATE RECEIVED:	8/15/2025
		TIME RECEIVED:	2:00 PM
SAMPLE MATRIX:	WATER		
SAMPLE ID:	MW-35D	SAMPLED BY:	JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		8/18/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-50

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 5
 DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 3:37 PM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLED BY: JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		8/18/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-51

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 6
 DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 3:25 PM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLED BY: JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		8/18/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 7

DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 2:57 PM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI

SAMPLE MATRIX: WATER
 SAMPLE ID: MW-52

SAMPLED BY: JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		8/18/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KAL 5 NORTH
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-53

GTA PROJECT NO: 081525-12
GTA SAMPLE NO: 8
DATE SAMPLED: 8/14/2025
TIME SAMPLED: 3:12 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

SAMPLED BY: JACOB HOLCOMB/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
Benzene	4.5	1.0	ug/L (PPB)	MR		8/18/2025	EPA 5030B
Toluene	39	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	081525-12
PROJECT NO:	20-122	GTA SAMPLE NO:	1
LOCATION:	KAL 5 NORTH	DATE SAMPLED:	8/15/2025
		TIME SAMPLED:	10:32 AM
		DATE RECEIVED:	8/15/2025
		TIME RECEIVED:	2:00 PM
	MI		
SAMPLED BY:	JACOB HOLCOMB/OMPC		

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	MW-7D						
	CHLORIDE EPA 300.0	24	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 2
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/15/2025
TIME SAMPLED: 11:03 AM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-10D	CHLORIDE EPA 300.0	14	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 3
 DATE SAMPLED: 8/15/2025
 TIME SAMPLED: 9:03 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-26D	CHLORIDE EPA 300.0	23	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 4
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/15/2025
TIME SAMPLED: 12:00 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-35D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KAL 5 NORTH
MI
SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
GTA SAMPLE NO: 5
DATE SAMPLED: 8/14/2025
TIME SAMPLED: 3:37 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-50	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 7
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/14/2025
TIME SAMPLED: 2:57 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-52	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 8
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/14/2025
TIME SAMPLED: 3:12 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-53	CHLORIDE EPA 300.0	40	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 10
 DATE SAMPLED: 8/15/2025
 TIME SAMPLED: 9:48 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 11
 DATE SAMPLED: 8/15/2025
 TIME SAMPLED: 10:08 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-5D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 12
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/14/2025
TIME SAMPLED: 1:53 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-6D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 13
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/14/2025
TIME SAMPLED: 3:00 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-8D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 14
 DATE SAMPLED: 8/15/2025
 TIME SAMPLED: 9:30 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-17D CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 15
 DATE SAMPLED: 8/15/2025
 TIME SAMPLED: 11:41 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-18	CHLORIDE EPA 300.0	18	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 16
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/15/2025
TIME SAMPLED: 9:20 AM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-21DR CHLORIDE EPA 300.0	20	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 17

DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 10:11 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-22R CHLORIDE EPA 300.0	13	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 18
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/14/2025
TIME SAMPLED: 12:17 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-23	CHLORIDE EPA 300.0	83	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12

GTA SAMPLE NO: 19

DATE SAMPLED: 8/14/2025

TIME SAMPLED: 1:19 PM

DATE RECEIVED: 8/15/2025

TIME RECEIVED: 2:00 PM

MI

SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-23D CHLORIDE EPA 300.0	1,200	50	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 21
 DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 10:34 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-25D CHLORIDE EPA 300.0	200	10	mg/L (PPM)	KC	8/25/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 22
 DATE SAMPLED: 8/14/2025
 TIME SAMPLED:
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-28DD CHLORIDE EPA 300.0	58	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 23
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/14/2025
TIME SAMPLED: 10:42 AM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-29D CHLORIDE EPA 300.0	26	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 24
 DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 9:22 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-30D CHLORIDE EPA 300.0	49	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 25
 DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 9:19 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-31D CHLORIDE EPA 300.0	18	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12

GTA SAMPLE NO: 26

DATE SAMPLED: 8/14/2025

TIME SAMPLED: 12:02 PM

DATE RECEIVED: 8/15/2025

TIME RECEIVED: 2:00 PM

MI

SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-32S CHLORIDE EPA 300.0	22	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 27
 DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 12:33 PM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-32D	CHLORIDE EPA 300.0	90	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 081525-12
PROJECT NO: 20-122 GTA SAMPLE NO: 28
LOCATION: KAL 5 NORTH DATE SAMPLED: 8/14/2025
TIME SAMPLED: 11:08 AM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

MI
SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-33D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 30
 DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 8:42 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-37D CHLORIDE EPA 300.0	22	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 31
 DATE SAMPLED: 8/13/2025
 TIME SAMPLED: 3:46 PM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-38D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 34
 DATE SAMPLED: 8/13/2025
 TIME SAMPLED: 2:10 PM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-41D CHLORIDE EPA 300.0	17	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 35
 DATE SAMPLED: 8/13/2025
 TIME SAMPLED: 3:03 PM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-42D CHLORIDE EPA 300.0	15	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 36
 DATE SAMPLED: 8/13/2025
 TIME SAMPLED: 3:13 PM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-45D CHLORIDE EPA 300.0	25	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KAL 5 NORTH
 MI
 SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
 GTA SAMPLE NO: 37
 DATE SAMPLED: 8/14/2025
 TIME SAMPLED: 11:13 AM
 DATE RECEIVED: 8/15/2025
 TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-46D CHLORIDE EPA 300.0	27	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KAL 5 NORTH
MI
SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
GTA SAMPLE NO: 39
DATE SAMPLED: 8/14/2025
TIME SAMPLED: 1:03 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-48D CHLORIDE EPA 300.0	42	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KAL 5 NORTH
MI
SAMPLED BY: JACOB HOLCOMB/OMPC

GTA PROJECT NO: 081525-12
GTA SAMPLE NO: 41
DATE SAMPLED: 8/13/2025
TIME SAMPLED: 2:17 PM
DATE RECEIVED: 8/15/2025
TIME RECEIVED: 2:00 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-43D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	8/22/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

10/3

CHAIN OF CUSTODY

PROJECT NUMBER 10-122	SITE NAME/ADDRESS KAL 5 NORTH	COMPANY/NAME LAMBDA
SAMPLED BY JACOB HOLCOMB	COMPANY OMPE	GTA PROJECT # 081525-12

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-7D	8/15/25	10:32	H2O	CHLORIDES + HIPS
2	MW-10D	8/15/25	11:03		
3	MW-26D	8/15/25	9:03		
4	MW-35D	8/15/25	12:00		
5	MW-50	8/14/25	3:37		
6	MW-51	8/14/25	3:25		
7	MW-52	8/14/25	2:57		
8	MW-53	8/14/25	3:12		
9	MW-1	8/14/25	1:50		
10	MW-4D	8/15/25	9:48		
11	MW-5D	8/15/25	10:08		
12	MW-6D	8/14/25	1:53		
13	MW-8D	8/14/25	3:00		
14	MW-17D	8/15/25	9:30		
15	MW-18	8/15/25	11:41		

BILL TO: OMPE	TempRec: <input type="checkbox"/> On Ice? <input checked="" type="checkbox"/> 5.0°C	REPORT TO: DAN BARTON dbarton@otwellmcmby.com
------------------	-------------------------------------------------------------------------------------------	-----------------------------------------------------

RELEASED BY Jacob Holcomb John H	DATE/TIME 8/15/25	RECEIVED BY A. Lyons	DATE/TIME 8/15/25 2:00
----------------------------------------	----------------------	-------------------------	------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

2 of 3

CHAIN OF CUSTODY

PROJECT NUMBER 20-122	SITE NAME/ADDRESS KAL S NORTH	COMPANY/NAME LAMBDA
SAMPLED BY JACOB HOLCOMB	COMPANY OMPL	GTA PROJECT # 081525-12

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
16	MW-21DR	8/15/25	9:20	H2O	CHLORIDES
17	MW-22D	8/14/25	10:11	↓	↓
18	MW-23	8/14/25	12:17		
19	MW-23D	8/14/25	1:19		
20	MW-24D	8/14/25	2:35		
21	MW-25D	8/14/25	10:34		
22	MW-28DD	8/14/25	-		
23	MW-29D	8/14/25	10:42		
29	MW-30D	8/14/25	9:22		
25	MW-31D	8/14/25	9:19		
26	MW-32S	8/14/25	12:02		
27	MW-32D	8/14/25	12:33		
28	MW-33D	8/14/25	11:08		
23	MW-34D				
29	MW-36D	8/14/25	9:56		

BILL TO: OMPL	TempRec: <input type="checkbox"/>	On Ice? <input type="checkbox"/> <input type="checkbox"/>	REPORT TO: DAN BARTON
------------------	-----------------------------------	-----------------------------------------------------------	--------------------------

RELEASED BY JH	DATE/TIME 8/18/25 2:00	RECEIVED BY A. Lopez	DATE/TIME 8/15/25 2:00
-------------------	------------------------------	-------------------------	------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

3 of 3

CHAIN OF CUSTODY

PROJECT NUMBER 20-122	SITE NAME/ADDRESS KAL 5 NORTH	COMPANY/NAME LAMBDA
SAMPLED BY JACOB HOLCOMB	COMPANY OMPC	GTA PROJECT # 081525-12

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
30	MW-37D	8/14/25	8:42	H ₂ O	CL
31	MW-38D	8/13/25	3:46		
32	MW-39D	8/13/25	3:54		
33	MW-40D	8/14/25	8:45		
34	MW-41D	8/13/25	2:10		
35	MW-42D	8/13/25	3:03		
36	MW-45D	8/13/25	3:13		
37	MW-46D	8/14/25	11:13		
38	MW-47D	8/19/25	11:56		
39	MW-48D	8/14/25	1:03		
40	MW-49D	8/14/25	1:07		
41	MW-43D	8/13/25	2:17		

BILL TO: OMPC	TempRec: <input type="checkbox"/>	On Ice? <input type="checkbox"/> <input type="checkbox"/>	REPORT TO: DAN BARTON
-------------------------	-----------------------------------	-----------------------------------------------------------	---------------------------------

RELEASED BY JH	DATE/TIME 8/19/25 2:00	RECEIVED BY A Lopez	DATE/TIME 8/15/25 2:00
--------------------------	----------------------------------	-------------------------------	----------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS