



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj: 20-122
GTA ProjNo: 031025-5

Site Addr: KALKASKA 5 NORTH
Sampled By: ANDREW PUFFPAFF/OMPC
Date Rec: 3/10/2025
Time Rec: 2:05 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	2/28/2025	8:15 AM	WATER
2	MW-4D	2/28/2025	1:10 PM	WATER
3	MW-5D	2/28/2025	10:10 AM	WATER
4	MW-6D	2/27/2025	2:20 PM	WATER
5	MW-7D	3/3/2025	11:30 AM	WATER
6	MW-8D	3/3/2025	8:40 AM	WATER
7	MW-10D	3/3/2025	8:30 AM	WATER
8	MW-17D	2/28/2025	2:20 PM	WATER
9	MW-18	3/3/2025	8:24 AM	WATER
10	MW-21DR	3/3/2025	9:45 AM	WATER
11	MW-22D	3/3/2025	9:15 AM	WATER
12	MW-23	2/27/2025	11:35 AM	WATER
13	MW-23D	2/28/2025	10:40 AM	WATER
14	MW-24D	2/28/2025	8:40 AM	WATER
15	MW-25D	3/3/2025	11:10 AM	WATER
16	MW-26D	3/3/2025	9:55 AM	WATER
17	MW-28DD	2/27/2025	3:45 PM	WATER
18	MW-29D	3/3/2025	10:25 AM	WATER
19	MW-30D	3/3/2025	12:20 PM	WATER
20	MW-31D	3/3/2025	1:15 PM	WATER
21	MW-32S	2/27/2025	11:25 AM	WATER
22	MW-32D	2/27/2025	1:40 PM	WATER
23	MW-33D	2/27/2025	11:05 AM	WATER
24	MW-34D	2/27/2025	3:35 PM	WATER
25	MW-35D	3/3/2025	10:40 AM	WATER
26	MW-36D	3/10/2025	8:40 AM	WATER
27	MW-37D	3/3/2025	1:45 PM	WATER
28	MW-38D	3/3/2025	1:25 PM	WATER
29	MW-39D	3/10/2025	9:20 AM	WATER
30	MW-40D	3/10/2025	8:55 AM	WATER
31	MW-41D	3/10/2025	11:20 AM	WATER
32	MW-42D	3/10/2025	10:55 AM	WATER
33	MW-43D	3/10/2025	11:35 AM	WATER
34	MW-45D	3/10/2025	10:25 AM	WATER
35	MW-46D	3/3/2025	11:00 AM	WATER
36	MW-47	3/3/2025	8:45 AM	WATER
37	MW-48	2/27/2025	12:55 PM	WATER
38	MW-49	2/27/2025	12:25 PM	WATER
39	MW-50	2/28/2025	11:20 AM	WATER
40	MW-51	2/28/2025	11:40 AM	WATER
41	MW-52	2/28/2025	11:00 AM	WATER
42	MW-53	2/28/2025	12:00 PM	WATER



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-7D

GTA PROJECT NO: 031025-5
GTA SAMPLE NO: 5
DATE SAMPLED: 3/3/2025
TIME SAMPLED: 11:30 AM
DATE RECEIVED: 3/10/2025
TIME RECEIVED: 2:05 PM

SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-10D

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 7
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 8:30 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20-122
LOCATION: KALKASKA 5 NORTH
MI
SAMPLE MATRIX: WATER
SAMPLE ID: MW-26D

GTA PROJECT NO: 031025-5
GTA SAMPLE NO: 16
DATE SAMPLED: 3/3/2025
TIME SAMPLED: 9:55 AM
DATE RECEIVED: 3/10/2025
TIME RECEIVED: 2:05 PM

SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	5.2	1.0	ug/L (PPB)	MR		3/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 25

DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 10:40 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI

SAMPLE MATRIX: WATER
 SAMPLE ID: MW-35D

SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-50

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 39
 DATE SAMPLED: 2/28/2025
 TIME SAMPLED: 11:20 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-51

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 40
 DATE SAMPLED: 2/28/2025
 TIME SAMPLED: 11:40 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-52

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 41
 DATE SAMPLED: 2/28/2025
 TIME SAMPLED: 11:00 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		3/11/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH
 MI
 SAMPLE MATRIX: WATER
 SAMPLE ID: MW-53

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 42
 DATE SAMPLED: 2/28/2025
 TIME SAMPLED: 12:00 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

SAMPLED BY: ANDREW PUFFPAFF/OMPC

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	20	1.0	ug/L (PPB)	MR		3/11/2025	EPA 5030B
Toluene	22	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 031025-5
PROJECT NO: 20-122 GTA SAMPLE NO: 2
LOCATION: KALKASKA 5 NORTH DATE SAMPLED: 2/28/2025
TIME SAMPLED: 1:10 PM
DATE RECEIVED: 3/10/2025
TIME RECEIVED: 2:05 PM

MI
SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-4D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 3
 DATE SAMPLED: 2/28/2025
 TIME SAMPLED: 10:10 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-5D CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 4
 DATE SAMPLED: 2/27/2025
 TIME SAMPLED: 2:20 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-6D CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 6
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 8:40 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-8D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 031025-5
PROJECT NO: 20-122 GTA SAMPLE NO: 8
LOCATION: KALKASKA 5 NORTH DATE SAMPLED: 2/28/2025
TIME SAMPLED: 2:20 PM
DATE RECEIVED: 3/10/2025
TIME RECEIVED: 2:05 PM

MI
SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-17D CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 9
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 8:24 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-18	CHLORIDE EPA 300.0	15	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5

GTA SAMPLE NO: 10

DATE SAMPLED: 3/3/2025

TIME SAMPLED: 9:45 AM

DATE RECEIVED: 3/10/2025

TIME RECEIVED: 2:05 PM

MI

SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-21DR CHLORIDE EPA 300.0	20	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 11
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 9:15 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-22D CHLORIDE EPA 300.0	14	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 12
 DATE SAMPLED: 2/27/2025
 TIME SAMPLED: 11:35 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-23 CHLORIDE EPA 300.0	36	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 031025-5
PROJECT NO: 20-122 GTA SAMPLE NO: 13
LOCATION: KALKASKA 5 NORTH DATE SAMPLED: 2/28/2025
TIME SAMPLED: 10:40 AM
DATE RECEIVED: 3/10/2025
TIME RECEIVED: 2:05 PM

MI
SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-23D	CHLORIDE EPA 300.0	680	50	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 14
 DATE SAMPLED: 2/28/2025
 TIME SAMPLED: 8:40 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-24D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 15
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 11:10 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-25D	CHLORIDE EPA 300.0	130	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5

GTA SAMPLE NO: 16

DATE SAMPLED: 3/3/2025

TIME SAMPLED: 9:55 AM

DATE RECEIVED: 3/10/2025

TIME RECEIVED: 2:05 PM

MI

SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-26D CHLORIDE EPA 300.0	20	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 17
 DATE SAMPLED: 2/27/2025
 TIME SAMPLED: 3:45 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-28DD CHLORIDE EPA 300.0	94	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 19
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 12:20 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-30D CHLORIDE EPA 300.0	48	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 031025-5
PROJECT NO: 20-122 GTA SAMPLE NO: 20
LOCATION: KALKASKA 5 NORTH DATE SAMPLED: 3/3/2025
TIME SAMPLED: 1:15 PM
DATE RECEIVED: 3/10/2025
TIME RECEIVED: 2:05 PM

MI
SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-31D	CHLORIDE EPA 300.0	15	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 031025-5
PROJECT NO: 20-122 GTA SAMPLE NO: 21
LOCATION: KALKASKA 5 NORTH DATE SAMPLED: 2/27/2025
TIME SAMPLED: 11:25 AM
DATE RECEIVED: 3/10/2025
TIME RECEIVED: 2:05 PM

MI
SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-32S CHLORIDE EPA 300.0	21	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 22
 DATE SAMPLED: 2/27/2025
 TIME SAMPLED: 1:40 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-32D CHLORIDE EPA 300.0	260	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 24
 DATE SAMPLED: 2/27/2025
 TIME SAMPLED: 3:35 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-34D CHLORIDE EPA 300.0	12	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 25
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 10:40 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-35D CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 031025-5
PROJECT NO: 20-122 GTA SAMPLE NO: 26
LOCATION: KALKASKA 5 NORTH DATE SAMPLED: 3/10/2025
TIME SAMPLED: 8:40 AM
DATE RECEIVED: 3/10/2025
TIME RECEIVED: 2:05 PM

MI
SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-36D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 27
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 1:45 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-37D CHLORIDE EPA 300.0	15	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 28
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 1:25 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-38D	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC GTA PROJECT NO: 031025-5
PROJECT NO: 20-122 GTA SAMPLE NO: 29
LOCATION: KALKASKA 5 NORTH DATE SAMPLED: 3/10/2025
TIME SAMPLED: 9:20 AM
DATE RECEIVED: 3/10/2025
TIME RECEIVED: 2:05 PM

MI
SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-39D CHLORIDE EPA 300.0	18	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 30
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 8:55 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-40D CHLORIDE EPA 300.0	87	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 31
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 11:20 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-41D CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/18/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 34
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 10:25 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-45D CHLORIDE EPA 300.0	24	10	mg/L (PPM)	KC/TR	3/19/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 35
 DATE SAMPLED: 3/3/2025
 TIME SAMPLED: 11:00 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-46D	CHLORIDE EPA 300.0	51	10	mg/L (PPM)	KC/TR	3/19/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20-122

LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5

GTA SAMPLE NO: 37

DATE SAMPLED: 2/27/2025

TIME SAMPLED: 12:55 PM

DATE RECEIVED: 3/10/2025

TIME RECEIVED: 2:05 PM

MI

SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-48	CHLORIDE EPA 300.0	75	10	mg/L (PPM)	KC/TR	3/19/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 38
 DATE SAMPLED: 2/27/2025
 TIME SAMPLED: 12:25 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-49	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/19/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 39
 DATE SAMPLED: 2/28/2025
 TIME SAMPLED: 11:20 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-50	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/19/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 41
 DATE SAMPLED: 2/28/2025
 TIME SAMPLED: 11:00 AM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-52 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	3/19/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20-122
 LOCATION: KALKASKA 5 NORTH

GTA PROJECT NO: 031025-5
 GTA SAMPLE NO: 42
 DATE SAMPLED: 2/28/2025
 TIME SAMPLED: 12:00 PM
 DATE RECEIVED: 3/10/2025
 TIME RECEIVED: 2:05 PM

MI
 SAMPLED BY: ANDREW PUFFPAFF/OMPC

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-53	CHLORIDE EPA 300.0	12	10	mg/L (PPM)	KC/TR	3/19/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

013

CHAIN OF CUSTODY

PROJECT NUMBER 20-122	SITE NAME/ADDRESS Kalkaska 5 North	COMPANY/NAME Lambda
SAMPLED BY Andrew Puffpatt	COMPANY OMPC	GTA PROJECT # 0310255

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	2/28/25	8:15	H2O	Chlorides
2	MW-4d	2/28/25	13:10		
3	MW-5d	2/28/25	10:10		
4	MW-6d	2/27/25	14:20		
5	MW-7d	3/3/25	11:30		HIPs
6	MW-8d	3/3/25	8:40		
7	MW-10d	3/3/25	8:30		HIPs
8	MW-17d	2/28/25	14:20		
9	MW-18	3/3/25	8:24		
10	MW-21 DR	3/3/25	9:45		
11	MW-22 d	3/3/25	9:15		
12	MW-23	2/27/25	11:35		
13	MW-23d	2/28/25	10:40		
14	MW-24d	2/28/25	8:40		
15	MW-25d	3/3/25	11:10	↓	↓

BILL TO: OMPC	TempRec: <input type="checkbox"/> On Ice? <input checked="" type="checkbox"/> 3.1°C	REPORT TO: Dan Barton dbarton@stwellmanwy.com
-------------------------	---	--

RELEASED BY Andrew Puffpatt	DATE/TIME 3/10/25 2:05	RECEIVED BY A. Alpus	DATE/TIME 3/10/25 2:05
---------------------------------------	----------------------------------	--------------------------------	----------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

20/3

CHAIN OF CUSTODY

PROJECT NUMBER 20-122	SITE NAME/ADDRESS Kalkaska 5 North	COMPANY/NAME Lambda
SAMPLED BY Andrew Puffpatt	COMPANY OMPC	GTA PROJECT # 031025-5

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS	
16	MW-26d	3/3/25	9:55	H ₂ O	chlorides HIPs	
17	MW-28d	2/27/25	15:45	↓		
18	MW-29d	3/3/25	10:25			
19	MW-30d	3/3/25	12:20			
20	MW-31d	3/3/25	13:15			
21	MW-32S	2/27/25	11:25			
22	MW-32d	2/27/25	13:40			
23	MW-33d	2/27/25	11:05			
24	MW-34d	2/27/25	15:35			
25	MW-35d	3/3/25	10:40			HIPs
26	MW-36d	3/10/25	8:40			
27	MW-37d	3/3/25	13:45			
28	MW-38d	3/3/25	13:25			
29	MW-39d	3/10/25	9:20			
30	MW-40d	3/10/25	8:55			

BILL TO: OMPC	TempRec: <input type="checkbox"/> On Ice? <input checked="" type="checkbox"/> 3.0	REPORT TO: Dan Barton dbarton@ofwellmanby.com
-------------------------	---	--

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Andrew Puffpatt	3/10/25 2:05	[Signature]	3/10/25 2:05

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

3/1/25

CHAIN OF CUSTODY

PROJECT NUMBER 20-122	SITE NAME/ADDRESS Karl Koska 5 North	COMPANY/NAME Lambda
SAMPLED BY Andrew Puffpatt	COMPANY OMPC	GTA PROJECT # 031025-5

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
31	MW-41d	3/10/25	11:20	H ₂ O	Chlorides
32	MW-42d	3/10/25	10:55		
33	MW-43d	3/10/25	11:35		
34	MW-45d	3/10/25	10:25		
35	MW-46d	3/3/25	11:00		
36	MW-47 ^{APR}	3/3/25	8:45		
37	MW-48	2/27/25	12:55		
38	MW-49	2/27/25	12:25		
39	MW-50	2/28/25	11:20		HIPs
40	MW-51	2/28/25	11:40		HIPs
41	MW-52	2/28/25	11:00		HIPs
42	MW-53	2/28/25	12:00	↓	↓ HIPs

BILL TO: OMPC	TempRec: <input type="checkbox"/> On Ice? <input type="checkbox"/> <input type="checkbox"/> 3d ^o C	REPORT TO: Dan Barton dbarton@otwellmawby.com
-------------------------	---	--

RELEASED BY Andrew Puffpatt	DATE/TIME 3/10/25 2:05	RECEIVED BY [Signature]	DATE/TIME 3/10/25 2:05
---------------------------------------	----------------------------------	-----------------------------------	----------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS