



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj: 20.064
GTA ProjNo: 082224-6

Site Addr: CASE 33 CPF

Sampled By: KWB/HURON

Date Rec: 8/22/2024

Time Rec: 12:05 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	RW-5 (152-157')	8/21/2024		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC

GTA PROJECT NO: 082224-6

PROJECT NO: 20.064

GTA SAMPLE NO: 1

LOCATION: CASE 33 CPF

DATE SAMPLED: 8/21/2024

TIME SAMPLED:

DATE RECEIVED: 8/22/2024

TIME RECEIVED: 12:05 PM

MI

SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: RW-5 (152-157') CHLORIDE EPA 300.0	720	50	mg/L (PPM)	KC/TR	8/27/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

