



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC
Name:
ClientProj: 20.064
GTA ProjNo: 102224-6

Site Addr: CASE 33 CPF
Sampled By: KWB/HURON
Date Rec: 10/22/2024
Time Rec: 12:10 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1 (30-40')	10/9/2024		WATER
2	MW-2S (64-74')	10/11/2024		WATER
3	MW-2D (94-99')	10/11/2024		WATER
4	MW-3S (94-104')	10/17/2024		WATER
5	MW-3D (115-120')	10/17/2024		WATER
6	MW-4 (36-41')	10/9/2024		WATER
7	MW-5 (89-99')	10/11/2024		WATER
8	MW-6 (64-74')	10/9/2024		WATER
9	MW-7S (94-104')	10/17/2024		WATER
10	MW-7D (122-127')	10/17/2024		WATER
11	MW-8S (65-75')	10/11/2024		WATER
12	MW-8D (123-128')	10/11/2024		WATER
13	MW-9S (94-104')	10/17/2024		WATER
14	MW-9M (115-120')	10/17/2024		WATER
15	MW-10 (114-119')	10/11/2024		WATER
16	MW-11D (133-138')	10/18/2024		WATER
17	MW-12D (152-157')	10/18/2024		WATER
18	MW-13D (121-126')	10/18/2024		WATER
19	MW-14D (176-181')	10/18/2024		WATER
20	MW-15D (172-177')	10/18/2024		WATER

ELECTRONIC SIGNITURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 1
 DATE SAMPLED: 10/9/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-1 (30-40') CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/27/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 2
 DATE SAMPLED: 10/11/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-2S (64-74') CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/27/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20.064

LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6

GTA SAMPLE NO: 3

DATE SAMPLED: 10/11/2024

TIME SAMPLED:

DATE RECEIVED: 10/22/2024

TIME RECEIVED: 12:10 PM

MI

SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-2D (94-99')

CHLORIDE EPA 300.0

Concentration

LOD

Units

Analyst

Date

Sample

ND

10

mg/L (PPM)

TR

10/28/2024

WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 4
 DATE SAMPLED: 10/17/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

MI
 SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-3S (94-104') CHLORIDE EPA 300.0	41	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 5
 DATE SAMPLED: 10/17/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-3D (115-120') CHLORIDE EPA 300.0	520	50	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 6
 DATE SAMPLED: 10/9/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

MI
 SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-4 (36-41') CHLORIDE EPA 300.0	23	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20.064

LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6

GTA SAMPLE NO: 7

DATE SAMPLED: 10/11/2024

TIME SAMPLED:

DATE RECEIVED: 10/22/2024

TIME RECEIVED: 12:10 PM

MI

SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: MW-5 (89-99')

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
12	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 8
 DATE SAMPLED: 10/9/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

MI
 SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-6 (64-74') CHLORIDE EPA 300.0	61	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC

PROJECT NO: 20.064

LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6

GTA SAMPLE NO: 9

DATE SAMPLED: 10/17/2024

TIME SAMPLED:

DATE RECEIVED: 10/22/2024

TIME RECEIVED: 12:10 PM

MI

SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-7S (94-104') CHLORIDE EPA 300.0	36	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 10
 DATE SAMPLED: 10/17/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-7D (122-127') CHLORIDE EPA 300.0	92	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 11
 DATE SAMPLED: 10/11/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

MI
 SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-8S (65-75') CHLORIDE EPA 300.0	15	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 12
 DATE SAMPLED: 10/11/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-8D (123-128') CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 13
 DATE SAMPLED: 10/17/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

MI
 SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-9S (94-104') CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 14
 DATE SAMPLED: 10/17/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-9M (115-120') CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 15
 DATE SAMPLED: 10/11/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

MI
 SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-10 (114-119') CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 16
 DATE SAMPLED: 10/18/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-11D (133-138*) CHLORIDE EPA 300.0	540	50	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 17
 DATE SAMPLED: 10/18/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

MI
 SAMPLED BY: KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-12D (152-157') CHLORIDE EPA 300.0	750	50	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 18
 DATE SAMPLED: 10/11/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
SAMPLE ID: MW-13D (121-126*) CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 19
 DATE SAMPLED: 10/11/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-14D (176-181') CHLORIDE EPA 300.0	14	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 20.064
 LOCATION: CASE 33 CPF

GTA PROJECT NO: 102224-6
 GTA SAMPLE NO: 20
 DATE SAMPLED: 10/11/2024
 TIME SAMPLED:
 DATE RECEIVED: 10/22/2024
 TIME RECEIVED: 12:10 PM

SAMPLED BY: MI
 KWB/HURON

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u>	<u>Sample</u>
	SAMPLE ID: MW-15D (172-177') CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	TR	10/28/2024	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

Annual Groundwater Monitoring

CHAIN OF CUSTODY

PROJECT NUMBER 20.064	SITE NAME/ADDRESS Case 33 CPF	COMPANY/NAME Lambda Energy Resources
SAMPLED BY Kim Wallis-Burke, Huron Engineering and Surveying, Inc.	COMPANY	GTA PROJECT # 102224-6

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS	Field Conductivity mS/cm
1	MW1 (30-40')	10/09/24		GW	Chloride (mg/l)	0.48
2	MW2S (64-74')	10/11/24				0.77
3	MW2D (94-99')	10/11/24				0.51
4	MW3S (94-104')	10/17/24				0.74
5	MW3D (115-120')	10/17/24				2.2
6	MW4 (36-41')	10/9/24				0.53
7	MW5 (89-99')	10/11/24				0.68
8	MW6 (64-74')	10/09/24				0.67
9	MW7S (94-104')	10/17/24				0.85
10	MW7D (122-127')	10/17/24				0.85
11	MW8S (65-75')	10/11/24				0.70
12	MW8D (123-128')	10/11/24				0.43
13	MW9S (94-104')	10/17/24				0.51
14	MW9M (115-120')	10/17/24				0.51
15	MW10 (114-119')	10/11/24				0.59

BILL TO: Lambda Energy Resources Attn: Nick Summerland	TempRec: <input type="checkbox"/> N/A <input checked="" type="checkbox"/> Y <input type="checkbox"/> N On Ice? <input type="checkbox"/> <input checked="" type="checkbox"/>	REPORT TO: Huron Engineering and Surveying Attn: Kim Wallis-Burke
---	--	--

RELEASED BY Kimberly Wallis Burke	DATE/TIME	RECEIVED BY Alpena UPS Alpena	DATE/TIME 10/21/24 10/22/24 12:10
---	------------------	--	--

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS

