



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC Site Addr: OTSEGO 16" LINE
Name:
ClientProj: 23-156
GTA ProjNo: 050525-1 Sampled By: JC/OMPC
Date Rec: 5/5/2025
Time Rec: 12:45 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	5/5/2025	10:50 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
 PROJECT NO: 23-156
 LOCATION: OTSEGO 16" LINE

GTA PROJECT NO: 050525-1
 GTA SAMPLE NO: 1

DATE SAMPLED: 5/5/2025
 TIME SAMPLED: 10:50 AM
 DATE RECEIVED: 5/5/2025
 TIME RECEIVED: 12:45 PM

SAMPLED BY: JC/OMPC

SAMPLE MATRIX: WATER

SAMPLE ID: MW-1

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

Date Completed= 5/7/2025

Prep Method= EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	5.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	5.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	5.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

