

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MICHIGAN CONSULTING &
Name: ENVIRONMENTAL
ClientProj: 64977
GTA ProjNo: 061924-2

Site Addr: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
Sampled By: BOBBY GLASSER/MCE
Date Rec: 6/19/2024
Time Rec: 11:55 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	NW-5 10-11'	6/13/2024	1:45 PM	SOIL
2	NW-5 14-15'	6/13/2024	2:15 PM	SOIL
3	DUPLICATE (SOIL)	6/13/2024		SOIL
4	NW-2	6/13/2024	2:50 PM	WATER
5	NW-3	6/13/2024	3:30 PM	WATER
6	NW-4	6/13/2024	4:10 PM	WATER
7	NW-5	6/13/2024	4:45 PM	WATER
8	NW-1	6/13/2024	5:05 PM	WATER
9	MW-2	6/13/2024	5:25 PM	WATER
10	DUPLICATE (H ₂ O)	6/13/2024		WATER
11	BLANK	6/13/2024	6:00 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 1
DATE SAMPLED: 6/13/2024
TIME SAMPLED: 1:45 PM
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: SOIL
SAMPLE ID: NW-5 10-11'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB)

Analyst= MR

Date Extracted= 6/13/2024

Date Completed= 6/20/2024

Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	280	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBEZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	230	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBEZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBEZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBEZENE	ND	50	TOLUENE	210	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBEZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBEZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	1,400	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 2
DATE SAMPLED: 6/13/2024
TIME SAMPLED: 2:15 PM
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: SOIL
SAMPLE ID: NW-5 14-15'

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 6/13/2024 Date Completed= 6/20/2024 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBEZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 3
DATE SAMPLED: 6/13/2024
TIME SAMPLED:
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: SOIL
SAMPLE ID: DUPLICATE (SOIL)

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 6/13/2024 Date Completed= 6/20/2024 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-DICHLOROPROPENE	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROBEZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROBENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROBENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROBENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROBENZENE	ND	50
DICHLORODIFLUOROMETHAN	ND	250	1,2,4-TRICHLOROBENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 4
DATE SAMPLED: 6/13/2024
TIME SAMPLED: 2:50 PM
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER
SAMPLE ID: NW-2

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) **Analyst=** MR **Date Extracted=**

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 6/20/2024 **Prep Method=** EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	1.3	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 5
DATE SAMPLED: 6/13/2024
TIME SAMPLED: 3:30 PM
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER
SAMPLE ID: NW-3

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	140	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	970	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 6/20/2024 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	20	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	2,200	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	150	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	84	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 6
DATE SAMPLED: 6/13/2024
TIME SAMPLED: 4:10 PM
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER

SAMPLE ID: NW-4

EPA 8260B VOLATILE ORGANICS**Units=** ug/L (PPB) **Analyst=** MR **Date Extracted=**

Analyte	Concentration	LOD
ACETONE	ND	50,000
ALLYL CHLORIDE	ND	50,000
BENZENE	200,000	50,000
BROMOBENZENE	ND	50,000
BROMOCHLOROMETHANE	ND	50,000
BROMODICHLOROMETHANE	ND	50,000
BROMOFORM	ND	50,000
BROMOMETHANE	ND	50,000
n-BUTYLBENZENE	ND	50,000
s-BUTYLBENZENE	ND	50,000
t-BUTYLBENZENE	ND	50,000
CARBON DISULFIDE	ND	50,000
CARBON TETRACHLORIDE	ND	50,000
CHLOROBENZENE	ND	50,000
1-CHLOROBUTANE	ND	50,000
CHLOROFORM	ND	50,000
CHLOROETHANE	ND	50,000
CHLOROMETHANE	ND	50,000
2-CHLOROTOLUENE	ND	50,000
4-CHLOROTOLUENE	ND	50,000
DIBROMOCHLOROMETHANE	ND	50,000
DIBROMOMETHANE	ND	50,000
1,2-DIBROMOETHANE	400,000	50,000
1,2-DICHLOROBENZENE	ND	50,000
1,3-DICHLOROBENZENE	ND	50,000
1,4-DICHLOROBENZENE	ND	50,000
t-1,4-DICHLORO-2-BUTENE	ND	50,000
DICHLORODIFLUOROMETHAN	ND	50,000
1,1-DICHLOROETHANE	ND	50,000
1,2-DICHLOROETHANE	ND	50,000
1,1-DICHLOROETHENE	ND	50,000
cis-1,2-DICHLOROETHENE	ND	50,000
trans-1,2-DICHLOROETHENE	ND	50,000
1,2-DICHLOROPROPANE	ND	50,000
1,3-DICHLOROPROPANE	ND	50,000
2,2-DICHLOROPROPANE	ND	50,000
1,1-DICHLOROPROPENE	ND	50,000

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

Date Completed= 6/21/2024 **Prep Method=** EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	50,000
trans-1,3-DICHLOROPROPENE	ND	50,000
DIETHYL ETHER	ND	50,000
ETHYLBENZENE	20,000,000	500,000
ETHYL METHACRYLATE	ND	50,000
HEXACHLOROBUTADIENE	ND	50,000
HEXACHLOROETHANE	ND	50,000
2-HEXANONE	ND	50,000
IDOMETHANE	ND	50,000
ISOPROPYLBENZENE	320,000	50,000
ISOPROPYLTOLUENE	ND	50,000
METHYL ACRYLATE	ND	50,000
METHYL ETHYL KETONE	ND	50,000
METHYL-t-BUTYL ETHER	ND	50,000
METHYLENE CHLORIDE	ND	50,000
METHYL METHACRYLATE	ND	50,000
MIBK	ND	50,000
2-METHYLNAPHTHALENE	ND	50,000
NAPHTHALENE	ND	50,000
PENTACHLOROETHANE	ND	50,000
n-PROPYLBENZENE	130,000	50,000
STYRENE	ND	50,000
1,1,1,2-TETRACHLOROETHANE	ND	50,000
1,1,2,2-TETRACHLOROETHANE	ND	50,000
TETRACHLOROETHENE	ND	50,000
TOLUENE	3,400,000	500,000
1,2,3-TRICHLOROBENZENE	ND	50,000
1,2,4-TRICHLOROBENZENE	ND	50,000
1,1,1-TRICHLOROETHANE	ND	50,000
1,1,2-TRICHLOROETHANE	ND	50,000
TRICHLOROETHENE	ND	50,000
TRICHLORFLUOROMETHANE	ND	50,000
1,2,3-TRICHLOROPROPANE	ND	50,000
1,2,4-TRIMETHYLBENZENE	430,000	50,000
1,3,5-TRIMETHYLBENZENE	140,000	50,000
VINYL CHLORIDE	ND	50,000
XYLENE (TOTAL)	110,000,000	1,500,000

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 7
DATE SAMPLED: 6/13/2024
TIME SAMPLED: 4:45 PM
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER
SAMPLE ID: NW-5

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) **Analyst=** MR **Date Extracted=**

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	140	4.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	1,500	4.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 6/20/2024 **Prep Method=** EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	900	4.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	5.0	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	1,100	4.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	1.6	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	390	4.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	5.2	1.0
1,3,5-TRIMETHYLBENZENE	1.6	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	3,300	12

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 10
DATE SAMPLED: 6/13/2024
TIME SAMPLED:
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER
SAMPLE ID: DUPLICATE (H2O)

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	50,000
ALLYL CHLORIDE	ND	50,000
BENZENE	200,000	50,000
BROMOBENZENE	ND	50,000
BROMOCHLOROMETHANE	ND	50,000
BROMODICHLOROMETHANE	ND	50,000
BROMOFORM	ND	50,000
BROMOMETHANE	ND	50,000
n-BUTYLBENZENE	ND	50,000
s-BUTYLBENZENE	ND	50,000
t-BUTYLBENZENE	ND	50,000
CARBON DISULFIDE	ND	50,000
CARBON TETRACHLORIDE	ND	50,000
CHLOROBENZENE	ND	50,000
1-CHLOROBUTANE	ND	50,000
CHLOROFORM	ND	50,000
CHLOROETHANE	ND	50,000
CHLOROMETHANE	ND	50,000
2-CHLOROTOLUENE	ND	50,000
4-CHLOROTOLUENE	ND	50,000
DIBROMOCHLOROMETHANE	ND	50,000
DIBROMOMETHANE	ND	50,000
1,2-DIBROMOETHANE	460,000	50,000
1,2-DICHLOROBENZENE	ND	50,000
1,3-DICHLOROBENZENE	ND	50,000
1,4-DICHLOROBENZENE	ND	50,000
t-1,4-DICHLORO-2-BUTENE	ND	50,000
DICHLORODIFLUOROMETHAN	ND	50,000
1,1-DICHLOROETHANE	ND	50,000
1,2-DICHLOROETHANE	ND	50,000
1,1-DICHLOROETHENE	ND	50,000
cis-1,2-DICHLOROETHENE	ND	50,000
trans-1,2-DICHLOROETHENE	ND	50,000
1,2-DICHLOROPROPANE	ND	50,000
1,3-DICHLOROPROPANE	ND	50,000
2,2-DICHLOROPROPANE	ND	50,000
1,1-DICHLOROPROPENE	ND	50,000

Date Completed= 6/21/2024 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	50,000
trans-1,3-DICHLOROPROPENE	ND	50,000
DIETHYL ETHER	ND	50,000
ETHYLBENZENE	21,000,000	500,000
ETHYL METHACRYLATE	ND	50,000
HEXACHLOROBUTADIENE	ND	50,000
HEXACHLOROETHANE	ND	50,000
2-HEXANONE	ND	50,000
IDOMETHANE	ND	50,000
ISOPROPYLBENZENE	350,000	50,000
ISOPROPYLTOLUENE	ND	50,000
METHYL ACRYLATE	ND	50,000
METHYL ETHYL KETONE	ND	50,000
METHYL-t-BUTYL ETHER	ND	50,000
METHYLENE CHLORIDE	ND	50,000
METHYL METHACRYLATE	ND	50,000
MIBK	ND	50,000
2-METHYLNAPHTHALENE	ND	50,000
NAPHTHALENE	ND	50,000
PENTACHLOROETHANE	ND	50,000
n-PROPYLBENZENE	130,000	50,000
STYRENE	ND	50,000
1,1,1,2-TETRACHLOROETHANE	ND	50,000
1,1,2,2-TETRACHLOROETHANE	ND	50,000
TETRACHLOROETHENE	ND	50,000
TOLUENE	3,500,000	500,000
1,2,3-TRICHLOROBENZENE	ND	50,000
1,2,4-TRICHLOROBENZENE	ND	50,000
1,1,1-TRICHLOROETHANE	ND	50,000
1,1,2-TRICHLOROETHANE	ND	50,000
TRICHLOROETHENE	ND	50,000
TRICHLORFLUOROMETHANE	ND	50,000
1,2,3-TRICHLOROPROPANE	ND	50,000
1,2,4-TRIMETHYLBENZENE	480,000	50,000
1,3,5-TRIMETHYLBENZENE	150,000	50,000
VINYL CHLORIDE	ND	50,000
XYLENE (TOTAL)	120,000,000	1,500,000

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 11
DATE SAMPLED: 6/13/2024
TIME SAMPLED: 6:00 AM
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER

SAMPLE ID: BLANK

EPA 8260B VOLATILE ORGANICS**Units=** ug/L (PPB) **Analyst=** MR **Date Extracted=**

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	1.9	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	7.6	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	1.7	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHAN	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 6/20/2024 **Prep Method=** EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 64977

LOCATION: GPM #25315

2334 PRAIRIE AVE

SOUTH BEND

IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 1

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 1:45 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	NW-5 10-11'							
SAMPLE	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	6/13/2024	6/20/2024	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 2

NAME:

PROJECT NO: 64977

DATE SAMPLED: 6/13/2024

LOCATION: GPM #25315

TIME SAMPLED: 2:15 PM

2334 PRAIRIE AVE

DATE RECEIVED: 6/19/2024

SOUTH BEND

TIME RECEIVED: 11:55 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	NW-5 14-15'							
SAMPLE	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	6/13/2024	6/20/2024	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
NAME:
PROJECT NO: 64977
LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2
GTA SAMPLE NO: 3
DATE SAMPLED: 6/13/2024
TIME SAMPLED:
DATE RECEIVED: 6/19/2024
TIME RECEIVED: 11:55 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	DUPLICATE (SOIL)							
SAMPLE	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	6/13/2024	6/20/2024	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 64977

LOCATION: GPM #25315

2334 PRAIRIE AVE

SOUTH BEND

IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 4

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 2:50 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	NW-2							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		6/20/2024	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 5

NAME:

PROJECT NO: 64977

DATE SAMPLED: 6/13/2024

LOCATION: GPM #25315

TIME SAMPLED: 3:30 PM

2334 PRAIRIE AVE

DATE RECEIVED: 6/19/2024

SOUTH BEND

TIME RECEIVED: 11:55 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	NW-3							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		6/20/2024	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 6

NAME:

PROJECT NO: 64977

DATE SAMPLED: 6/13/2024

LOCATION: GPM #25315

TIME SAMPLED: 4:10 PM

2334 PRAIRIE AVE

DATE RECEIVED: 6/19/2024

SOUTH BEND

TIME RECEIVED: 11:55 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	NW-4							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	50,000	ug/L (PPB)	MR		6/21/2024	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 7

NAME:

PROJECT NO: 64977

DATE SAMPLED: 6/13/2024

LOCATION: GPM #25315

TIME SAMPLED: 4:45 PM

2334 PRAIRIE AVE

DATE RECEIVED: 6/19/2024

SOUTH BEND

TIME RECEIVED: 11:55 AM

IN

SAMPLED BY: BOBBY GLASSER/MCE

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Completed</u>	<u>Prep Method</u>
SAMPLE ID:	NW-5							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		6/20/2024	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	061924-2
NAME:		GTA SAMPLE NO:	10
PROJECT NO:	64977	DATE SAMPLED:	6/13/2024
LOCATION:	GPM #25315	TIME SAMPLED:	
	2334 PRAIRIE AVE	DATE RECEIVED:	6/19/2024
	SOUTH BEND	TIME RECEIVED:	11:55 AM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
SAMPLE ID:	DUPLICATE (H2O)							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	50,000	ug/L (PPB)	MR		6/21/2024	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	061924-2
NAME:		GTA SAMPLE NO:	11
PROJECT NO:	64977	DATE SAMPLED:	6/13/2024
LOCATION:	GPM #25315	TIME SAMPLED:	6:00 AM
	2334 PRAIRIE AVE	DATE RECEIVED:	6/19/2024
	SOUTH BEND	TIME RECEIVED:	11:55 AM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
SAMPLE ID:	BLANK							
SAMPLE	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		6/20/2024	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 1

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 1:45 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: SOIL

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
SAMPLE ID: NW-5 10-11'							
1	LEAD TOTAL EPA 6020A	8.5	0.42	mg/Kg (PPM)	MR	6/21/2024	EPA 3050B

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 2

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 2:15 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: SOIL

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
SAMPLE ID: NW-5 14-15'							
2	LEAD TOTAL EPA 6020A	7.6	0.44	mg/Kg (PPM)	MR	6/21/2024	EPA 3050B

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 3

DATE SAMPLED: 6/13/2024

TIME SAMPLED:

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: SOIL

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
SAMPLE ID: DUPLICATE (SOIL)							
3	LEAD TOTAL EPA 6020A	8.2	0.43	mg/Kg (PPM)	MR	6/21/2024	EPA 3050B

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 4

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 2:50 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Completed</u>	<u>Digestion</u> <u>Method</u>
SAMPLE ID: NW-2							
4	LEAD TOTAL EPA 6020A	0.014	0.0020	mg/L (PPM)	MR	6/21/2024	EPA 3020A

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 5

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 3:30 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
SAMPLE ID: NW-3							
5	LEAD TOTAL EPA 6020A	0.039	0.0020	mg/L (PPM)	MR	6/21/2024	EPA 3020A

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 6

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 4:10 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
SAMPLE ID: NW-4							
6	LEAD TOTAL EPA 6020A	120	0.050	mg/L (PPM)	MR	6/21/2024	EPA 3020A

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 7

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 4:45 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Completed</u>	<u>Digestion</u> <u>Method</u>
SAMPLE ID: NW-5							
7	LEAD TOTAL EPA 6020A	0.0074	0.0020	mg/L (PPM)	MR	6/21/2024	EPA 3020A

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 8

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 5:05 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Completed</u>	<u>Digestion</u> <u>Method</u>
SAMPLE ID: NW-1							
8	LEAD TOTAL EPA 6020A	0.0040	0.0020	mg/L (PPM)	MR	6/21/2024	EPA 3020A

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 9

DATE SAMPLED: 6/13/2024

TIME SAMPLED: 5:25 PM

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
SAMPLE ID: MW-2							
9	LEAD TOTAL EPA 6020A	0.015	0.0010	mg/L (PPM)	MR	6/21/2024	EPA 3020A

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 061924-2

GTA SAMPLE NO: 10

DATE SAMPLED: 6/13/2024

TIME SAMPLED:

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

SAMPLE MATRIX: WATER

METALS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
SAMPLE ID: DUPLICATE (H2O)							
10	LEAD TOTAL EPA 6020A	98	0.050	mg/L (PPM)	MR	6/21/2024	EPA 3020A

ND = NOT DETECTED, RESULT < LOD.

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALNAME:
PROJECT NO: 64977LOCATION: GPM #25315
2334 PRAIRIE AVE
SOUTH BEND
IN

GTA PROJECT NO: 061924-2

SAMPLED BY: BOBBY GLASSER/MCE

DATE SAMPLED: 6/13/2024

SAMPLE SOIL

DATE RECEIVED: 6/19/2024

TIME RECEIVED: 11:55 AM

MOISTURE

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
	SAMPLE ID: NW-5 10-11'					
	% MOISTURE EPA 3550C	14	0.10	% OF SAMPLE	AS	6/19/2024
	SAMPLE ID: NW-5 14-15'					
	% MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	6/19/2024
	SAMPLE ID: DUPLICATE (SOIL)					
	% MOISTURE EPA 3550C	13	0.10	% OF SAMPLE	AS	6/19/2024

CHAIN OF CUSTODY

PROJECT NUMBER MCE #64977	SITE NAME/ADDRESS GPM #25315 / 2334 Prairie Ave., S. Bend, IN 46614	COMPANY/NAME MCE
SAMPLED BY Bobby Glasser, Senior Project Manager	COMPANY MCE	GTA PROJECT # <u>061924-2</u>

SAMPLE INFORMATION NOTE: Full QA/QC Report Required

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	NW-5 10'-11'	06.13.24	13:45	Soil	VOCs, Naphthalene, 1-MN, and 2-MN, Pb (total)
2	NW-5 14'-15'	06.13.24	14:15	Soil	VOCs, N, 1-mn, 2-mn, Pb (total)
3	Duplicate (soil)	06.13.24	—	Soil	VOCs, N, 1-mn, 2-mn, Pb (total)
4	NW-2	06.13.24	14:50	H ₂ O	VOCs, N, 1-mn, 2-mn, Pb (total)
5	NW-3	06.13.24	15:30	H ₂ O	VOCs, N, 1-mn, 2-mn, Pb (total)
6	NW-4	06.13.24	16:10	H ₂ O	VOCs, N, 1-mn, 2-mn, Pb (total)
7	NW-5	06.13.24	16:45	H ₂ O	VOCs, N, 1-mn, 2-mn, Pb (total)
8	NW-1	06.13.24	17:05	H ₂ O	Pb (total)
9	MW-2	06.13.24	17:25	H ₂ O	Pb (total)
10	Duplicate (H ₂ O)	06.13.24	—	H ₂ O	VOCs, N, 1-mn, 2-mn, Pb (total)
11	Blank	06.13.24	06:00	H ₂ O	VOCs, N, 1-mn, 2-mn

BILL TO: Michigan Consulting & Environmental (MCE)
2748 Garfield Road, Suite #10
Traverse City, MI 49686

REPORT TO:

John Veldhuis: jveldhuis@michenv.com
Bobby Glasser: bglasser@michenv.com

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Bobby Glasser (MCE)	06.13.24 / 19:30	Placed into Cold Storage	06.13.24 / 19:30
Bobby Glasser (MCE)	06.18.24 / 16:15	Packed in Cooler & Shipped Overnight	06.18.24 / 16:15

REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS

16/19/24 11:55 REC'D
onice