

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: MICHIGAN CONSULTING &  
Name: ENVIRONMENTAL  
ClientProj: 64977  
GTA ProjNo: 112724-3

Site Addr: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
Sampled By: BOBBY GLASSER/MCE  
Date Rec: 11/27/2024  
Time Rec: 12:00 PM

| Sample No. | Sample ID | Date Sampled | Time Sampled | Sample Matrix |
|------------|-----------|--------------|--------------|---------------|
| 1          | NW-8      | 11/25/2024   | 9:20 AM      | WATER         |
| 2          | NW-9      | 11/25/2024   | 10:30 AM     | WATER         |
| 3          | NW-2      | 11/25/2024   | 10:50 AM     | WATER         |
| 4          | NW-3      | 11/25/2024   | 11:20 AM     | WATER         |
| 5          | NW-5      | 11/25/2024   | 11:55 AM     | WATER         |
| 6          | NW-7      | 11/25/2024   | 12:35 PM     | WATER         |
| 7          | OLD MW-2  | 11/25/2024   | 1:25 PM      | WATER         |
| 8          | NW-1      | 11/25/2024   | 2:15 PM      | WATER         |
| 9          | NW-10     | 11/25/2024   | 5:05 PM      | WATER         |
| 10         | NW-4      | 11/25/2024   | 6:15 PM      | WATER         |
| 11         | DUPLICATE | 11/25/2024   |              | WATER         |
| 12         | BLANK     | 11/25/2024   | 4:30 AM      | WATER         |

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 1  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 9:20 AM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: NW-8

**EPA 8260B VOLATILE ORGANICS****Units=** ug/L (PPB) **Analyst=** MR **Date Extracted=**

| Analyte                  | Concentration | LOD |
|--------------------------|---------------|-----|
| ACETONE                  | ND            | 25  |
| ALLYL CHLORIDE           | ND            | 10  |
| BENZENE                  | 12            | 1.0 |
| BROMOBENZENE             | ND            | 1.0 |
| BROMOCHLOROMETHANE       | ND            | 1.0 |
| BROMODICHLOROMETHANE     | ND            | 1.0 |
| BROMOFORM                | ND            | 1.0 |
| BROMOMETHANE             | ND            | 1.0 |
| n-BUTYLBENZENE           | ND            | 1.0 |
| s-BUTYLBENZENE           | ND            | 1.0 |
| t-BUTYLBENZENE           | ND            | 1.0 |
| CARBON DISULFIDE         | ND            | 5.0 |
| CARBON TETRACHLORIDE     | ND            | 1.0 |
| CHLORO BENZENE           | ND            | 1.0 |
| 1-CHLOROBUTANE           | ND            | 1.0 |
| CHLOROFORM               | ND            | 1.0 |
| CHLOROETHANE             | ND            | 1.0 |
| CHLOROMETHANE            | ND            | 1.0 |
| 2-CHLOROTOLUENE          | ND            | 1.0 |
| 4-CHLOROTOLUENE          | ND            | 1.0 |
| DIBROMOCHLOROMETHANE     | ND            | 1.0 |
| DIBROMOMETHANE           | ND            | 1.0 |
| 1,2-DIBROMOETHANE        | ND            | 1.0 |
| 1,2-DICHLORO BENZENE     | ND            | 1.0 |
| 1,3-DICHLORO BENZENE     | ND            | 1.0 |
| 1,4-DICHLORO BENZENE     | ND            | 1.0 |
| t-1,4-DICHLORO-2-BUTENE  | ND            | 10  |
| DICHLORODIFLUOROMETHANE  | ND            | 1.0 |
| 1,1-DICHLOROETHANE       | ND            | 1.0 |
| 1,2-DICHLOROETHANE       | ND            | 1.0 |
| 1,1-DICHLOROETHENE       | ND            | 1.0 |
| cis-1,2-DICHLOROETHENE   | ND            | 1.0 |
| trans-1,2-DICHLOROETHENE | ND            | 1.0 |
| 1,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,3-DICHLOROPROPANE      | ND            | 1.0 |
| 2,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,1-DICHLOROPROPENE      | ND            | 1.0 |

**Date Completed=** 12/2/2024 **Prep Method=** EPA 5030B

| Analyte                   | Concentration | LOD |
|---------------------------|---------------|-----|
| cis-1,3-                  | ND            | 1.0 |
| trans-1,3-DICHLOROPROPENE | ND            | 1.0 |
| DIETHYL ETHER             | ND            | 10  |
| ETHYLBENZENE              | 16            | 1.0 |
| ETHYL METHACRYLATE        | ND            | 10  |
| HEXACHLOROBUTADIENE       | ND            | 1.0 |
| HEXACHLOROETHANE          | ND            | 10  |
| 2-HEXANONE                | ND            | 10  |
| IDOMETHANE                | ND            | 10  |
| ISOPROPYLBENZENE          | ND            | 1.0 |
| ISOPROPYLTOLUENE          | ND            | 1.0 |
| METHYL ACRYLATE           | ND            | 10  |
| METHYL ETHYL KETONE       | ND            | 10  |
| METHYL-t-BUTYL ETHER      | 270           | 1.0 |
| METHYLENE CHLORIDE        | ND            | 1.0 |
| METHYL METHACRYLATE       | ND            | 10  |
| MIBK                      | ND            | 10  |
| 2-METHYLNAPHTHALENE       | ND            | 1.0 |
| NAPHTHALENE               | ND            | 1.0 |
| PENTACHLOROETHANE         | ND            | 10  |
| n-PROPYLBENZENE           | ND            | 1.0 |
| STYRENE                   | ND            | 1.0 |
| 1,1,1,2-TETRACHLOROETHANE | ND            | 1.0 |
| 1,1,2,2-TETRACHLOROETHANE | ND            | 1.0 |
| TETRACHLOROETHENE         | ND            | 1.0 |
| TOLUENE                   | ND            | 1.0 |
| 1,2,3-TRICHLORO BENZENE   | ND            | 1.0 |
| 1,2,4-TRICHLORO BENZENE   | ND            | 1.0 |
| 1,1,1-TRICHLOROETHANE     | ND            | 1.0 |
| 1,1,2-TRICHLOROETHANE     | ND            | 1.0 |
| TRICHLOROETHENE           | ND            | 1.0 |
| TRICHLORFLUOROMETHANE     | ND            | 1.0 |
| 1,2,3-TRICHLOROPROPANE    | ND            | 1.0 |
| 1,2,4-TRIMETHYLBENZENE    | ND            | 1.0 |
| 1,3,5-TRIMETHYLBENZENE    | ND            | 1.0 |
| VINYL CHLORIDE            | ND            | 1.0 |
| XYLENE (TOTAL)            | 4.7           | 3.0 |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 2  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 10:30 AM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: NW-9

**EPA 8260B VOLATILE ORGANICS****Units=** ug/L (PPB) **Analyst=** MR **Date Extracted=**

| Analyte                  | Concentration | LOD |
|--------------------------|---------------|-----|
| ACETONE                  | ND            | 25  |
| ALLYL CHLORIDE           | ND            | 10  |
| BENZENE                  | 92            | 1.0 |
| BROMOBENZENE             | ND            | 1.0 |
| BROMOCHLOROMETHANE       | ND            | 1.0 |
| BROMODICHLOROMETHANE     | ND            | 1.0 |
| BROMOFORM                | ND            | 1.0 |
| BROMOMETHANE             | ND            | 1.0 |
| n-BUTYLBENZENE           | ND            | 1.0 |
| s-BUTYLBENZENE           | ND            | 1.0 |
| t-BUTYLBENZENE           | ND            | 1.0 |
| CARBON DISULFIDE         | ND            | 5.0 |
| CARBON TETRACHLORIDE     | ND            | 1.0 |
| CHLOROBEZENE             | ND            | 1.0 |
| 1-CHLOROBUTANE           | ND            | 1.0 |
| CHLOROFORM               | ND            | 1.0 |
| CHLOROETHANE             | ND            | 1.0 |
| CHLOROMETHANE            | ND            | 1.0 |
| 2-CHLOROTOLUENE          | ND            | 1.0 |
| 4-CHLOROTOLUENE          | ND            | 1.0 |
| DIBROMOCHLOROMETHANE     | ND            | 1.0 |
| DIBROMOMETHANE           | ND            | 1.0 |
| 1,2-DIBROMOETHANE        | ND            | 1.0 |
| 1,2-DICHLOROBENZENE      | ND            | 1.0 |
| 1,3-DICHLOROBENZENE      | ND            | 1.0 |
| 1,4-DICHLOROBENZENE      | ND            | 1.0 |
| t-1,4-DICHLORO-2-BUTENE  | ND            | 10  |
| DICHLORODIFLUOROMETHANE  | ND            | 1.0 |
| 1,1-DICHLOROETHANE       | ND            | 1.0 |
| 1,2-DICHLOROETHANE       | ND            | 1.0 |
| 1,1-DICHLOROETHENE       | ND            | 1.0 |
| cis-1,2-DICHLOROETHENE   | ND            | 1.0 |
| trans-1,2-DICHLOROETHENE | ND            | 1.0 |
| 1,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,3-DICHLOROPROPANE      | ND            | 1.0 |
| 2,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,1-DICHLOROPROPENE      | ND            | 1.0 |

**Date Completed=** 12/2/2024 **Prep Method=** EPA 5030B

| Analyte                   | Concentration | LOD |
|---------------------------|---------------|-----|
| cis-1,3-                  | ND            | 1.0 |
| trans-1,3-DICHLOROPROPENE | ND            | 1.0 |
| DIETHYL ETHER             | ND            | 10  |
| ETHYLBENZENE              | ND            | 1.0 |
| ETHYL METHACRYLATE        | ND            | 10  |
| HEXACHLOROBUTADIENE       | ND            | 1.0 |
| HEXACHLOROETHANE          | ND            | 10  |
| 2-HEXANONE                | ND            | 10  |
| IDOMETHANE                | ND            | 10  |
| ISOPROPYLBENZENE          | ND            | 1.0 |
| ISOPROPYLTOLUENE          | ND            | 1.0 |
| METHYL ACRYLATE           | ND            | 10  |
| METHYL ETHYL KETONE       | ND            | 10  |
| METHYL-t-BUTYL ETHER      | 320           | 1.0 |
| METHYLENE CHLORIDE        | ND            | 1.0 |
| METHYL METHACRYLATE       | ND            | 10  |
| MIBK                      | ND            | 10  |
| 2-METHYLNAPHTHALENE       | ND            | 1.0 |
| NAPHTHALENE               | ND            | 1.0 |
| PENTACHLOROETHANE         | ND            | 10  |
| n-PROPYLBENZENE           | ND            | 1.0 |
| STYRENE                   | ND            | 1.0 |
| 1,1,1,2-TETRACHLOROETHANE | ND            | 1.0 |
| 1,1,2,2-TETRACHLOROETHANE | ND            | 1.0 |
| TETRACHLOROETHENE         | ND            | 1.0 |
| TOLUENE                   | 35            | 1.0 |
| 1,2,3-TRICHLOROBENZENE    | ND            | 1.0 |
| 1,2,4-TRICHLOROBENZENE    | ND            | 1.0 |
| 1,1,1-TRICHLOROETHANE     | ND            | 1.0 |
| 1,1,2-TRICHLOROETHANE     | ND            | 1.0 |
| TRICHLOROETHENE           | ND            | 1.0 |
| TRICHLORFLUOROMETHANE     | ND            | 1.0 |
| 1,2,3-TRICHLOROPROPANE    | ND            | 1.0 |
| 1,2,4-TRIMETHYLBENZENE    | ND            | 1.0 |
| 1,3,5-TRIMETHYLBENZENE    | ND            | 1.0 |
| VINYL CHLORIDE            | ND            | 1.0 |
| XYLENE (TOTAL)            | ND            | 3.0 |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 3  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 10:50 AM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: NW-2

**EPA 8260B VOLATILE ORGANICS**Units= ug/L (PPB)Analyst= MRDate Extracted=Date Completed= 12/3/2024Prep Method= EPA 5030B

| <u>Analyte</u>           | <u>Concentration</u> | <u>LOD</u> |
|--------------------------|----------------------|------------|
| ACETONE                  | ND                   | 25         |
| ALLYL CHLORIDE           | ND                   | 10         |
| BENZENE                  | ND                   | 1.0        |
| BROMOBENZENE             | ND                   | 1.0        |
| BROMOCHLOROMETHANE       | ND                   | 1.0        |
| BROMODICHLOROMETHANE     | ND                   | 1.0        |
| BROMOFORM                | ND                   | 1.0        |
| BROMOMETHANE             | ND                   | 1.0        |
| n-BUTYLBENZENE           | ND                   | 1.0        |
| s-BUTYLBENZENE           | ND                   | 1.0        |
| t-BUTYLBENZENE           | ND                   | 1.0        |
| CARBON DISULFIDE         | ND                   | 5.0        |
| CARBON TETRACHLORIDE     | ND                   | 1.0        |
| CHLOROBEZENE             | ND                   | 1.0        |
| 1-CHLOROBUTANE           | ND                   | 1.0        |
| CHLOROFORM               | ND                   | 1.0        |
| CHLOROETHANE             | ND                   | 1.0        |
| CHLOROMETHANE            | ND                   | 1.0        |
| 2-CHLOROTOLUENE          | ND                   | 1.0        |
| 4-CHLOROTOLUENE          | ND                   | 1.0        |
| DIBROMOCHLOROMETHANE     | ND                   | 1.0        |
| DIBROMOMETHANE           | ND                   | 1.0        |
| 1,2-DIBROMOETHANE        | ND                   | 1.0        |
| 1,2-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,3-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,4-DICHLOROBEZENE       | ND                   | 1.0        |
| t-1,4-DICHLORO-2-BUTENE  | ND                   | 10         |
| DICHLORODIFLUOROMETHANE  | ND                   | 1.0        |
| 1,1-DICHLOROETHANE       | ND                   | 1.0        |
| 1,2-DICHLOROETHANE       | ND                   | 1.0        |
| 1,1-DICHLOROETHENE       | ND                   | 1.0        |
| cis-1,2-DICHLOROETHENE   | ND                   | 1.0        |
| trans-1,2-DICHLOROETHENE | ND                   | 1.0        |
| 1,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,3-DICHLOROPROPANE      | ND                   | 1.0        |
| 2,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,1-DICHLOROPROPENE      | ND                   | 1.0        |

| <u>Analyte</u>            | <u>Concentration</u> | <u>LOD</u> |
|---------------------------|----------------------|------------|
| cis-1,3-                  | ND                   | 1.0        |
| trans-1,3-DICHLOROPROPENE | ND                   | 1.0        |
| DIETHYL ETHER             | ND                   | 10         |
| ETHYLBENZENE              | ND                   | 1.0        |
| ETHYL METHACRYLATE        | ND                   | 10         |
| HEXACHLOROBUTADIENE       | ND                   | 1.0        |
| HEXACHLOROETHANE          | ND                   | 10         |
| 2-HEXANONE                | ND                   | 10         |
| IDOMETHANE                | ND                   | 10         |
| ISOPROPYLBENZENE          | ND                   | 1.0        |
| ISOPROPYLTOLUENE          | ND                   | 1.0        |
| METHYL ACRYLATE           | ND                   | 10         |
| METHYL ETHYL KETONE       | ND                   | 10         |
| METHYL-t-BUTYL ETHER      | ND                   | 1.0        |
| METHYLENE CHLORIDE        | ND                   | 1.0        |
| METHYL METHACRYLATE       | ND                   | 10         |
| MIBK                      | ND                   | 10         |
| 2-METHYLNAPHTHALENE       | ND                   | 1.0        |
| NAPHTHALENE               | ND                   | 1.0        |
| PENTACHLOROETHANE         | ND                   | 10         |
| n-PROPYLBENZENE           | ND                   | 1.0        |
| STYRENE                   | ND                   | 1.0        |
| 1,1,1,2-TETRACHLOROETHANE | ND                   | 1.0        |
| 1,1,2,2-TETRACHLOROETHANE | ND                   | 1.0        |
| TETRACHLOROETHENE         | ND                   | 1.0        |
| TOLUENE                   | ND                   | 1.0        |
| 1,2,3-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,2,4-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,1,1-TRICHLOROETHANE     | ND                   | 1.0        |
| 1,1,2-TRICHLOROETHANE     | ND                   | 1.0        |
| TRICHLOROETHENE           | ND                   | 1.0        |
| TRICHLORFLUOROMETHANE     | ND                   | 1.0        |
| 1,2,3-TRICHLOROPROPANE    | ND                   | 1.0        |
| 1,2,4-TRIMETHYLBENZENE    | ND                   | 1.0        |
| 1,3,5-TRIMETHYLBENZENE    | ND                   | 1.0        |
| VINYL CHLORIDE            | ND                   | 1.0        |
| XYLENE (TOTAL)            | ND                   | 3.0        |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 4  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 11:20 AM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: NW-3

**EPA 8260B VOLATILE ORGANICS**Units= ug/L (PPB)Analyst= MRDate Extracted=Date Completed= 12/2/2024Prep Method= EPA 5030B

| <u>Analyte</u>           | <u>Concentration</u> | <u>LOD</u> |
|--------------------------|----------------------|------------|
| ACETONE                  | ND                   | 25         |
| ALLYL CHLORIDE           | ND                   | 10         |
| BENZENE                  | 50                   | 1.0        |
| BROMOBENZENE             | ND                   | 1.0        |
| BROMOCHLOROMETHANE       | ND                   | 1.0        |
| BROMODICHLOROMETHANE     | ND                   | 1.0        |
| BROMOFORM                | ND                   | 1.0        |
| BROMOMETHANE             | ND                   | 1.0        |
| n-BUTYLBENZENE           | ND                   | 1.0        |
| s-BUTYLBENZENE           | ND                   | 1.0        |
| t-BUTYLBENZENE           | ND                   | 1.0        |
| CARBON DISULFIDE         | ND                   | 5.0        |
| CARBON TETRACHLORIDE     | ND                   | 1.0        |
| CHLOROBEZENE             | ND                   | 1.0        |
| 1-CHLOROBUTANE           | ND                   | 1.0        |
| CHLOROFORM               | ND                   | 1.0        |
| CHLOROETHANE             | ND                   | 1.0        |
| CHLOROMETHANE            | ND                   | 1.0        |
| 2-CHLOROTOLUENE          | ND                   | 1.0        |
| 4-CHLOROTOLUENE          | ND                   | 1.0        |
| DIBROMOCHLOROMETHANE     | ND                   | 1.0        |
| DIBROMOMETHANE           | ND                   | 1.0        |
| 1,2-DIBROMOETHANE        | ND                   | 1.0        |
| 1,2-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,3-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,4-DICHLOROBEZENE       | ND                   | 1.0        |
| t-1,4-DICHLORO-2-BUTENE  | ND                   | 10         |
| DICHLORODIFLUOROMETHANE  | ND                   | 1.0        |
| 1,1-DICHLOROETHANE       | ND                   | 1.0        |
| 1,2-DICHLOROETHANE       | ND                   | 1.0        |
| 1,1-DICHLOROETHENE       | ND                   | 1.0        |
| cis-1,2-DICHLOROETHENE   | ND                   | 1.0        |
| trans-1,2-DICHLOROETHENE | ND                   | 1.0        |
| 1,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,3-DICHLOROPROPANE      | ND                   | 1.0        |
| 2,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,1-DICHLOROPROPENE      | ND                   | 1.0        |

| <u>Analyte</u>            | <u>Concentration</u> | <u>LOD</u> |
|---------------------------|----------------------|------------|
| cis-1,3-                  | ND                   | 1.0        |
| trans-1,3-DICHLOROPROPENE | ND                   | 1.0        |
| DIETHYL ETHER             | ND                   | 10         |
| ETHYLBENZENE              | 950                  | 25         |
| ETHYL METHACRYLATE        | ND                   | 10         |
| HEXACHLOROBUTADIENE       | ND                   | 1.0        |
| HEXACHLOROETHANE          | ND                   | 10         |
| 2-HEXANONE                | ND                   | 10         |
| IDOMETHANE                | ND                   | 10         |
| ISOPROPYLBENZENE          | ND                   | 1.0        |
| ISOPROPYLTOLUENE          | ND                   | 1.0        |
| METHYL ACRYLATE           | ND                   | 10         |
| METHYL ETHYL KETONE       | ND                   | 10         |
| METHYL-t-BUTYL ETHER      | 36                   | 1.0        |
| METHYLENE CHLORIDE        | ND                   | 1.0        |
| METHYL METHACRYLATE       | ND                   | 10         |
| MIBK                      | ND                   | 10         |
| 2-METHYLNAPHTHALENE       | ND                   | 1.0        |
| NAPHTHALENE               | ND                   | 1.0        |
| PENTACHLOROETHANE         | ND                   | 10         |
| n-PROPYLBENZENE           | ND                   | 1.0        |
| STYRENE                   | ND                   | 1.0        |
| 1,1,1,2-TETRACHLOROETHANE | ND                   | 1.0        |
| 1,1,2,2-TETRACHLOROETHANE | ND                   | 1.0        |
| TETRACHLOROETHENE         | ND                   | 1.0        |
| TOLUENE                   | 230                  | 25         |
| 1,2,3-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,2,4-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,1,1-TRICHLOROETHANE     | ND                   | 1.0        |
| 1,1,2-TRICHLOROETHANE     | ND                   | 1.0        |
| TRICHLOROETHENE           | ND                   | 1.0        |
| TRICHLORFLUOROMETHANE     | ND                   | 1.0        |
| 1,2,3-TRICHLOROPROPANE    | ND                   | 1.0        |
| 1,2,4-TRIMETHYLBENZENE    | 5.1                  | 1.0        |
| 1,3,5-TRIMETHYLBENZENE    | ND                   | 1.0        |
| VINYL CHLORIDE            | ND                   | 1.0        |
| XYLENE (TOTAL)            | 4,600                | 75         |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 5  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 11:55 AM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: NW-5

**EPA 8260B VOLATILE ORGANICS****Units=** ug/L (PPB) **Analyst=** MR **Date Extracted=**

| Analyte                  | Concentration | LOD |
|--------------------------|---------------|-----|
| ACETONE                  | ND            | 25  |
| ALLYL CHLORIDE           | ND            | 10  |
| BENZENE                  | 92            | 1.0 |
| BROMOBENZENE             | ND            | 1.0 |
| BROMOCHLOROMETHANE       | ND            | 1.0 |
| BROMODICHLOROMETHANE     | ND            | 1.0 |
| BROMOFORM                | ND            | 1.0 |
| BROMOMETHANE             | ND            | 1.0 |
| n-BUTYLBENZENE           | ND            | 1.0 |
| s-BUTYLBENZENE           | ND            | 1.0 |
| t-BUTYLBENZENE           | ND            | 1.0 |
| CARBON DISULFIDE         | ND            | 5.0 |
| CARBON TETRACHLORIDE     | ND            | 1.0 |
| CHLORO BENZENE           | ND            | 1.0 |
| 1-CHLOROBUTANE           | ND            | 1.0 |
| CHLOROFORM               | ND            | 1.0 |
| CHLOROETHANE             | ND            | 1.0 |
| CHLOROMETHANE            | ND            | 1.0 |
| 2-CHLOROTOLUENE          | ND            | 1.0 |
| 4-CHLOROTOLUENE          | ND            | 1.0 |
| DIBROMOCHLOROMETHANE     | ND            | 1.0 |
| DIBROMOMETHANE           | ND            | 1.0 |
| 1,2-DIBROMOETHANE        | 2.9           | 1.0 |
| 1,2-DICHLORO BENZENE     | ND            | 1.0 |
| 1,3-DICHLORO BENZENE     | ND            | 1.0 |
| 1,4-DICHLORO BENZENE     | ND            | 1.0 |
| t-1,4-DICHLORO-2-BUTENE  | ND            | 10  |
| DICHLORODIFLUOROMETHANE  | ND            | 1.0 |
| 1,1-DICHLOROETHANE       | ND            | 1.0 |
| 1,2-DICHLOROETHANE       | ND            | 1.0 |
| 1,1-DICHLOROETHENE       | ND            | 1.0 |
| cis-1,2-DICHLOROETHENE   | ND            | 1.0 |
| trans-1,2-DICHLOROETHENE | ND            | 1.0 |
| 1,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,3-DICHLOROPROPANE      | ND            | 1.0 |
| 2,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,1-DICHLOROPROPENE      | ND            | 1.0 |

**Date Completed=** 12/3/2024 **Prep Method=** EPA 5030B

| Analyte                   | Concentration | LOD |
|---------------------------|---------------|-----|
| cis-1,3-                  | ND            | 1.0 |
| trans-1,3-DICHLOROPROPENE | ND            | 1.0 |
| DIETHYL ETHER             | ND            | 10  |
| ETHYLBENZENE              | 4,600         | 50  |
| ETHYL METHACRYLATE        | ND            | 10  |
| HEXACHLOROBUTADIENE       | ND            | 1.0 |
| HEXACHLOROETHANE          | ND            | 10  |
| 2-HEXANONE                | ND            | 10  |
| IDOMETHANE                | ND            | 10  |
| ISOPROPYLBENZENE          | 3.9           | 1.0 |
| ISOPROPYLTOLUENE          | ND            | 1.0 |
| METHYL ACRYLATE           | ND            | 10  |
| METHYL ETHYL KETONE       | ND            | 10  |
| METHYL-t-BUTYL ETHER      | 46            | 1.0 |
| METHYLENE CHLORIDE        | ND            | 1.0 |
| METHYL METHACRYLATE       | ND            | 10  |
| MIBK                      | ND            | 10  |
| 2-METHYLNAPHTHALENE       | 9.7           | 1.0 |
| NAPHTHALENE               | 24            | 1.0 |
| PENTACHLOROETHANE         | ND            | 10  |
| n-PROPYLBENZENE           | 1.0           | 1.0 |
| STYRENE                   | ND            | 1.0 |
| 1,1,1,2-TETRACHLOROETHANE | ND            | 1.0 |
| 1,1,2,2-TETRACHLOROETHANE | ND            | 1.0 |
| TETRACHLOROETHENE         | ND            | 1.0 |
| TOLUENE                   | 1,700         | 50  |
| 1,2,3-TRICHLORO BENZENE   | ND            | 1.0 |
| 1,2,4-TRICHLORO BENZENE   | ND            | 1.0 |
| 1,1,1-TRICHLOROETHANE     | ND            | 1.0 |
| 1,1,2-TRICHLOROETHANE     | ND            | 1.0 |
| TRICHLOROETHENE           | ND            | 1.0 |
| TRICHLORFLUOROMETHANE     | ND            | 1.0 |
| 1,2,3-TRICHLOROPROPANE    | ND            | 1.0 |
| 1,2,4-TRIMETHYLBENZENE    | 4.7           | 1.0 |
| 1,3,5-TRIMETHYLBENZENE    | 1.2           | 1.0 |
| VINYL CHLORIDE            | ND            | 1.0 |
| XYLENE (TOTAL)            | 22,000        | 150 |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 6  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 12:35 PM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: NW-7

**EPA 8260B VOLATILE ORGANICS****Units=** ug/L (PPB) **Analyst=** MR **Date Extracted=**

| Analyte                  | Concentration | LOD |
|--------------------------|---------------|-----|
| ACETONE                  | ND            | 25  |
| ALLYL CHLORIDE           | ND            | 10  |
| BENZENE                  | ND            | 1.0 |
| BROMOBENZENE             | ND            | 1.0 |
| BROMOCHLOROMETHANE       | ND            | 1.0 |
| BROMODICHLOROMETHANE     | ND            | 1.0 |
| BROMOFORM                | ND            | 1.0 |
| BROMOMETHANE             | ND            | 1.0 |
| n-BUTYLBENZENE           | ND            | 1.0 |
| s-BUTYLBENZENE           | ND            | 1.0 |
| t-BUTYLBENZENE           | ND            | 1.0 |
| CARBON DISULFIDE         | ND            | 5.0 |
| CARBON TETRACHLORIDE     | ND            | 1.0 |
| CHLOROBEZENE             | ND            | 1.0 |
| 1-CHLOROBUTANE           | ND            | 1.0 |
| CHLOROFORM               | ND            | 1.0 |
| CHLOROETHANE             | ND            | 1.0 |
| CHLOROMETHANE            | ND            | 1.0 |
| 2-CHLOROTOLUENE          | ND            | 1.0 |
| 4-CHLOROTOLUENE          | ND            | 1.0 |
| DIBROMOCHLOROMETHANE     | ND            | 1.0 |
| DIBROMOMETHANE           | ND            | 1.0 |
| 1,2-DIBROMOETHANE        | ND            | 1.0 |
| 1,2-DICHLOROBEZENE       | ND            | 1.0 |
| 1,3-DICHLOROBEZENE       | ND            | 1.0 |
| 1,4-DICHLOROBEZENE       | ND            | 1.0 |
| t-1,4-DICHLORO-2-BUTENE  | ND            | 10  |
| DICHLORODIFLUOROMETHANE  | ND            | 1.0 |
| 1,1-DICHLOROETHANE       | ND            | 1.0 |
| 1,2-DICHLOROETHANE       | ND            | 1.0 |
| 1,1-DICHLOROETHENE       | ND            | 1.0 |
| cis-1,2-DICHLOROETHENE   | ND            | 1.0 |
| trans-1,2-DICHLOROETHENE | ND            | 1.0 |
| 1,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,3-DICHLOROPROPANE      | ND            | 1.0 |
| 2,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,1-DICHLOROPROPENE      | ND            | 1.0 |

**Date Completed=** 12/2/2024 **Prep Method=** EPA 5030B

| Analyte                   | Concentration | LOD |
|---------------------------|---------------|-----|
| cis-1,3-                  | ND            | 1.0 |
| trans-1,3-DICHLOROPROPENE | ND            | 1.0 |
| DIETHYL ETHER             | ND            | 10  |
| ETHYLBENZENE              | 5.6           | 1.0 |
| ETHYL METHACRYLATE        | ND            | 10  |
| HEXACHLOROBUTADIENE       | ND            | 1.0 |
| HEXACHLOROETHANE          | ND            | 10  |
| 2-HEXANONE                | ND            | 10  |
| IDOMETHANE                | ND            | 10  |
| ISOPROPYLBENZENE          | ND            | 1.0 |
| ISOPROPYLTOLUENE          | ND            | 1.0 |
| METHYL ACRYLATE           | ND            | 10  |
| METHYL ETHYL KETONE       | ND            | 10  |
| METHYL-t-BUTYL ETHER      | ND            | 1.0 |
| METHYLENE CHLORIDE        | ND            | 1.0 |
| METHYL METHACRYLATE       | ND            | 10  |
| MIBK                      | ND            | 10  |
| 2-METHYLNAPHTHALENE       | ND            | 1.0 |
| NAPHTHALENE               | ND            | 1.0 |
| PENTACHLOROETHANE         | ND            | 10  |
| n-PROPYLBENZENE           | ND            | 1.0 |
| STYRENE                   | ND            | 1.0 |
| 1,1,1,2-TETRACHLOROETHANE | ND            | 1.0 |
| 1,1,2,2-TETRACHLOROETHANE | ND            | 1.0 |
| TETRACHLOROETHENE         | ND            | 1.0 |
| TOLUENE                   | ND            | 1.0 |
| 1,2,3-TRICHLOROBEZENE     | ND            | 1.0 |
| 1,2,4-TRICHLOROBEZENE     | ND            | 1.0 |
| 1,1,1-TRICHLOROETHANE     | ND            | 1.0 |
| 1,1,2-TRICHLOROETHANE     | ND            | 1.0 |
| TRICHLOROETHENE           | ND            | 1.0 |
| TRICHLORFLUOROMETHANE     | ND            | 1.0 |
| 1,2,3-TRICHLOROPROPANE    | ND            | 1.0 |
| 1,2,4-TRIMETHYLBENZENE    | ND            | 1.0 |
| 1,3,5-TRIMETHYLBENZENE    | ND            | 1.0 |
| VINYL CHLORIDE            | ND            | 1.0 |
| XYLENE (TOTAL)            | 47            | 3.0 |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 7  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 1:25 PM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER  
SAMPLE ID: OLD MW-2

**EPA 8260B VOLATILE ORGANICS****Units=** ug/L (PPB) **Analyst=** MR **Date Extracted=**

| Analyte                  | Concentration | LOD |
|--------------------------|---------------|-----|
| ACETONE                  | ND            | 25  |
| ALLYL CHLORIDE           | ND            | 10  |
| BENZENE                  | 83            | 1.0 |
| BROMOBENZENE             | ND            | 1.0 |
| BROMOCHLOROMETHANE       | ND            | 1.0 |
| BROMODICHLOROMETHANE     | ND            | 1.0 |
| BROMOFORM                | ND            | 1.0 |
| BROMOMETHANE             | ND            | 1.0 |
| n-BUTYLBENZENE           | ND            | 1.0 |
| s-BUTYLBENZENE           | ND            | 1.0 |
| t-BUTYLBENZENE           | ND            | 1.0 |
| CARBON DISULFIDE         | ND            | 5.0 |
| CARBON TETRACHLORIDE     | ND            | 1.0 |
| CHLORO BENZENE           | ND            | 1.0 |
| 1-CHLOROBUTANE           | ND            | 1.0 |
| CHLOROFORM               | ND            | 1.0 |
| CHLOROETHANE             | ND            | 1.0 |
| CHLOROMETHANE            | ND            | 1.0 |
| 2-CHLOROTOLUENE          | ND            | 1.0 |
| 4-CHLOROTOLUENE          | ND            | 1.0 |
| DIBROMOCHLOROMETHANE     | ND            | 1.0 |
| DIBROMOMETHANE           | ND            | 1.0 |
| 1,2-DIBROMOETHANE        | 150           | 5.0 |
| 1,2-DICHLOROBENZENE      | ND            | 1.0 |
| 1,3-DICHLOROBENZENE      | ND            | 1.0 |
| 1,4-DICHLOROBENZENE      | ND            | 1.0 |
| t-1,4-DICHLORO-2-BUTENE  | ND            | 10  |
| DICHLORODIFLUOROMETHANE  | ND            | 1.0 |
| 1,1-DICHLOROETHANE       | ND            | 1.0 |
| 1,2-DICHLOROETHANE       | ND            | 1.0 |
| 1,1-DICHLOROETHENE       | ND            | 1.0 |
| cis-1,2-DICHLOROETHENE   | ND            | 1.0 |
| trans-1,2-DICHLOROETHENE | ND            | 1.0 |
| 1,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,3-DICHLOROPROPANE      | ND            | 1.0 |
| 2,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,1-DICHLOROPROPENE      | ND            | 1.0 |

**Date Completed=** 12/3/2024 **Prep Method=** EPA 5030B

| Analyte                   | Concentration | LOD |
|---------------------------|---------------|-----|
| cis-1,3-                  | ND            | 1.0 |
| trans-1,3-DICHLOROPROPENE | ND            | 1.0 |
| DIETHYL ETHER             | ND            | 10  |
| ETHYLBENZENE              | 2.8           | 1.0 |
| ETHYL METHACRYLATE        | ND            | 10  |
| HEXACHLOROBUTADIENE       | ND            | 1.0 |
| HEXACHLOROETHANE          | ND            | 10  |
| 2-HEXANONE                | ND            | 10  |
| IDOMETHANE                | ND            | 10  |
| ISOPROPYLBENZENE          | ND            | 1.0 |
| ISOPROPYLTOLUENE          | ND            | 1.0 |
| METHYL ACRYLATE           | ND            | 10  |
| METHYL ETHYL KETONE       | ND            | 10  |
| METHYL-t-BUTYL ETHER      | 430           | 1.0 |
| METHYLENE CHLORIDE        | ND            | 1.0 |
| METHYL METHACRYLATE       | ND            | 10  |
| MIBK                      | ND            | 10  |
| 2-METHYLNAPHTHALENE       | ND            | 1.0 |
| NAPHTHALENE               | ND            | 1.0 |
| PENTACHLOROETHANE         | ND            | 10  |
| n-PROPYLBENZENE           | ND            | 1.0 |
| STYRENE                   | ND            | 1.0 |
| 1,1,1,2-TETRACHLOROETHANE | ND            | 1.0 |
| 1,1,2,2-TETRACHLOROETHANE | ND            | 1.0 |
| TETRACHLOROETHENE         | ND            | 1.0 |
| TOLUENE                   | 3.6           | 1.0 |
| 1,2,3-TRICHLOROBENZENE    | ND            | 1.0 |
| 1,2,4-TRICHLOROBENZENE    | ND            | 1.0 |
| 1,1,1-TRICHLOROETHANE     | ND            | 1.0 |
| 1,1,2-TRICHLOROETHANE     | ND            | 1.0 |
| TRICHLOROETHENE           | ND            | 1.0 |
| TRICHLORFLUOROMETHANE     | ND            | 1.0 |
| 1,2,3-TRICHLOROPROPANE    | ND            | 1.0 |
| 1,2,4-TRIMETHYLBENZENE    | ND            | 1.0 |
| 1,3,5-TRIMETHYLBENZENE    | ND            | 1.0 |
| VINYL CHLORIDE            | ND            | 1.0 |
| XYLENE (TOTAL)            | 17            | 3.0 |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 8  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 2:15 PM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: NW-1

**EPA 8260B VOLATILE ORGANICS**Units= ug/L (PPB)Analyst= MRDate Extracted=Date Completed= 12/3/2024Prep Method= EPA 5030B

| <u>Analyte</u>           | <u>Concentration</u> | <u>LOD</u> |
|--------------------------|----------------------|------------|
| ACETONE                  | ND                   | 25         |
| ALLYL CHLORIDE           | ND                   | 10         |
| BENZENE                  | ND                   | 1.0        |
| BROMOBENZENE             | ND                   | 1.0        |
| BROMOCHLOROMETHANE       | ND                   | 1.0        |
| BROMODICHLOROMETHANE     | ND                   | 1.0        |
| BROMOFORM                | ND                   | 1.0        |
| BROMOMETHANE             | ND                   | 1.0        |
| n-BUTYLBENZENE           | ND                   | 1.0        |
| s-BUTYLBENZENE           | ND                   | 1.0        |
| t-BUTYLBENZENE           | ND                   | 1.0        |
| CARBON DISULFIDE         | ND                   | 5.0        |
| CARBON TETRACHLORIDE     | ND                   | 1.0        |
| CHLOROBEZENE             | ND                   | 1.0        |
| 1-CHLOROBUTANE           | ND                   | 1.0        |
| CHLOROFORM               | ND                   | 1.0        |
| CHLOROETHANE             | ND                   | 1.0        |
| CHLOROMETHANE            | ND                   | 1.0        |
| 2-CHLOROTOLUENE          | ND                   | 1.0        |
| 4-CHLOROTOLUENE          | ND                   | 1.0        |
| DIBROMOCHLOROMETHANE     | ND                   | 1.0        |
| DIBROMOMETHANE           | ND                   | 1.0        |
| 1,2-DIBROMOETHANE        | ND                   | 1.0        |
| 1,2-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,3-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,4-DICHLOROBEZENE       | ND                   | 1.0        |
| t-1,4-DICHLORO-2-BUTENE  | ND                   | 10         |
| DICHLORODIFLUOROMETHANE  | ND                   | 1.0        |
| 1,1-DICHLOROETHANE       | ND                   | 1.0        |
| 1,2-DICHLOROETHANE       | ND                   | 1.0        |
| 1,1-DICHLOROETHENE       | ND                   | 1.0        |
| cis-1,2-DICHLOROETHENE   | ND                   | 1.0        |
| trans-1,2-DICHLOROETHENE | ND                   | 1.0        |
| 1,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,3-DICHLOROPROPANE      | ND                   | 1.0        |
| 2,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,1-DICHLOROPROPENE      | ND                   | 1.0        |

| <u>Analyte</u>            | <u>Concentration</u> | <u>LOD</u> |
|---------------------------|----------------------|------------|
| cis-1,3-                  | ND                   | 1.0        |
| trans-1,3-DICHLOROPROPENE | ND                   | 1.0        |
| DIETHYL ETHER             | ND                   | 10         |
| ETHYLBENZENE              | ND                   | 1.0        |
| ETHYL METHACRYLATE        | ND                   | 10         |
| HEXACHLOROBUTADIENE       | ND                   | 1.0        |
| HEXACHLOROETHANE          | ND                   | 10         |
| 2-HEXANONE                | ND                   | 10         |
| IDOMETHANE                | ND                   | 10         |
| ISOPROPYLBENZENE          | ND                   | 1.0        |
| ISOPROPYLTOLUENE          | ND                   | 1.0        |
| METHYL ACRYLATE           | ND                   | 10         |
| METHYL ETHYL KETONE       | ND                   | 10         |
| METHYL-t-BUTYL ETHER      | ND                   | 1.0        |
| METHYLENE CHLORIDE        | ND                   | 1.0        |
| METHYL METHACRYLATE       | ND                   | 10         |
| MIBK                      | ND                   | 10         |
| 2-METHYLNAPHTHALENE       | ND                   | 1.0        |
| NAPHTHALENE               | ND                   | 1.0        |
| PENTACHLOROETHANE         | ND                   | 10         |
| n-PROPYLBENZENE           | ND                   | 1.0        |
| STYRENE                   | ND                   | 1.0        |
| 1,1,1,2-TETRACHLOROETHANE | ND                   | 1.0        |
| 1,1,2,2-TETRACHLOROETHANE | ND                   | 1.0        |
| TETRACHLOROETHENE         | ND                   | 1.0        |
| TOLUENE                   | ND                   | 1.0        |
| 1,2,3-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,2,4-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,1,1-TRICHLOROETHANE     | ND                   | 1.0        |
| 1,1,2-TRICHLOROETHANE     | ND                   | 1.0        |
| TRICHLOROETHENE           | ND                   | 1.0        |
| TRICHLORFLUOROMETHANE     | ND                   | 1.0        |
| 1,2,3-TRICHLOROPROPANE    | ND                   | 1.0        |
| 1,2,4-TRIMETHYLBENZENE    | ND                   | 1.0        |
| 1,3,5-TRIMETHYLBENZENE    | ND                   | 1.0        |
| VINYL CHLORIDE            | ND                   | 1.0        |
| XYLENE (TOTAL)            | ND                   | 3.0        |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 9  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 5:05 PM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: NW-10

**EPA 8260B VOLATILE ORGANICS**Units= ug/L (PPB)Analyst= MRDate Extracted=Date Completed= 12/2/2024Prep Method= EPA 5030B

| <u>Analyte</u>           | <u>Concentration</u> | <u>LOD</u> |
|--------------------------|----------------------|------------|
| ACETONE                  | ND                   | 25         |
| ALLYL CHLORIDE           | ND                   | 10         |
| BENZENE                  | ND                   | 1.0        |
| BROMOBENZENE             | ND                   | 1.0        |
| BROMOCHLOROMETHANE       | ND                   | 1.0        |
| BROMODICHLOROMETHANE     | ND                   | 1.0        |
| BROMOFORM                | ND                   | 1.0        |
| BROMOMETHANE             | ND                   | 1.0        |
| n-BUTYLBENZENE           | ND                   | 1.0        |
| s-BUTYLBENZENE           | ND                   | 1.0        |
| t-BUTYLBENZENE           | ND                   | 1.0        |
| CARBON DISULFIDE         | ND                   | 5.0        |
| CARBON TETRACHLORIDE     | ND                   | 1.0        |
| CHLOROBEZENE             | ND                   | 1.0        |
| 1-CHLOROBUTANE           | ND                   | 1.0        |
| CHLOROFORM               | ND                   | 1.0        |
| CHLOROETHANE             | ND                   | 1.0        |
| CHLOROMETHANE            | ND                   | 1.0        |
| 2-CHLOROTOLUENE          | ND                   | 1.0        |
| 4-CHLOROTOLUENE          | ND                   | 1.0        |
| DIBROMOCHLOROMETHANE     | ND                   | 1.0        |
| DIBROMOMETHANE           | ND                   | 1.0        |
| 1,2-DIBROMOETHANE        | ND                   | 1.0        |
| 1,2-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,3-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,4-DICHLOROBEZENE       | ND                   | 1.0        |
| t-1,4-DICHLORO-2-BUTENE  | ND                   | 10         |
| DICHLORODIFLUOROMETHANE  | ND                   | 1.0        |
| 1,1-DICHLOROETHANE       | ND                   | 1.0        |
| 1,2-DICHLOROETHANE       | ND                   | 1.0        |
| 1,1-DICHLOROETHENE       | ND                   | 1.0        |
| cis-1,2-DICHLOROETHENE   | ND                   | 1.0        |
| trans-1,2-DICHLOROETHENE | ND                   | 1.0        |
| 1,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,3-DICHLOROPROPANE      | ND                   | 1.0        |
| 2,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,1-DICHLOROPROPENE      | ND                   | 1.0        |

| <u>Analyte</u>            | <u>Concentration</u> | <u>LOD</u> |
|---------------------------|----------------------|------------|
| cis-1,3-                  | ND                   | 1.0        |
| trans-1,3-DICHLOROPROPENE | ND                   | 1.0        |
| DIETHYL ETHER             | ND                   | 10         |
| ETHYLBENZENE              | ND                   | 1.0        |
| ETHYL METHACRYLATE        | ND                   | 10         |
| HEXACHLOROBUTADIENE       | ND                   | 1.0        |
| HEXACHLOROETHANE          | ND                   | 10         |
| 2-HEXANONE                | ND                   | 10         |
| IDOMETHANE                | ND                   | 10         |
| ISOPROPYLBENZENE          | ND                   | 1.0        |
| ISOPROPYLTOLUENE          | ND                   | 1.0        |
| METHYL ACRYLATE           | ND                   | 10         |
| METHYL ETHYL KETONE       | ND                   | 10         |
| METHYL-t-BUTYL ETHER      | ND                   | 1.0        |
| METHYLENE CHLORIDE        | ND                   | 1.0        |
| METHYL METHACRYLATE       | ND                   | 10         |
| MIBK                      | ND                   | 10         |
| 2-METHYLNAPHTHALENE       | ND                   | 1.0        |
| NAPHTHALENE               | ND                   | 1.0        |
| PENTACHLOROETHANE         | ND                   | 10         |
| n-PROPYLBENZENE           | ND                   | 1.0        |
| STYRENE                   | ND                   | 1.0        |
| 1,1,1,2-TETRACHLOROETHANE | ND                   | 1.0        |
| 1,1,2,2-TETRACHLOROETHANE | ND                   | 1.0        |
| TETRACHLOROETHENE         | ND                   | 1.0        |
| TOLUENE                   | ND                   | 1.0        |
| 1,2,3-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,2,4-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,1,1-TRICHLOROETHANE     | ND                   | 1.0        |
| 1,1,2-TRICHLOROETHANE     | ND                   | 1.0        |
| TRICHLOROETHENE           | ND                   | 1.0        |
| TRICHLORFLUOROMETHANE     | ND                   | 1.0        |
| 1,2,3-TRICHLOROPROPANE    | ND                   | 1.0        |
| 1,2,4-TRIMETHYLBENZENE    | ND                   | 1.0        |
| 1,3,5-TRIMETHYLBENZENE    | ND                   | 1.0        |
| VINYL CHLORIDE            | ND                   | 1.0        |
| XYLENE (TOTAL)            | ND                   | 3.0        |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 10  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 6:15 PM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER  
SAMPLE ID: NW-4

**EPA 8260B VOLATILE ORGANICS**

**Units=** ug/L (PPB) **Analyst=** MR **Date Extracted=**

| Analyte                  | Concentration | LOD |
|--------------------------|---------------|-----|
| ACETONE                  | ND            | 25  |
| ALLYL CHLORIDE           | ND            | 10  |
| BENZENE                  | 9.9           | 1.0 |
| BROMOBENZENE             | ND            | 1.0 |
| BROMOCHLOROMETHANE       | ND            | 1.0 |
| BROMODICHLOROMETHANE     | ND            | 1.0 |
| BROMOFORM                | ND            | 1.0 |
| BROMOMETHANE             | ND            | 1.0 |
| n-BUTYLBENZENE           | ND            | 1.0 |
| s-BUTYLBENZENE           | ND            | 1.0 |
| t-BUTYLBENZENE           | ND            | 1.0 |
| CARBON DISULFIDE         | ND            | 5.0 |
| CARBON TETRACHLORIDE     | ND            | 1.0 |
| CHLOROBENZENE            | ND            | 1.0 |
| 1-CHLOROBUTANE           | ND            | 1.0 |
| CHLOROFORM               | ND            | 1.0 |
| CHLOROETHANE             | ND            | 1.0 |
| CHLOROMETHANE            | ND            | 1.0 |
| 2-CHLOROTOLUENE          | ND            | 1.0 |
| 4-CHLOROTOLUENE          | ND            | 1.0 |
| DIBROMOCHLOROMETHANE     | ND            | 1.0 |
| DIBROMOMETHANE           | ND            | 1.0 |
| 1,2-DIBROMOETHANE        | ND            | 1.0 |
| 1,2-DICHLOROBENZENE      | ND            | 1.0 |
| 1,3-DICHLOROBENZENE      | ND            | 1.0 |
| 1,4-DICHLOROBENZENE      | ND            | 1.0 |
| t-1,4-DICHLORO-2-BUTENE  | ND            | 10  |
| DICHLORODIFLUOROMETHANE  | ND            | 1.0 |
| 1,1-DICHLOROETHANE       | ND            | 1.0 |
| 1,2-DICHLOROETHANE       | ND            | 1.0 |
| 1,1-DICHLOROETHENE       | ND            | 1.0 |
| cis-1,2-DICHLOROETHENE   | ND            | 1.0 |
| trans-1,2-DICHLOROETHENE | ND            | 1.0 |
| 1,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,3-DICHLOROPROPANE      | ND            | 1.0 |
| 2,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,1-DICHLOROPROPENE      | ND            | 1.0 |

**Date Completed=** 12/3/2024 **Prep Method=** EPA 5030B

| Analyte                   | Concentration | LOD |
|---------------------------|---------------|-----|
| cis-1,3-                  | ND            | 1.0 |
| trans-1,3-DICHLOROPROPENE | ND            | 1.0 |
| DIETHYL ETHER             | ND            | 10  |
| ETHYLBENZENE              | 750           | 5.0 |
| ETHYL METHACRYLATE        | ND            | 10  |
| HEXACHLOROBUTADIENE       | ND            | 1.0 |
| HEXACHLOROETHANE          | ND            | 10  |
| 2-HEXANONE                | ND            | 10  |
| IDOMETHANE                | ND            | 10  |
| ISOPROPYLBENZENE          | ND            | 1.0 |
| ISOPROPYLTOLUENE          | ND            | 1.0 |
| METHYL ACRYLATE           | ND            | 10  |
| METHYL ETHYL KETONE       | ND            | 10  |
| METHYL-t-BUTYL ETHER      | 9.1           | 1.0 |
| METHYLENE CHLORIDE        | ND            | 1.0 |
| METHYL METHACRYLATE       | ND            | 10  |
| MIBK                      | ND            | 10  |
| 2-METHYLNAPHTHALENE       | 3.6           | 1.0 |
| NAPHTHALENE               | 3.4           | 1.0 |
| PENTACHLOROETHANE         | ND            | 10  |
| n-PROPYLBENZENE           | ND            | 1.0 |
| STYRENE                   | ND            | 1.0 |
| 1,1,1,2-TETRACHLOROETHANE | ND            | 1.0 |
| 1,1,2,2-TETRACHLOROETHANE | ND            | 1.0 |
| TETRACHLOROETHENE         | ND            | 1.0 |
| TOLUENE                   | 140           | 5.0 |
| 1,2,3-TRICHLOROBENZENE    | ND            | 1.0 |
| 1,2,4-TRICHLOROBENZENE    | ND            | 1.0 |
| 1,1,1-TRICHLOROETHANE     | ND            | 1.0 |
| 1,1,2-TRICHLOROETHANE     | ND            | 1.0 |
| TRICHLOROETHENE           | ND            | 1.0 |
| TRICHLORFLUOROMETHANE     | ND            | 1.0 |
| 1,2,3-TRICHLOROPROPANE    | ND            | 1.0 |
| 1,2,4-TRIMETHYLBENZENE    | 11            | 1.0 |
| 1,3,5-TRIMETHYLBENZENE    | 1.5           | 1.0 |
| VINYL CHLORIDE            | ND            | 1.0 |
| XYLENE (TOTAL)            | 2,800         | 15  |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.



# INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 11  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED:  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER  
SAMPLE ID: DUPLICATE

## EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

| Analyte                  | Concentration | LOD |
|--------------------------|---------------|-----|
| ACETONE                  | ND            | 25  |
| ALLYL CHLORIDE           | ND            | 10  |
| BENZENE                  | 95            | 1.0 |
| BROMOBENZENE             | ND            | 1.0 |
| BROMOCHLOROMETHANE       | ND            | 1.0 |
| BROMODICHLOROMETHANE     | ND            | 1.0 |
| BROMOFORM                | ND            | 1.0 |
| BROMOMETHANE             | ND            | 1.0 |
| n-BUTYLBENZENE           | ND            | 1.0 |
| s-BUTYLBENZENE           | ND            | 1.0 |
| t-BUTYLBENZENE           | ND            | 1.0 |
| CARBON DISULFIDE         | ND            | 5.0 |
| CARBON TETRACHLORIDE     | ND            | 1.0 |
| CHLORO BENZENE           | ND            | 1.0 |
| 1-CHLOROBUTANE           | ND            | 1.0 |
| CHLOROFORM               | ND            | 1.0 |
| CHLOROETHANE             | ND            | 1.0 |
| CHLOROMETHANE            | ND            | 1.0 |
| 2-CHLOROTOLUENE          | ND            | 1.0 |
| 4-CHLOROTOLUENE          | ND            | 1.0 |
| DIBROMOCHLOROMETHANE     | ND            | 1.0 |
| DIBROMOMETHANE           | ND            | 1.0 |
| 1,2-DIBROMOETHANE        | 2.7           | 1.0 |
| 1,2-DICHLORO BENZENE     | ND            | 1.0 |
| 1,3-DICHLORO BENZENE     | ND            | 1.0 |
| 1,4-DICHLORO BENZENE     | ND            | 1.0 |
| t-1,4-DICHLORO-2-BUTENE  | ND            | 10  |
| DICHLORODIFLUOROMETHANE  | ND            | 1.0 |
| 1,1-DICHLOROETHANE       | ND            | 1.0 |
| 1,2-DICHLOROETHANE       | ND            | 1.0 |
| 1,1-DICHLOROETHENE       | ND            | 1.0 |
| cis-1,2-DICHLOROETHENE   | ND            | 1.0 |
| trans-1,2-DICHLOROETHENE | ND            | 1.0 |
| 1,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,3-DICHLOROPROPANE      | ND            | 1.0 |
| 2,2-DICHLOROPROPANE      | ND            | 1.0 |
| 1,1-DICHLOROPROPENE      | ND            | 1.0 |

Date Completed= 12/3/2024 Prep Method= EPA 5030B

| Analyte                   | Concentration | LOD |
|---------------------------|---------------|-----|
| cis-1,3-                  | ND            | 1.0 |
| trans-1,3-DICHLOROPROPENE | ND            | 1.0 |
| DIETHYL ETHER             | ND            | 10  |
| ETHYLBENZENE              | 3,700         | 50  |
| ETHYL METHACRYLATE        | ND            | 10  |
| HEXACHLOROBUTADIENE       | ND            | 1.0 |
| HEXACHLOROETHANE          | ND            | 10  |
| 2-HEXANONE                | ND            | 10  |
| IDOMETHANE                | ND            | 10  |
| ISOPROPYLBENZENE          | ND            | 1.0 |
| ISOPROPYLTOLUENE          | ND            | 1.0 |
| METHYL ACRYLATE           | ND            | 10  |
| METHYL ETHYL KETONE       | ND            | 10  |
| METHYL-t-BUTYL ETHER      | 54            | 1.0 |
| METHYLENE CHLORIDE        | ND            | 1.0 |
| METHYL METHACRYLATE       | ND            | 10  |
| MIBK                      | ND            | 10  |
| 2-METHYLNAPHTHALENE       | 22            | 1.0 |
| NAPHTHALENE               | 35            | 1.0 |
| PENTACHLOROETHANE         | ND            | 10  |
| n-PROPYLBENZENE           | ND            | 1.0 |
| STYRENE                   | ND            | 1.0 |
| 1,1,1,2-TETRACHLOROETHANE | ND            | 1.0 |
| 1,1,2,2-TETRACHLOROETHANE | ND            | 1.0 |
| TETRACHLOROETHENE         | ND            | 1.0 |
| TOLUENE                   | 1,300         | 50  |
| 1,2,3-TRICHLORO BENZENE   | ND            | 1.0 |
| 1,2,4-TRICHLORO BENZENE   | ND            | 1.0 |
| 1,1,1-TRICHLOROETHANE     | ND            | 1.0 |
| 1,1,2-TRICHLOROETHANE     | ND            | 1.0 |
| TRICHLOROETHENE           | ND            | 1.0 |
| TRICHLORFLUOROMETHANE     | ND            | 1.0 |
| 1,2,3-TRICHLOROPROPANE    | ND            | 1.0 |
| 1,2,4-TRIMETHYLBENZENE    | 5.7           | 1.0 |
| 1,3,5-TRIMETHYLBENZENE    | 5.6           | 1.0 |
| VINYL CHLORIDE            | ND            | 1.0 |
| XYLENE (TOTAL)            | 19,000        | 150 |

ND = NOT DETECTED, RESULT IS <LOD.  
LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 12  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 4:30 AM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: BLANK

**EPA 8260B VOLATILE ORGANICS**Units= ug/L (PPB)Analyst= MRDate Extracted=Date Completed= 12/2/2024Prep Method= EPA 5030B

| <u>Analyte</u>           | <u>Concentration</u> | <u>LOD</u> |
|--------------------------|----------------------|------------|
| ACETONE                  | ND                   | 25         |
| ALLYL CHLORIDE           | ND                   | 10         |
| BENZENE                  | ND                   | 1.0        |
| BROMOBENZENE             | ND                   | 1.0        |
| BROMOCHLOROMETHANE       | ND                   | 1.0        |
| BROMODICHLOROMETHANE     | 3.9                  | 1.0        |
| BROMOFORM                | 1.1                  | 1.0        |
| BROMOMETHANE             | ND                   | 1.0        |
| n-BUTYLBENZENE           | ND                   | 1.0        |
| s-BUTYLBENZENE           | ND                   | 1.0        |
| t-BUTYLBENZENE           | ND                   | 1.0        |
| CARBON DISULFIDE         | ND                   | 5.0        |
| CARBON TETRACHLORIDE     | ND                   | 1.0        |
| CHLOROBEZENE             | ND                   | 1.0        |
| 1-CHLOROBUTANE           | ND                   | 1.0        |
| CHLOROFORM               | 16                   | 1.0        |
| CHLOROETHANE             | ND                   | 1.0        |
| CHLOROMETHANE            | ND                   | 1.0        |
| 2-CHLOROTOLUENE          | ND                   | 1.0        |
| 4-CHLOROTOLUENE          | ND                   | 1.0        |
| DIBROMOCHLOROMETHANE     | 2.6                  | 1.0        |
| DIBROMOMETHANE           | ND                   | 1.0        |
| 1,2-DIBROMOETHANE        | ND                   | 1.0        |
| 1,2-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,3-DICHLOROBEZENE       | ND                   | 1.0        |
| 1,4-DICHLOROBEZENE       | ND                   | 1.0        |
| t-1,4-DICHLORO-2-BUTENE  | ND                   | 10         |
| DICHLORODIFLUOROMETHANE  | ND                   | 1.0        |
| 1,1-DICHLOROETHANE       | ND                   | 1.0        |
| 1,2-DICHLOROETHANE       | ND                   | 1.0        |
| 1,1-DICHLOROETHENE       | ND                   | 1.0        |
| cis-1,2-DICHLOROETHENE   | ND                   | 1.0        |
| trans-1,2-DICHLOROETHENE | ND                   | 1.0        |
| 1,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,3-DICHLOROPROPANE      | ND                   | 1.0        |
| 2,2-DICHLOROPROPANE      | ND                   | 1.0        |
| 1,1-DICHLOROPROPENE      | ND                   | 1.0        |

| <u>Analyte</u>            | <u>Concentration</u> | <u>LOD</u> |
|---------------------------|----------------------|------------|
| cis-1,3-                  | ND                   | 1.0        |
| trans-1,3-DICHLOROPROPENE | ND                   | 1.0        |
| DIETHYL ETHER             | ND                   | 10         |
| ETHYLBENZENE              | ND                   | 1.0        |
| ETHYL METHACRYLATE        | ND                   | 10         |
| HEXACHLOROBUTADIENE       | ND                   | 1.0        |
| HEXACHLOROETHANE          | ND                   | 10         |
| 2-HEXANONE                | ND                   | 10         |
| IDOMETHANE                | ND                   | 10         |
| ISOPROPYLBENZENE          | ND                   | 1.0        |
| ISOPROPYLTOLUENE          | ND                   | 1.0        |
| METHYL ACRYLATE           | ND                   | 10         |
| METHYL ETHYL KETONE       | ND                   | 10         |
| METHYL-t-BUTYL ETHER      | ND                   | 1.0        |
| METHYLENE CHLORIDE        | ND                   | 1.0        |
| METHYL METHACRYLATE       | ND                   | 10         |
| MIBK                      | ND                   | 10         |
| 2-METHYLNAPHTHALENE       | ND                   | 1.0        |
| NAPHTHALENE               | ND                   | 1.0        |
| PENTACHLOROETHANE         | ND                   | 10         |
| n-PROPYLBENZENE           | ND                   | 1.0        |
| STYRENE                   | ND                   | 1.0        |
| 1,1,1,2-TETRACHLOROETHANE | ND                   | 1.0        |
| 1,1,2,2-TETRACHLOROETHANE | ND                   | 1.0        |
| TETRACHLOROETHENE         | ND                   | 1.0        |
| TOLUENE                   | ND                   | 1.0        |
| 1,2,3-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,2,4-TRICHLOROBEZENE     | ND                   | 1.0        |
| 1,1,1-TRICHLOROETHANE     | ND                   | 1.0        |
| 1,1,2-TRICHLOROETHANE     | ND                   | 1.0        |
| TRICHLOROETHENE           | ND                   | 1.0        |
| TRICHLORFLUOROMETHANE     | ND                   | 1.0        |
| 1,2,3-TRICHLOROPROPANE    | ND                   | 1.0        |
| 1,2,4-TRIMETHYLBENZENE    | ND                   | 1.0        |
| 1,3,5-TRIMETHYLBENZENE    | ND                   | 1.0        |
| VINYL CHLORIDE            | ND                   | 1.0        |
| XYLENE (TOTAL)            | ND                   | 3.0        |

ND = NOT DETECTED, RESULT IS &lt;LOD.

LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 1

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 9:20 AM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u><br><u>Extracted</u> | <u>Date</u><br><u>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------------|--------------------------------|--------------------|
| SAMPLE ID:                    | NW-8            |                      |            |              |                |                                 |                                |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                                 |                                |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | ND                   | 1.0        | ug/L (PPB)   | MR             |                                 | 12/2/2024                      | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT &lt; LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 2

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 10:30 AM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u><br><u>Extracted</u> | <u>Date</u><br><u>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------------|--------------------------------|--------------------|
| SAMPLE ID:                    | NW-9            |                      |            |              |                |                                 |                                |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                                 |                                |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | ND                   | 1.0        | ug/L (PPB)   | MR             |                                 | 12/2/2024                      | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT &lt; LOD

LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL  
NAME:  
PROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN  
SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 112724-3  
GTA SAMPLE NO: 3  
DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 10:50 AM  
DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Extracted</u> | <u>Date<br/>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------|--------------------------|--------------------|
| SAMPLE ID:                    | NW-2            |                      |            |              |                |                           |                          |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                           |                          |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | ND                   | 1.0        | ug/L (PPB)   | MR             |                           | 12/2/2024                | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 4

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 11:20 AM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u><br><u>Extracted</u> | <u>Date</u><br><u>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------------|--------------------------------|--------------------|
| SAMPLE ID:                    | NW-3            |                      |            |              |                |                                 |                                |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                                 |                                |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | ND                   | 1.0        | ug/L (PPB)   | MR             |                                 | 12/2/2024                      | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 5

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 11:55 AM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Extracted</u> | <u>Date<br/>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------|--------------------------|--------------------|
| SAMPLE ID:                    | NW-5            |                      |            |              |                |                           |                          |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                           |                          |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | 5.3                  | 1.0        | ug/L (PPB)   | MR             |                           | 12/2/2024                | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 6

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 12:35 PM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u><br><u>Extracted</u> | <u>Date</u><br><u>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------------|--------------------------------|--------------------|
| SAMPLE ID:                    | NW-7            |                      |            |              |                |                                 |                                |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                                 |                                |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | ND                   | 1.0        | ug/L (PPB)   | MR             |                                 | 12/2/2024                      | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 7

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 1:25 PM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u><br><u>Extracted</u> | <u>Date</u><br><u>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------------|--------------------------------|--------------------|
| SAMPLE ID:                    | OLD MW-2        |                      |            |              |                |                                 |                                |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                                 |                                |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | ND                   | 1.0        | ug/L (PPB)   | MR             |                                 | 12/2/2024                      | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 8

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 2:15 PM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u><br><u>Extracted</u> | <u>Date</u><br><u>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------------|--------------------------------|--------------------|
| SAMPLE ID:                    | NW-1            |                      |            |              |                |                                 |                                |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                                 |                                |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | ND                   | 1.0        | ug/L (PPB)   | MR             |                                 | 12/2/2024                      | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 9

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 5:05 PM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Extracted</u> | <u>Date<br/>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------|--------------------------|--------------------|
| SAMPLE ID:                    | NW-10           |                      |            |              |                |                           |                          |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                           |                          |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | ND                   | 1.0        | ug/L (PPB)   | MR             |                           | 12/2/2024                | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 10

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 6:15 PM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Extracted</u> | <u>Date<br/>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------|--------------------------|--------------------|
| SAMPLE ID:                    | NW-4            |                      |            |              |                |                           |                          |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                           |                          |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | 2.5                  | 1.0        | ug/L (PPB)   | MR             |                           | 12/2/2024                | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT &lt; LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 11

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED:

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date</u><br><u>Extracted</u> | <u>Date</u><br><u>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------------|--------------------------------|--------------------|
| <b>SAMPLE ID:</b>             | DUPLICATE       |                      |            |              |                |                                 |                                |                    |
| <b>SAMPLE MATRIX:</b>         | WATER           |                      |            |              |                |                                 |                                |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | 18                   | 1.0        | ug/L (PPB)   | MR             |                                 | 12/2/2024                      | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT &lt; LOD

LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 12

NAME:

PROJECT NO: 64977

DATE SAMPLED: 11/25/2024

LOCATION: GPM #25315

TIME SAMPLED: 4:30 AM

2334 PRAIRIE AVE

DATE RECEIVED: 11/27/2024

SOUTH BEND

TIME RECEIVED: 12:00 PM

IN

SAMPLED BY: BOBBY GLASSER/MCE

**ORGANICS**

| <u>No:</u>                    | <u>Analysis</u> | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Extracted</u> | <u>Date<br/>Complete</u> | <u>Prep Method</u> |
|-------------------------------|-----------------|----------------------|------------|--------------|----------------|---------------------------|--------------------------|--------------------|
| SAMPLE ID:                    | BLANK           |                      |            |              |                |                           |                          |                    |
| SAMPLE MATRIX:                | WATER           |                      |            |              |                |                           |                          |                    |
| 1-METHYLNAPHTHALENE EPA 8260B |                 | ND                   | 1.0        | ug/L (PPB)   | MR             |                           | 12/2/2024                | EPA 5030B          |

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE ID: NW-8

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 1

DATE SAMPLED: 11/25/2024

TIME SAMPLED: 9:20 AM

DATE RECEIVED: 11/27/2024

TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

**METALS**

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Completed</u> | <u>Digestion<br/>Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|---------------------------|-----------------------------|
| LEAD DISSOLVED EPA 6020A | ND                   | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3005A                   |
| LEAD TOTAL EPA 6020A     | 0.029                | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3020A                   |

ND = NOT DETECTED, RESULT &lt; LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



## INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE ID: NW-9

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 2

DATE SAMPLED: 11/25/2024

TIME SAMPLED: 10:30 AM

DATE RECEIVED: 11/27/2024

TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

## METALS

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Completed</u> | <u>Digestion<br/>Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|---------------------------|-----------------------------|
| LEAD DISSOLVED EPA 6020A | ND                   | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3005A                   |
| LEAD TOTAL EPA 6020A     | 0.025                | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3020A                   |

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



## INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

PROJECT NO: 64977

GTA SAMPLE NO: 3

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

DATE SAMPLED: 11/25/2024

TIME SAMPLED: 10:50 AM

DATE RECEIVED: 11/27/2024

TIME RECEIVED: 12:00 PM

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE MATRIX: WATER

SAMPLE ID: NW-2

### METALS

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date Completed</u> | <u>Digestion Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|-----------------------|-------------------------|
| LEAD DISSOLVED EPA 6020A | ND                   | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024             | EPA 3005A               |
| LEAD TOTAL EPA 6020A     | 0.011                | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024             | EPA 3020A               |

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



## INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE ID: NW-3

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 4

DATE SAMPLED: 11/25/2024

TIME SAMPLED: 11:20 AM

DATE RECEIVED: 11/27/2024

TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

## METALS

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Completed</u> | <u>Digestion<br/>Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|---------------------------|-----------------------------|
| LEAD DISSOLVED EPA 6020A | ND                   | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3005A                   |
| LEAD TOTAL EPA 6020A     | 0.012                | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3020A                   |

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



## INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE ID: NW-5

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 5

DATE SAMPLED: 11/25/2024

TIME SAMPLED: 11:55 AM

DATE RECEIVED: 11/27/2024

TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

## METALS

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Completed</u> | <u>Digestion<br/>Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|---------------------------|-----------------------------|
| LEAD DISSOLVED EPA 6020A | 0.0018               | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3005A                   |
| LEAD TOTAL EPA 6020A     | 0.14                 | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3020A                   |

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE ID: NW-7

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 6

DATE SAMPLED: 11/25/2024

TIME SAMPLED: 12:35 PM

DATE RECEIVED: 11/27/2024

TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

**METALS**

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date Completed</u> | <u>Digestion Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|-----------------------|-------------------------|
| LEAD DISSOLVED EPA 6020A | ND                   | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024             | EPA 3005A               |
| LEAD TOTAL EPA 6020A     | 0.0022               | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024             | EPA 3020A               |

ND = NOT DETECTED, RESULT &lt; LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



## INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

GTA PROJECT NO: 112724-3

PROJECT NO: 64977

GTA SAMPLE NO: 7

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 1:25 PM

SAMPLED BY: BOBBY GLASSER/MCE

DATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

SAMPLE ID: OLD MW-2

### METALS

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date Completed</u> | <u>Digestion Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|-----------------------|-------------------------|
| LEAD DISSOLVED EPA 6020A | ND                   | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024             | EPA 3005A               |
| LEAD TOTAL EPA 6020A     | 0.023                | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024             | EPA 3020A               |

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



## INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE ID: NW-1

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 8

DATE SAMPLED: 11/25/2024

TIME SAMPLED: 2:15 PM

DATE RECEIVED: 11/27/2024

TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

### METALS

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Completed</u> | <u>Digestion<br/>Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|---------------------------|-----------------------------|
| LEAD DISSOLVED EPA 6020A | ND                   | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3005A                   |
| LEAD TOTAL EPA 6020A     | 0.0012               | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3020A                   |

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



## INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE ID: NW-10

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 9

DATE SAMPLED: 11/25/2024

TIME SAMPLED: 5:05 PM

DATE RECEIVED: 11/27/2024

TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

### METALS

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Completed</u> | <u>Digestion<br/>Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|---------------------------|-----------------------------|
| LEAD DISSOLVED EPA 6020A | ND                   | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3005A                   |
| LEAD TOTAL EPA 6020A     | 0.011                | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3020A                   |

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTALPROJECT NO: 64977  
LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE ID: NW-4

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 10

DATE SAMPLED: 11/25/2024  
TIME SAMPLED: 6:15 PMDATE RECEIVED: 11/27/2024  
TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

**METALS**

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Completed</u> | <u>Digestion<br/>Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|---------------------------|-----------------------------|
| LEAD DISSOLVED EPA 6020A | 0.037                | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3005A                   |
| LEAD TOTAL EPA 6020A     | 0.053                | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3020A                   |

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION

DISS = DISSOLVED



## INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

COMPANY: MICHIGAN CONSULTING &  
ENVIRONMENTAL

PROJECT NO: 64977

LOCATION: GPM #25315  
2334 PRAIRIE AVE  
SOUTH BEND  
IN

SAMPLED BY: BOBBY GLASSER/MCE

SAMPLE ID: DUPLICATE

GTA PROJECT NO: 112724-3

GTA SAMPLE NO: 11

DATE SAMPLED: 11/25/2024

TIME SAMPLED:

DATE RECEIVED: 11/27/2024

TIME RECEIVED: 12:00 PM

SAMPLE MATRIX: WATER

## METALS

| <u>Analysis</u>          | <u>Concentration</u> | <u>LOD</u> | <u>Units</u> | <u>Analyst</u> | <u>Date<br/>Completed</u> | <u>Digestion<br/>Method</u> |
|--------------------------|----------------------|------------|--------------|----------------|---------------------------|-----------------------------|
| LEAD DISSOLVED EPA 6020A | ND                   | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3005A                   |
| LEAD TOTAL EPA 6020A     | 0.025                | 0.0010     | mg/L (PPM)   | MR             | 12/3/2024                 | EPA 3020A                   |

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Page 1 of 1

**CHAIN OF CUSTODY**

|                                                            |                                                                               |                                  |
|------------------------------------------------------------|-------------------------------------------------------------------------------|----------------------------------|
| <b>PROJECT NUMBER</b><br>MCE #64977                        | <b>SITE NAME/ADDRESS</b><br>GPM #25315 / 2334 Prairie Ave., S. Bend, IN 46614 | <b>COMPANY/NAME</b><br>MCE       |
| <b>SAMPLED BY</b><br>Bobby Glasser, Senior Project Manager | <b>COMPANY</b><br>MCE                                                         | <b>GTA PROJECT #</b><br>112724-3 |

| SAMPLE INFORMATION NOTE: Full QA/QC Report Required |           |              |       |                  |                                                                                        |
|-----------------------------------------------------|-----------|--------------|-------|------------------|----------------------------------------------------------------------------------------|
| #                                                   | SAMPLE ID | DATE SAMPLED | TIME  | MATRIX           | ANALYSIS                                                                               |
| 1                                                   | NW-8      | 11.25.2024   | 09:20 | H <sub>2</sub> O | For <b>ALL Samples</b> : VOCs, Naphthalene, 1-MN, 2-MN, Total Lead, and Dissolved Lead |
| 2                                                   | NW-9      | 11.25.2024   | 10:30 | H <sub>2</sub> O |                                                                                        |
| 3                                                   | NW-2      | 11.25.2024   | 10:50 | H <sub>2</sub> O | Note: Samples for Dissolved Lead were properly filtered during collection.             |
| 4                                                   | NW-3      | 11.25.2024   | 11:20 | H <sub>2</sub> O |                                                                                        |
| 5                                                   | NW-5      | 11.25.2024   | 11:55 | H <sub>2</sub> O |                                                                                        |
| 6                                                   | NW-7      | 11.25.2024   | 12:35 | H <sub>2</sub> O |                                                                                        |
| 7                                                   | Old MW-2  | 11.25.2024   | 13:25 | H <sub>2</sub> O |                                                                                        |
| 8                                                   | NW-1      | 11.25.2024   | 14:15 | H <sub>2</sub> O |                                                                                        |
| 9                                                   | NW-10     | 11.25.2024   | 17:05 | H <sub>2</sub> O |                                                                                        |
| 10                                                  | NW-4      | 11.25.2024   | 18:15 | H <sub>2</sub> O |                                                                                        |
| 11                                                  | Duplicate | 11.25.2024   | ----- | H <sub>2</sub> O | ↓                                                                                      |
| 12                                                  | BLANK *   | 11.25.2024   | 04:30 | H <sub>2</sub> O | * for VOCs, N, 1-NM, and 2-MN                                                          |
|                                                     |           |              |       |                  |                                                                                        |
|                                                     |           |              |       |                  |                                                                                        |
|                                                     |           |              |       |                  |                                                                                        |

**BILL TO:** Michigan Consulting & Environmental (MCE)  
2748 Garfield Road, Suite #10  
Traverse City, MI 49686

**REPORT TO:**  
John Veldhuis: jveldhuis@michenv.com  
Bobby Glasser: bglasser@michenv.com

|                                                                                                                                                                                             |                    |                                                                           |                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------------------------------------------|------------------|
| <b>RELEASED BY</b>                                                                                                                                                                          | <b>DATE/TIME</b>   | <b>RECEIVED BY</b>                                                        | <b>DATE/TIME</b> |
| Bobby Glasser:                                                                                                                                                                              | 11.25.2025 / 20:15 | Samples were placed into cold storage (refrigerator) until shipped to lab |                  |
| Bobby Glasser:                                                                                                                                                                              | 11.26.2025 / 16:00 | Samples were packed in cooler with ice & shipped via UPS Next Day Air     |                  |
|                                                                                                                                                                                             | rec 3.10 contee    | Alpers                                                                    | 11/27/24 12:00   |
| <b>REQUESTED TAT</b> <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> 1 BUSINESS DAY <input type="checkbox"/> 2 BUSINESS DAYS <input type="checkbox"/> 3 BUSINESS DAYS |                    |                                                                           |                  |