



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: REM
Name:
ClientProj:

Site Addr: KRENTZ A1-15

GTA ProjNo: 120424-12

Sampled By: LMH/REM
Date Rec: 12/4/2024
Time Rec: 3:10 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SUMP	12/4/2024		WATER

ELECTRONIC SIGNITURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM
PROJECT NO:
LOCATION: KRENTZ A1-15

MI
SAMPLED BY: LMH/REM

GTA PROJECT NO: 120424-12
GTA SAMPLE NO: 1
DATE SAMPLED: 12/4/2024
TIME SAMPLED:
DATE RECEIVED: 12/4/2024
TIME RECEIVED: 3:10 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	SUMP						
	CHLORIDE EPA 300.0	150	10	mg/L (PPM)	KC/TR	12/11/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

