



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: LAMBDA ENERGY RESOURCES, LLC

Name:

ClientProj: 20.065

GTA ProjNo: 082224-5

Site Addr: FOREST 24 CPF

Sampled By: KWB/HURON

Date Rec: 8/22/2024

Time Rec: 12:05 PM

Sample No. Sample ID
1 MW-9DDate Sampled Time Sampled Sample Matrix
8/21/2024 WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC
PROJECT NO: 20.065
LOCATION: FOREST 24 CPF
MI
SAMPLED BY: KWB/HURON

GTA PROJECT NO: 082224-5
GTA SAMPLE NO: 1
DATE SAMPLED: 8/21/2024
TIME SAMPLED:
DATE RECEIVED: 8/22/2024
TIME RECEIVED: 12:05 PM

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-9D							
CHLORIDE EPA 300.0		2,000	50	mg/L (PPM)	KC/TR	8/27/2024	WATER

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

