



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: LAMBDA ENERGY RESOURCES, LLC      Site Addr: MAPLE GROVE 6 CPF  
Name:  
ClientProj: 2018100102.01  
GTA ProjNo: 092325-9  
Sampled By: FERN SEXTON/GCES  
Date Rec: 9/23/2025  
Time Rec: 3:53 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-27	9/23/2025	10:15 AM	WATER
2	MW-28	9/23/2025	10:40 AM	WATER
3	MW-28D	9/23/2025	11:00 AM	WATER
4	MW-29D	9/23/2025	11:30 AM	WATER
5	MW-29	9/23/2025	11:45 AM	WATER
6	MW-31S	9/23/2025	1:10 PM	WATER
7	MW-31D	9/23/2025	1:30 PM	WATER
8	MW-20	9/23/2025	2:00 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
PROJECT NO: 2018100102.01  
LOCATION: MAPLE GROVE 6 CPF  
MI  
SAMPLE MATRIX: WATER  
SAMPLE ID: MW-27  
GTA PROJECT NO: 092325-9  
GTA SAMPLE NO: 1  
DATE SAMPLED: 9/23/2025  
TIME SAMPLED: 10:15 AM  
DATE RECEIVED: 9/23/2025  
TIME RECEIVED: 3:53 PM  
SAMPLED BY: FERN SEXTON/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/25/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100102.01  
 LOCATION: MAPLE GROVE 6 CPF

GTA PROJECT NO: 092325-9  
 GTA SAMPLE NO: 1  
 DATE SAMPLED: 9/23/2025  
 TIME SAMPLED: 10:15 AM  
 DATE RECEIVED: 9/23/2025  
 TIME RECEIVED: 3:53 PM

MI  
 SAMPLED BY: FERN SEXTON/GCES

**SAMPLE ANALYSIS**

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-27						
CHLORIDE EPA 300.0	ND	0.10	mg/L (PPM)	KC/TR	10/2/2025	WATER
CONDUCTIVITY SM2510-B	320	1.0	uS/cm@25C	TR	9/29/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C  
 DISS = DISSOLVED



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
PROJECT NO: 2018100102.01  
LOCATION: MAPLE GROVE 6 CPF  
MI  
SAMPLE MATRIX: WATER  
SAMPLE ID: MW-28

GTA PROJECT NO: 092325-9  
GTA SAMPLE NO: 2  
DATE SAMPLED: 9/23/2025  
TIME SAMPLED: 10:40 AM  
DATE RECEIVED: 9/23/2025  
TIME RECEIVED: 3:53 PM

SAMPLED BY: FERN SEXTON/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/25/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100102.01  
 LOCATION: MAPLE GROVE 6 CPF  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-28D

GTA PROJECT NO: 092325-9  
 GTA SAMPLE NO: 3  
 DATE SAMPLED: 9/23/2025  
 TIME SAMPLED: 11:00 AM  
 DATE RECEIVED: 9/23/2025  
 TIME RECEIVED: 3:53 PM

SAMPLED BY: FERN SEXTON/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/24/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100102.01  
 LOCATION: MAPLE GROVE 6 CPF  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-29D

GTA PROJECT NO: 092325-9  
 GTA SAMPLE NO: 4  
 DATE SAMPLED: 9/23/2025  
 TIME SAMPLED: 11:30 AM  
 DATE RECEIVED: 9/23/2025  
 TIME RECEIVED: 3:53 PM

SAMPLED BY: FERN SEXTON/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/24/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100102.01  
 LOCATION: MAPLE GROVE 6 CPF  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-29

GTA PROJECT NO: 092325-9  
 GTA SAMPLE NO: 5  
 DATE SAMPLED: 9/23/2025  
 TIME SAMPLED: 11:45 AM  
 DATE RECEIVED: 9/23/2025  
 TIME RECEIVED: 3:53 PM

SAMPLED BY: FERN SEXTON/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	2.7	1.0	ug/L (PPB)	MR		9/24/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100102.01  
 LOCATION: MAPLE GROVE 6 CPF  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-31S

GTA PROJECT NO: 092325-9  
 GTA SAMPLE NO: 6  
 DATE SAMPLED: 9/23/2025  
 TIME SAMPLED: 1:10 PM  
 DATE RECEIVED: 9/23/2025  
 TIME RECEIVED: 3:53 PM

SAMPLED BY: FERN SEXTON/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	1.4	1.0	ug/L (PPB)	MR		9/25/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100102.01  
 LOCATION: MAPLE GROVE 6 CPF  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-31D

GTA PROJECT NO: 092325-9  
 GTA SAMPLE NO: 7  
 DATE SAMPLED: 9/23/2025  
 TIME SAMPLED: 1:30 PM  
 DATE RECEIVED: 9/23/2025  
 TIME RECEIVED: 3:53 PM

SAMPLED BY: FERN SEXTON/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/24/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100102.01  
 LOCATION: MAPLE GROVE 6 CPF  
 MI  
 SAMPLE MATRIX: WATER  
 SAMPLE ID: MW-20

GTA PROJECT NO: 092325-9  
 GTA SAMPLE NO: 8  
 DATE SAMPLED: 9/23/2025  
 TIME SAMPLED: 2:00 PM  
 DATE RECEIVED: 9/23/2025  
 TIME RECEIVED: 3:53 PM

SAMPLED BY: FERN SEXTON/GCES

**EPA 8260B VOLATILE ORGANICS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Completed</u>	<u>Prep Method</u>
Benzene	ND	1.0	ug/L (PPB)	MR		9/25/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	ND	3.0					
1,2,4-Trimethylbenzene	ND	1.0					
1,3,5-Trimethylbenzene	ND	1.0					
Naphthalene	ND	5.0					
2-Methylnaphthalene	ND	5.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.  
 ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100102.01  
 LOCATION: MAPLE GROVE 6 CPF  
 MI  
 SAMPLED BY: FERN SEXTON/GCES

GTA PROJECT NO: 092325-9  
 GTA SAMPLE NO: 2  
 DATE SAMPLED: 9/23/2025  
 TIME SAMPLED: 10:40 AM  
 DATE RECEIVED: 9/23/2025  
 TIME RECEIVED: 3:53 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-28 CHLORIDE EPA 300.0	66	0.10	mg/L (PPM)	KC/TR	10/2/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
PROJECT NO: 2018100102.01  
LOCATION: MAPLE GROVE 6 CPF  
MI  
SAMPLED BY: FERN SEXTON/GCES

GTA PROJECT NO: 092325-9  
GTA SAMPLE NO: 3  
DATE SAMPLED: 9/23/2025  
TIME SAMPLED: 11:00 AM  
DATE RECEIVED: 9/23/2025  
TIME RECEIVED: 3:53 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-28D CHLORIDE EPA 300.0	ND	0.10	mg/L (PPM)	KC/TR	10/2/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY:	LAMBDA ENERGY RESOURCES, LLC	GTA PROJECT NO:	092325-9
PROJECT NO:	2018100102.01	GTA SAMPLE NO:	4
LOCATION:	MAPLE GROVE 6 CPF	DATE SAMPLED:	9/23/2025
		TIME SAMPLED:	11:30 AM
		DATE RECEIVED:	9/23/2025
		TIME RECEIVED:	3:53 PM
	MI		
SAMPLED BY:	FERN SEXTON/GCES		

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-29D						
	CHLORIDE EPA 300.0	13	0.10	mg/L (PPM)	KC/TR	10/2/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
 PROJECT NO: 2018100102.01  
 LOCATION: MAPLE GROVE 6 CPF  
 MI  
 SAMPLED BY: FERN SEXTON/GCES

GTA PROJECT NO: 092325-9  
 GTA SAMPLE NO: 5  
 DATE SAMPLED: 9/23/2025  
 TIME SAMPLED: 11:45 AM  
 DATE RECEIVED: 9/23/2025  
 TIME RECEIVED: 3:53 PM

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-29 CHLORIDE EPA 300.0	ND	0.10	mg/L (PPM)	KC/TR	10/2/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
 LOD = LIMIT OF DETECTION  
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC      GTA PROJECT NO: 092325-9  
PROJECT NO: 2018100102.01      GTA SAMPLE NO: 6  
LOCATION: MAPLE GROVE 6 CPF      DATE SAMPLED: 9/23/2025  
TIME SAMPLED: 1:10 PM  
DATE RECEIVED: 9/23/2025  
TIME RECEIVED: 3:53 PM

MI  
SAMPLED BY: FERN SEXTON/GCES

**SAMPLE ANALYSIS**

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-31S CHLORIDE EPA 300.0	ND	0.10	mg/L (PPM)	KC/TR	10/2/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: LAMBDA ENERGY RESOURCES, LLC      GTA PROJECT NO: 092325-9  
PROJECT NO: 2018100102.01      GTA SAMPLE NO: 7  
LOCATION: MAPLE GROVE 6 CPF      DATE SAMPLED: 9/23/2025  
TIME SAMPLED: 1:30 PM  
DATE RECEIVED: 9/23/2025  
TIME RECEIVED: 3:53 PM

MI  
SAMPLED BY: FERN SEXTON/GCES

**SAMPLE ANALYSIS**

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-31D CHLORIDE EPA 300.0	88	0.10	mg/L (PPM)	KC/TR	10/2/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: LAMBDA ENERGY RESOURCES, LLC  
PROJECT NO: 2018100102.01  
LOCATION: MAPLE GROVE 6 CPF

GTA PROJECT NO: 092325-9  
GTA SAMPLE NO: 8  
DATE SAMPLED: 9/23/2025  
TIME SAMPLED: 2:00 PM  
DATE RECEIVED: 9/23/2025  
TIME RECEIVED: 3:53 PM

MI  
SAMPLED BY: FERN SEXTON/GCES

**SAMPLE ANALYSIS**

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-20 CHLORIDE EPA 300.0	ND	0.10	mg/L (PPM)	KC/TR	10/2/2025	WATER

ND = NOT DETECTED, RESULT < LOD  
LOD = LIMIT OF DETECTION  
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**CHAIN OF CUSTODY**

PROJECT NUMBER 2018100102.01	SITE NAME/ADDRESS Maple Grove 6 CPF	COMPANY/NAME Lambda Energy Resources
SAMPLED BY Fern Sexton	COMPANY Gosling Czubak Engineering	GTA PROJECT # 092328-9

**SAMPLE INFORMATION**

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-27	9.23.25	10:15	GW	BTEX, Chloride, <del>and</del> Conductivity
2	MW-28		10:40		BTEX+4, Chloride
3	MW-28d		11:00		
4	MW-29d		11:30		
5	MW-29		11:45		
6	MW-31s		13:10		
7	MW-31d		13:30		
8	MW-20		14:00		

BILL TO: Gosling Czubak	TempRec: <input type="checkbox"/> On Ice? <input checked="" type="checkbox"/> Y <input type="checkbox"/> N 0.1°C	REPORT TO: Eric Vincke
RELEASED BY Fern Sexton Jan Sexton	DATE/TIME 9.23.25	RECEIVED BY <i>[Signature]</i> DATE/TIME 9/23/25 3:53
REQUESTED TAT <input checked="" type="checkbox"/> STANDARD <input type="checkbox"/> 1 BUSINESS DAY <input type="checkbox"/> 2 BUSINESS DAYS <input type="checkbox"/> 3 BUSINESS DAYS		