

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MICHIGAN CONSULTING &
Name: ENVIRONMENTAL
ClientProj: 65019
GTA ProjNo: 071125-12

Site Addr: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
Sampled By: IAN TEMCHIN/MCE
Date Rec: 7/11/2025
Time Rec: 12:12 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	7/8/2025	3:00 PM	WATER
2	MW-2	7/8/2025	4:20 PM	WATER
3	MW-3	7/8/2025	3:35 PM	WATER
4	MW-4	7/8/2025	12:10 PM	WATER
5	MW-5	7/8/2025	12:55 PM	WATER
6	MW-6	7/8/2025	1:30 PM	WATER
7	MW-7	7/8/2025	4:50 PM	WATER
8	MW-8	7/8/2025	11:10 AM	WATER
9	MW-9	7/8/2025	10:10 AM	WATER
10	BLANK	7/8/2025	7:00 AM	WATER
11	DUPLICATE	7/8/2025		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 1
DATE SAMPLED: 7/8/2025
TIME SAMPLED: 3:00 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER

SAMPLE ID: MW-1

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	1,600	25
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	13	1.0
s-BUTYLBENZENE	3.7	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 7/14/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	410	25
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	20	1.0
ISOPROPYLTOLUENE	2.1	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	20	1.0
NAPHTHALENE	45	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	55	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	4,100	25
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	300	25
1,3,5-TRIMETHYLBENZENE	86	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	1,800	75

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 3
DATE SAMPLED: 7/8/2025
TIME SAMPLED: 3:35 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-3

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	100
ALLYL CHLORIDE	ND	40
BENZENE	2,600	40
BROMOBENZENE	ND	4.0
BROMOCHLOROMETHANE	ND	4.0
BROMODICHLOROMETHANE	ND	4.0
BROMOFORM	ND	4.0
BROMOMETHANE	ND	4.0
n-BUTYLBENZENE	75	4.0
s-BUTYLBENZENE	22	4.0
t-BUTYLBENZENE	ND	4.0
CARBON DISULFIDE	ND	20
CARBON TETRACHLORIDE	ND	4.0
CHLOROBEZENE	ND	4.0
1-CHLOROBUTANE	ND	4.0
CHLOROFORM	ND	4.0
CHLOROETHANE	ND	4.0
CHLOROMETHANE	ND	4.0
2-CHLOROTOLUENE	ND	4.0
4-CHLOROTOLUENE	ND	4.0
DIBROMOCHLOROMETHANE	ND	4.0
DIBROMOMETHANE	ND	4.0
1,2-DIBROMOETHANE	ND	4.0
1,2-DICHLOROBEZENE	ND	4.0
1,3-DICHLOROBEZENE	ND	4.0
1,4-DICHLOROBEZENE	ND	4.0
t-1,4-DICHLORO-2-BUTENE	ND	40
DICHLORODIFLUOROMETHANE	ND	4.0
1,1-DICHLOROETHANE	ND	4.0
1,2-DICHLOROETHANE	ND	4.0
1,1-DICHLOROETHENE	ND	4.0
cis-1,2-DICHLOROETHENE	ND	4.0
trans-1,2-DICHLOROETHENE	ND	4.0
1,2-DICHLOROPROPANE	ND	4.0
1,3-DICHLOROPROPANE	ND	4.0
2,2-DICHLOROPROPANE	ND	4.0
1,1-DICHLOROPROPENE	ND	4.0

Date Completed= 7/15/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	4.0
trans-1,3-DICHLOROPROPENE	ND	4.0
DIETHYL ETHER	ND	40
ETHYLBENZENE	1,100	40
ETHYL METHACRYLATE	ND	40
HEXACHLOROBUTADIENE	ND	4.0
HEXACHLOROETHANE	ND	40
2-HEXANONE	ND	40
IDOMETHANE	ND	40
ISOPROPYLBENZENE	84	4.0
ISOPROPYLTOLUENE	12	4.0
METHYL ACRYLATE	ND	40
METHYL ETHYL KETONE	ND	40
METHYL-t-BUTYL ETHER	ND	4.0
METHYLENE CHLORIDE	ND	4.0
METHYL METHACRYLATE	ND	40
MIBK	ND	40
2-METHYLNAPHTHALENE	130	4.0
NAPHTHALENE	190	4.0
PENTACHLOROETHANE	ND	40
n-PROPYLBENZENE	250	4.0
STYRENE	ND	4.0
1,1,1,2-TETRACHLOROETHANE	ND	4.0
1,1,2,2-TETRACHLOROETHANE	ND	4.0
TETRACHLOROETHENE	ND	4.0
TOLUENE	9,600	40
1,2,3-TRICHLOROBEZENE	ND	4.0
1,2,4-TRICHLOROBEZENE	ND	4.0
1,1,1-TRICHLOROETHANE	ND	4.0
1,1,2-TRICHLOROETHANE	ND	4.0
TRICHLOROETHENE	ND	4.0
TRICHLORFLUOROMETHANE	ND	4.0
1,2,3-TRICHLOROPROPANE	ND	4.0
1,2,4-TRIMETHYLBENZENE	1,200	40
1,3,5-TRIMETHYLBENZENE	320	40
VINYL CHLORIDE	ND	4.0
XYLENE (TOTAL)	5,600	120

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 4
DATE SAMPLED: 7/8/2025
TIME SAMPLED: 12:10 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-4

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	200
ALLYL CHLORIDE	ND	50
BENZENE	4,200	50
BROMOBENZENE	ND	5.0
BROMOCHLOROMETHANE	ND	5.0
BROMODICHLOROMETHANE	ND	5.0
BROMOFORM	ND	5.0
BROMOMETHANE	ND	5.0
n-BUTYLBENZENE	20	5.0
s-BUTYLBENZENE	7.0	5.0
t-BUTYLBENZENE	ND	5.0
CARBON DISULFIDE	ND	25
CARBON TETRACHLORIDE	ND	5.0
CHLOROBEZENE	ND	5.0
1-CHLOROBUTANE	ND	5.0
CHLOROFORM	ND	5.0
CHLOROETHANE	ND	5.0
CHLOROMETHANE	ND	5.0
2-CHLOROTOLUENE	ND	5.0
4-CHLOROTOLUENE	ND	5.0
DIBROMOCHLOROMETHANE	ND	5.0
DIBROMOMETHANE	ND	5.0
1,2-DIBROMOETHANE	ND	5.0
1,2-DICHLOROBEZENE	ND	5.0
1,3-DICHLOROBEZENE	ND	5.0
1,4-DICHLOROBEZENE	ND	5.0
t-1,4-DICHLORO-2-BUTENE	ND	50
DICHLORODIFLUOROMETHANE	ND	5.0
1,1-DICHLOROETHANE	ND	5.0
1,2-DICHLOROETHANE	ND	5.0
1,1-DICHLOROETHENE	ND	5.0
cis-1,2-DICHLOROETHENE	ND	5.0
trans-1,2-DICHLOROETHENE	ND	5.0
1,2-DICHLOROPROPANE	ND	5.0
1,3-DICHLOROPROPANE	ND	5.0
2,2-DICHLOROPROPANE	ND	5.0
1,1-DICHLOROPROPENE	ND	5.0

Date Completed= 7/14/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	5.0
trans-1,3-DICHLOROPROPENE	ND	5.0
DIETHYL ETHER	ND	50
ETHYLBENZENE	3,800	50
ETHYL METHACRYLATE	ND	50
HEXACHLOROBUTADIENE	ND	5.0
HEXACHLOROETHANE	ND	50
2-HEXANONE	ND	50
IDOMETHANE	ND	50
ISOPROPYLBENZENE	62	5.0
ISOPROPYLTOLUENE	ND	5.0
METHYL ACRYLATE	ND	50
METHYL ETHYL KETONE	ND	50
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	5.0
METHYL METHACRYLATE	ND	50
MIBK	ND	50
2-METHYLNAPHTHALENE	79	5.0
NAPHTHALENE	190	5.0
PENTACHLOROETHANE	ND	50
n-PROPYLBENZENE	140	5.0
STYRENE	ND	5.0
1,1,1,2-TETRACHLOROETHANE	ND	5.0
1,1,2,2-TETRACHLOROETHANE	ND	5.0
TETRACHLOROETHENE	ND	5.0
TOLUENE	10,000	50
1,2,3-TRICHLOROBEZENE	ND	5.0
1,2,4-TRICHLOROBEZENE	ND	5.0
1,1,1-TRICHLOROETHANE	ND	5.0
1,1,2-TRICHLOROETHANE	ND	5.0
TRICHLOROETHENE	ND	5.0
TRICHLORFLUOROMETHANE	ND	5.0
1,2,3-TRICHLOROPROPANE	ND	5.0
1,2,4-TRIMETHYLBENZENE	1,100	50
1,3,5-TRIMETHYLBENZENE	200	5.0
VINYL CHLORIDE	ND	5.0
XYLENE (TOTAL)	5,500	150

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 5
DATE SAMPLED: 7/8/2025
TIME SAMPLED: 12:55 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-5

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	550	10
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 7/15/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	600	10
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	25	1.0
NAPHTHALENE	66	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	380	10
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	480	10
1,3,5-TRIMETHYLBENZENE	130	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	1,500	30

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 6
DATE SAMPLED: 7/8/2025
TIME SAMPLED: 1:30 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-6

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	16	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 7/15/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	16	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	1.5	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	5.7	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	2.5	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	2.4	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	7.0	1.0
1,3,5-TRIMETHYLBENZENE	3.7	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	18	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 7
DATE SAMPLED: 7/8/2025
TIME SAMPLED: 4:50 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-7

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	14,000	50
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	7.9	1.0
s-BUTYLBENZENE	3.2	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 7/15/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	1,700	50
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	53	1.0
ISOPROPYLTOLUENE	3.1	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	8.6	1.0
NAPHTHALENE	220	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	120	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	24,000	50
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	810	50
1,3,5-TRIMETHYLBENZENE	220	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	7,400	150

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 8
DATE SAMPLED: 7/8/2025
TIME SAMPLED: 11:10 AM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-8

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	910	20
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	9.1	1.0
s-BUTYLBENZENE	3.6	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBENZENE	ND	1.0
1,3-DICHLOROBENZENE	ND	1.0
1,4-DICHLOROBENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 7/15/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	950	20
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	46	1.0
ISOPROPYLTOLUENE	2.3	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	19	1.0
NAPHTHALENE	91	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	85	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	1,400	20
1,2,3-TRICHLOROBENZENE	ND	1.0
1,2,4-TRICHLOROBENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	430	20
1,3,5-TRIMETHYLBENZENE	160	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	1,400	60

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 9
DATE SAMPLED: 7/8/2025
TIME SAMPLED: 10:10 AM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER
SAMPLE ID: MW-9

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROBEZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROBEZENE	ND	1.0
1,3-DICHLOROBEZENE	ND	1.0
1,4-DICHLOROBEZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 7/14/2025 Prep Method=EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROBEZENE	ND	1.0
1,2,4-TRICHLOROBEZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 10
DATE SAMPLED: 7/8/2025
TIME SAMPLED: 7:00 AM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER

SAMPLE ID: BLANK

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLORO BENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLORO BENZENE	ND	1.0
1,3-DICHLORO BENZENE	ND	1.0
1,4-DICHLORO BENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Date Completed= 7/14/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLORO BENZENE	ND	1.0
1,2,4-TRICHLORO BENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
PROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12
GTA SAMPLE NO: 11
DATE SAMPLED: 7/8/2025
TIME SAMPLED:
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER
SAMPLE ID: DUPLICATE

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted=

Analyte	Concentration	LOD
ACETONE	ND	200
ALLYL CHLORIDE	ND	50
BENZENE	3,300	50
BROMOBENZENE	ND	5.0
BROMOCHLOROMETHANE	ND	5.0
BROMODICHLOROMETHANE	ND	5.0
BROMOFORM	ND	5.0
BROMOMETHANE	ND	5.0
n-BUTYLBENZENE	31	5.0
s-BUTYLBENZENE	9.3	5.0
t-BUTYLBENZENE	ND	5.0
CARBON DISULFIDE	ND	25
CARBON TETRACHLORIDE	ND	5.0
CHLORO BENZENE	ND	5.0
1-CHLOROBUTANE	ND	5.0
CHLOROFORM	ND	5.0
CHLOROETHANE	ND	5.0
CHLOROMETHANE	ND	5.0
2-CHLOROTOLUENE	ND	5.0
4-CHLOROTOLUENE	ND	5.0
DIBROMOCHLOROMETHANE	ND	5.0
DIBROMOMETHANE	ND	5.0
1,2-DIBROMOETHANE	ND	5.0
1,2-DICHLORO BENZENE	ND	5.0
1,3-DICHLORO BENZENE	ND	5.0
1,4-DICHLORO BENZENE	ND	5.0
t-1,4-DICHLORO-2-BUTENE	ND	50
DICHLORODIFLUOROMETHANE	ND	5.0
1,1-DICHLOROETHANE	ND	5.0
1,2-DICHLOROETHANE	ND	5.0
1,1-DICHLOROETHENE	ND	5.0
cis-1,2-DICHLOROETHENE	ND	5.0
trans-1,2-DICHLOROETHENE	ND	5.0
1,2-DICHLOROPROPANE	ND	5.0
1,3-DICHLOROPROPANE	ND	5.0
2,2-DICHLOROPROPANE	ND	5.0
1,1-DICHLOROPROPENE	ND	5.0

Date Completed= 7/14/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	5.0
trans-1,3-DICHLOROPROPENE	ND	5.0
DIETHYL ETHER	ND	50
ETHYLBENZENE	1,200	50
ETHYL METHACRYLATE	ND	50
HEXACHLOROBUTADIENE	ND	5.0
HEXACHLOROETHANE	ND	50
2-HEXANONE	ND	50
IDOMETHANE	ND	50
ISOPROPYLBENZENE	72	5.0
ISOPROPYLTOLUENE	5.8	5.0
METHYL ACRYLATE	ND	50
METHYL ETHYL KETONE	ND	50
METHYL-t-BUTYL ETHER	ND	5.0
METHYLENE CHLORIDE	ND	5.0
METHYL METHACRYLATE	ND	50
MIBK	ND	50
2-METHYLNAPHTHALENE	91	5.0
NAPHTHALENE	200	5.0
PENTACHLOROETHANE	ND	50
n-PROPYLBENZENE	180	5.0
STYRENE	ND	5.0
1,1,1,2-TETRACHLOROETHANE	ND	5.0
1,1,2,2-TETRACHLOROETHANE	ND	5.0
TETRACHLOROETHENE	ND	5.0
TOLUENE	8,100	50
1,2,3-TRICHLORO BENZENE	ND	5.0
1,2,4-TRICHLORO BENZENE	ND	5.0
1,1,1-TRICHLOROETHANE	ND	5.0
1,1,2-TRICHLOROETHANE	ND	5.0
TRICHLOROETHENE	ND	5.0
TRICHLORFLUOROMETHANE	ND	5.0
1,2,3-TRICHLOROPROPANE	ND	5.0
1,2,4-TRIMETHYLBENZENE	950	50
1,3,5-TRIMETHYLBENZENE	260	5.0
VINYL CHLORIDE	ND	5.0
XYLENE (TOTAL)	4,600	150

ND = NOT DETECTED, RESULT IS <LOD.
LOD = LIMIT OF DETECTION.

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 1

DATE SAMPLED: 7/8/2025

TIME SAMPLED: 3:00 PM

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-1							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		9.7	1.0	ug/L (PPB)	MR		7/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 3

DATE SAMPLED: 7/8/2025

TIME SAMPLED: 3:35 PM

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-3							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		64	4.0	ug/L (PPB)	MR		7/15/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 4

DATE SAMPLED: 7/8/2025

TIME SAMPLED: 12:10 PM

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-4							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		41	5.0	ug/L (PPB)	MR		7/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 5

DATE SAMPLED: 7/8/2025

TIME SAMPLED: 12:55 PM

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-5							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		14	1.0	ug/L (PPB)	MR		7/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 6

DATE SAMPLED: 7/8/2025

TIME SAMPLED: 1:30 PM

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-6							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		7/15/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 7

DATE SAMPLED: 7/8/2025

TIME SAMPLED: 4:50 PM

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-7							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		6.2	1.0	ug/L (PPB)	MR		7/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 8

DATE SAMPLED: 7/8/2025

TIME SAMPLED: 11:10 AM

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-8							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		12	1.0	ug/L (PPB)	MR		7/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 9

DATE SAMPLED: 7/8/2025

TIME SAMPLED: 10:10 AM

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	MW-9							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		7/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 10

DATE SAMPLED: 7/8/2025

TIME SAMPLED: 7:00 AM

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	BLANK							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		7/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTAL

NAME:

PROJECT NO: 65019

LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 11

DATE SAMPLED: 7/8/2025

TIME SAMPLED:

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	DUPLICATE							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		51	5.0	ug/L (PPB)	MR		7/14/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

SAMPLE ID: MW-1

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 1

DATE SAMPLED: 7/8/2025
TIME SAMPLED: 3:00 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM
SAMPLE MATRIX: WATER**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
LEAD DISSOLVED EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A
LEAD TOTAL EPA 6020A	0.056	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

SAMPLE ID: MW-2

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 2

DATE SAMPLED: 7/8/2025
TIME SAMPLED: 4:20 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM
SAMPLE MATRIX: WATER**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
LEAD DISSOLVED EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A
LEAD TOTAL EPA 6020A	0.088	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

SAMPLE ID: MW-3

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 3

DATE SAMPLED: 7/8/2025
TIME SAMPLED: 3:35 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM
SAMPLE MATRIX: WATER**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
LEAD DISSOLVED EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A
LEAD TOTAL EPA 6020A	0.048	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

SAMPLE ID: MW-4

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 4

DATE SAMPLED: 7/8/2025
TIME SAMPLED: 12:10 PMDATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
LEAD DISSOLVED EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A
LEAD TOTAL EPA 6020A	0.012	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

SAMPLE ID: MW-5

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 5

DATE SAMPLED: 7/8/2025
TIME SAMPLED: 12:55 PMDATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
LEAD DISSOLVED EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A
LEAD TOTAL EPA 6020A	0.011	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

SAMPLE ID: MW-6

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 6

DATE SAMPLED: 7/8/2025
TIME SAMPLED: 1:30 PM
DATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM
SAMPLE MATRIX: WATER**METALS**

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
LEAD DISSOLVED EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A
LEAD TOTAL EPA 6020A	0.057	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

SAMPLE ID: MW-8

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 8

DATE SAMPLED: 7/8/2025
TIME SAMPLED: 11:10 AMDATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
LEAD DISSOLVED EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A
LEAD TOTAL EPA 6020A	0.045	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

SAMPLE ID: MW-9

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 9

DATE SAMPLED: 7/8/2025
TIME SAMPLED: 10:10 AMDATE RECEIVED: 7/11/2025
TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER

METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
LEAD DISSOLVED EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A
LEAD TOTAL EPA 6020A	0.046	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION

DISS = DISSOLVED

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING &
ENVIRONMENTALPROJECT NO: 65019
LOCATION: ARBYS EXPRESS #25332
3249 LINCOLN WAY WEST
SOUTH BEND
IN

SAMPLED BY: IAN TEMCHIN/MCE

SAMPLE ID: DUPLICATE

GTA PROJECT NO: 071125-12

GTA SAMPLE NO: 11

DATE SAMPLED: 7/8/2025

TIME SAMPLED:

DATE RECEIVED: 7/11/2025

TIME RECEIVED: 12:12 PM

SAMPLE MATRIX: WATER


METALS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Digestion Method</u>
LEAD DISSOLVED EPA 6020A	ND	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A
LEAD TOTAL EPA 6020A	0.014	0.0010	mg/L (PPM)	MR	7/15/2025	EPA 3005A

ND = NOT DETECTED, RESULT < LOD

LOD = LIMIT OF DETECTION

DISS = DISSOLVED



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

FULL QA/QC REPORT REQUIRED!

CHAIN OF CUSTODY

PROJECT NUMBER MCE #65019	SITE NAME/ADDRESS Arby's Express #25332 / 3249 Lincoln Way West, S. Bend, IN 46628	COMPANY/NAME MCE
SAMPLED BY Ian Temchin, Junior Project Manager	COMPANY MCE	GTA PROJECT # 071125-12

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	2025-07-08	15:00	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN, Total Lead, Dissolved Lead (field filtered)
2	MW-2	2025-07-08	16:20	Aqueous	Total Lead, Dissolved Lead (field filtered)
3	MW-3	2025-07-08	15:35	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN, Total Lead, Dissolved Lead (field filtered)
4	MW-4	2025-07-08	12:10	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN, Total Lead, Dissolved Lead (field filtered)
5	MW-5	2025-07-08	12:55	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN, Total Lead, Dissolved Lead (field filtered)
6	MW-6	2025-07-08	13:30	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN, Total Lead, Dissolved Lead (field filtered)
7	MW-7	2025-07-08	16:50	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN
8	MW-8	2025-07-08	11:10	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN, Total Lead, Dissolved Lead (field filtered)
9	MW-9	2025-07-08	10:10	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN, Total Lead, Dissolved Lead (field filtered)
10	BLANK	2025-07-08	07:00	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN
11	DUPLICATE	2025-07-08	---	Aqueous	VOCs, Naphthalene, 1-MN, 2-MN, Total Lead, Dissolved Lead (field filtered)

BILL TO:

Michigan Consulting & Environmental (MCE)
2748 Garfield Road, Suite #10
Traverse City, MI 49686

REPORT TO:

John Veldhuis: jveldhuis@michenv.com
Bobby Glasser: bglasser@michenv.com
Full QA/QC report required!

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Ian Temchin (MCE)	8 July 2025 / 18:45	Placed into cold storage at MCE Kzoo Office	8 July 2025 / 18:45
Ian Temchin (MCE)	10 July 2025 1145	Packed on ice, shipped via UPS Ground to GTA 7/10/2025 1145	
		Alphas 7/10/25 12:12 rec 4.0°C cooler	
REQUESTED TAT ☒ STANDARD ☐ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS			