



**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

[www.gtanalytical.com](http://www.gtanalytical.com)

Company: R.E.M.  
Name:  
ClientProj:

Site Addr: BROAD ANTRIM

GTA ProjNo: 012825-2

Sampled By: LMH-J/ECT  
Date Rec: 1/28/2025  
Time Rec: 8:15 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-3	1/27/2025		WATER
2	MW-4	1/27/2025		WATER
3	MW-5	1/27/2025		WATER
4	MW-6	1/27/2025		WATER
5	MW-7	1/27/2025		WATER
6	MW-8	1/27/2025		WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

*Kirk Chase*

Kirk L. Chase/Chemist  
Grand Traverse Analytical  
830 Robinwood Court  
Traverse City, MI 49686  
Ph: 231-929-0905  
Fx: 231-929-0894  
SP: 231-590-0291  
[kirk@gtanalytical.com](mailto:kirk@gtanalytical.com)













