



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: MICHIGAN CONSULTING &
Name: ENVIRONMENTAL
ClientProj: 65040
GTA ProjNo: 031225-3

Site Addr: GPM #21569
3760 N. FRANKLIN RD
INDIANAPOLIS
Sampled By: BOBBY GLASSER/MCE
Date Rec: 3/12/2025
Time Rec: 12:00 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	SB-1 2-3'	3/10/2025	10:20 AM	SOIL
2	SB-1 7-8'	3/10/2025	10:25 AM	SOIL
3	SB-1 19-20'	3/10/2025	10:35 AM	SOIL
4	SB-2 10-11'	3/10/2025	11:40 AM	SOIL
5	SB-2 15-16'	3/10/2025	11:55 AM	SOIL
6	SB-3 11-12'	3/10/2025	12:45 PM	SOIL
7	SB-3 17-18'	3/10/2025	12:55 PM	SOIL
8	DUPLICATE (SOIL)	3/10/2025		SOIL
9	TW-1	3/10/2025	1:30 PM	WATER
10	TW-2	3/10/2025	1:50 PM	WATER
11	TW-3	3/10/2025	2:25 PM	WATER
12	DUPLICATE (H2o)	3/10/2025		WATER
13	BLANK	3/9/2025	3:00 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: SOIL
 SAMPLE ID: SB-1 2-3'

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 1
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 10:20 AM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/10/2025 Date Completed= 3/14/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	28,000	500	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	83,000	500
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROETHANE	ND	250
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	6,300	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	2,000	50	ISOPROPYLBENZENE	7,500	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	990	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	3,200	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	3,600	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	26,000	500
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROENZENE	ND	50	TOLUENE	390,000	500
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	140,000	500
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	43,000	500
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	470,000	1,500

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: SOIL
 SAMPLE ID: SB-1 7-8'

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 2
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 10:25 AM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/10/2025 Date Completed= 3/19/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	2,200	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	46,000	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	5,500	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	1,400	50	ISOPROPYLBENZENE	4,300	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	850	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	4,000	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	3,900	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	18,000	500
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROENZENE	ND	50	TOLUENE	140,000	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	89,000	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	29,000	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	280,000	150

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: SOIL
 SAMPLE ID: SB-1 19-20'

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 3
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 10:35 AM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/10/2025 Date Completed= 3/19/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: SOIL
 SAMPLE ID: SB-2 10-11'

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 4
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 11:40 AM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/10/2025 Date Completed= 3/19/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: SOIL
 SAMPLE ID: SB-2 15-16'

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 5
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 11:55 AM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/10/2025 Date Completed= 3/19/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: SOIL
 SAMPLE ID: SB-3 11-12'

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 6
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 12:45 PM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/10/2025 Date Completed= 3/14/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: SOIL
 SAMPLE ID: SB-3 17-18'

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 7
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 12:55 PM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/10/2025 Date Completed= 3/14/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	ND	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	ND	50
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	ND	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	ND	50	ISOPROPYLBENZENE	ND	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	ND	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	ND	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	ND	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	ND	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROENZENE	ND	50	TOLUENE	ND	50
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	ND	50
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	ND	50
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	ND	150

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: SOIL
 SAMPLE ID: DUPLICATE (SOIL)

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 8
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED:
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/Kg (PPB) Analyst= MR Date Extracted= 3/10/2025 Date Completed= 3/14/2025 Prep Method= EPA 5035A

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	1,000	cis-1,3-	ND	50
ALLYL CHLORIDE	ND	250	trans-1,3-DICHLOROPROPENE	ND	50
BENZENE	4,000	50	DIETHYL ETHER	ND	200
BROMOBENZENE	ND	100	ETHYLBENZENE	29,000	500
BROMOCHLOROMETHANE	ND	100	ETHYL METHACRYLATE	ND	250
BROMODICHLOROMETHANE	ND	50	HEXACHLOROBUTADIENE	ND	50
BROMOFORM	ND	100	HEXACHLOROETHANE	ND	250
BROMOMETHANE	ND	200	2-HEXANONE	ND	2,500
n-BUTYLBENZENE	3,200	50	IDOMETHANE	ND	250
s-BUTYLBENZENE	760	50	ISOPROPYLBENZENE	2,000	50
t-BUTYLBENZENE	ND	50	ISOPROPYLTOLUENE	410	50
CARBON DISULFIDE	ND	250	METHYL ACRYLATE	ND	250
CARBON TETRACHLORIDE	ND	50	METHYL ETHYL KETONE	ND	750
CHLOROENZENE	ND	50	METHYL-t-BUTYL ETHER	ND	50
1-CHLOROBUTANE	ND	100	METHYLENE CHLORIDE	ND	100
CHLOROFORM	ND	50	METHYL METHACRYLATE	ND	250
CHLOROETHANE	ND	250	MIBK	ND	2,500
CHLOROMETHANE	ND	250	2-METHYLNAPHTHALENE	4,000	50
2-CHLOROTOLUENE	ND	50	NAPHTHALENE	4,000	50
4-CHLOROTOLUENE	ND	50	PENTACHLOROETHANE	ND	250
DIBROMOCHLOROMETHANE	ND	100	n-PROPYLBENZENE	7,400	50
DIBROMOMETHANE	ND	250	STYRENE	ND	50
1,2-DIBROMOETHANE	ND	20	1,1,1,2-TETRACHLOROETHANE	ND	100
1,2-DICHLOROENZENE	ND	50	1,1,2,2-TETRACHLOROETHANE	ND	50
1,3-DICHLOROENZENE	ND	50	TETRACHLOROETHENE	ND	50
1,4-DICHLOROENZENE	ND	50	TOLUENE	110,000	500
t-1,4-DICHLORO-2-BUTENE	ND	50	1,2,3-TRICHLOROENZENE	ND	50
DICHLORODIFLUOROMETHANE	ND	250	1,2,4-TRICHLOROENZENE	ND	250
1,1-DICHLOROETHANE	ND	50	1,1,1-TRICHLOROETHANE	ND	50
1,2-DICHLOROETHANE	ND	50	1,1,2-TRICHLOROETHANE	ND	50
1,1-DICHLOROETHENE	ND	50	TRICHLOROETHENE	ND	50
cis-1,2-DICHLOROETHENE	ND	50	TRICHLORFLUOROMETHANE	ND	100
trans-1,2-DICHLOROETHENE	ND	50	1,2,3-TRICHLOROPROPANE	ND	100
1,2-DICHLOROPROPANE	ND	50	1,2,4-TRIMETHYLBENZENE	42,000	500
1,3-DICHLOROPROPANE	ND	50	1,3,5-TRIMETHYLBENZENE	20,000	500
2,2-DICHLOROPROPANE	ND	50	VINYL CHLORIDE	ND	40
1,1-DICHLOROPROPENE	ND	50	XYLENE (TOTAL)	180,000	1,500

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: WATER
 SAMPLE ID: TW-1

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 9
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 1:30 PM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) **Analyst=** MR **Date Extracted=** **Date Completed=** 3/13/2025 **Prep Method=** EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	570	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	100	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	1.2	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	3.7	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	2.0	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	6.2	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	1,800	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	29	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	8.4	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	540	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL

PROJECT NO: 65040

LOCATION: GPM #21569
3760 N. FRANKLIN RD

SAMPLED BY: INDIANAPOLIS
BOBBY GLASSER/MCE

SAMPLE MATRIX: WATER

SAMPLE ID: TW-2

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB)

Analyst= MR

Date Extracted=

GTA PROJECT NO: 031225-3

GTA SAMPLE NO: 10

DATE SAMPLED: 3/10/2025

TIME SAMPLED: 1:50 PM

DATE RECEIVED: 3/12/2025

TIME RECEIVED: 12:00 PM

Date Completed= 3/13/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	ND	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	ND	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	ND	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	ND	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	ND	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	ND	1.0
1,2,3-TRICHLOROENZENE	ND	1.0
1,2,4-TRICHLOROENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3,5-TRIMETHYLBENZENE	ND	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.

LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: WATER
 SAMPLE ID: TW-3

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 11
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 2:25 PM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted= Date Completed= 3/13/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: WATER
 SAMPLE ID: DUPLICATE (H20)

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 12
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED:
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) **Analyst=** MR **Date Extracted=**

Date Completed= 3/13/2025 **Prep Method=** EPA 5030B

Analyte	Concentration	LOD
ACETONE	ND	25
ALLYL CHLORIDE	ND	10
BENZENE	340	1.0
BROMOBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0
BROMODICHLOROMETHANE	ND	1.0
BROMOFORM	ND	1.0
BROMOMETHANE	ND	1.0
n-BUTYLBENZENE	ND	1.0
s-BUTYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0
CARBON DISULFIDE	ND	5.0
CARBON TETRACHLORIDE	ND	1.0
CHLOROENZENE	ND	1.0
1-CHLOROBUTANE	ND	1.0
CHLOROFORM	ND	1.0
CHLOROETHANE	ND	1.0
CHLOROMETHANE	ND	1.0
2-CHLOROTOLUENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0
DIBROMOCHLOROMETHANE	ND	1.0
DIBROMOMETHANE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10
DICHLORODIFLUOROMETHANE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0

Analyte	Concentration	LOD
cis-1,3-DICHLOROPROPENE	ND	1.0
trans-1,3-DICHLOROPROPENE	ND	1.0
DIETHYL ETHER	ND	10
ETHYLBENZENE	72	1.0
ETHYL METHACRYLATE	ND	10
HEXACHLOROBUTADIENE	ND	1.0
HEXACHLOROETHANE	ND	10
2-HEXANONE	ND	10
IDOMETHANE	ND	10
ISOPROPYLBENZENE	3.0	1.0
ISOPROPYLTOLUENE	ND	1.0
METHYL ACRYLATE	ND	10
METHYL ETHYL KETONE	ND	10
METHYL-t-BUTYL ETHER	ND	1.0
METHYLENE CHLORIDE	ND	1.0
METHYL METHACRYLATE	ND	10
MIBK	ND	10
2-METHYLNAPHTHALENE	ND	1.0
NAPHTHALENE	2.3	1.0
PENTACHLOROETHANE	ND	10
n-PROPYLBENZENE	4.8	1.0
STYRENE	ND	1.0
1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,1,2,2-TETRACHLOROETHANE	ND	1.0
TETRACHLOROETHENE	ND	1.0
TOLUENE	1,200	1.0
1,2,3-TRICHLOROENZENE	ND	1.0
1,2,4-TRICHLOROENZENE	ND	1.0
1,1,1-TRICHLOROETHANE	ND	1.0
1,1,2-TRICHLOROETHANE	ND	1.0
TRICHLOROETHENE	ND	1.0
TRICHLORFLUOROMETHANE	ND	1.0
1,2,3-TRICHLOROPROPANE	ND	1.0
1,2,4-TRIMETHYLBENZENE	23	1.0
1,3,5-TRIMETHYLBENZENE	8.2	1.0
VINYL CHLORIDE	ND	1.0
XYLENE (TOTAL)	380	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 SAMPLED BY: BOBBY GLASSER/MCE
 SAMPLE MATRIX: WATER
 SAMPLE ID: BLANK

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 13
 DATE SAMPLED: 3/9/2025
 TIME SAMPLED: 3:00 PM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

EPA 8260B VOLATILE ORGANICS

Units= ug/L (PPB) Analyst= MR Date Extracted= Date Completed= 3/13/2025 Prep Method= EPA 5030B

Analyte	Concentration	LOD	Analyte	Concentration	LOD
ACETONE	ND	25	cis-1,3-DICHLOROPROPENE	ND	1.0
ALLYL CHLORIDE	ND	10	trans-1,3-DICHLOROPROPENE	ND	1.0
BENZENE	ND	1.0	DIETHYL ETHER	ND	10
BROMOBENZENE	ND	1.0	ETHYLBENZENE	ND	1.0
BROMOCHLOROMETHANE	ND	1.0	ETHYL METHACRYLATE	ND	10
BROMODICHLOROMETHANE	ND	1.0	HEXACHLOROBUTADIENE	ND	1.0
BROMOFORM	ND	1.0	HEXACHLOROETHANE	ND	10
BROMOMETHANE	ND	1.0	2-HEXANONE	ND	10
n-BUTYLBENZENE	ND	1.0	IDOMETHANE	ND	10
s-BUTYLBENZENE	ND	1.0	ISOPROPYLBENZENE	ND	1.0
t-BUTYLBENZENE	ND	1.0	ISOPROPYLTOLUENE	ND	1.0
CARBON DISULFIDE	ND	5.0	METHYL ACRYLATE	ND	10
CARBON TETRACHLORIDE	ND	1.0	METHYL ETHYL KETONE	ND	10
CHLOROENZENE	ND	1.0	METHYL-t-BUTYL ETHER	ND	1.0
1-CHLOROBUTANE	ND	1.0	METHYLENE CHLORIDE	ND	1.0
CHLOROFORM	ND	1.0	METHYL METHACRYLATE	ND	10
CHLOROETHANE	ND	1.0	MIBK	ND	10
CHLOROMETHANE	ND	1.0	2-METHYLNAPHTHALENE	ND	1.0
2-CHLOROTOLUENE	ND	1.0	NAPHTHALENE	ND	1.0
4-CHLOROTOLUENE	ND	1.0	PENTACHLOROETHANE	ND	10
DIBROMOCHLOROMETHANE	ND	1.0	n-PROPYLBENZENE	ND	1.0
DIBROMOMETHANE	ND	1.0	STYRENE	ND	1.0
1,2-DIBROMOETHANE	ND	1.0	1,1,1,2-TETRACHLOROETHANE	ND	1.0
1,2-DICHLOROENZENE	ND	1.0	1,1,2,2-TETRACHLOROETHANE	ND	1.0
1,3-DICHLOROENZENE	ND	1.0	TETRACHLOROETHENE	ND	1.0
1,4-DICHLOROENZENE	ND	1.0	TOLUENE	ND	1.0
t-1,4-DICHLORO-2-BUTENE	ND	10	1,2,3-TRICHLOROENZENE	ND	1.0
DICHLORODIFLUOROMETHANE	ND	1.0	1,2,4-TRICHLOROENZENE	ND	1.0
1,1-DICHLOROETHANE	ND	1.0	1,1,1-TRICHLOROETHANE	ND	1.0
1,2-DICHLOROETHANE	ND	1.0	1,1,2-TRICHLOROETHANE	ND	1.0
1,1-DICHLOROETHENE	ND	1.0	TRICHLOROETHENE	ND	1.0
cis-1,2-DICHLOROETHENE	ND	1.0	TRICHLORFLUOROMETHANE	ND	1.0
trans-1,2-DICHLOROETHENE	ND	1.0	1,2,3-TRICHLOROPROPANE	ND	1.0
1,2-DICHLOROPROPANE	ND	1.0	1,2,4-TRIMETHYLBENZENE	ND	1.0
1,3-DICHLOROPROPANE	ND	1.0	1,3,5-TRIMETHYLBENZENE	ND	1.0
2,2-DICHLOROPROPANE	ND	1.0	VINYL CHLORIDE	ND	1.0
1,1-DICHLOROPROPENE	ND	1.0	XYLENE (TOTAL)	ND	3.0

ND = NOT DETECTED, RESULT IS <LOD.
 LOD = LIMIT OF DETECTION.



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	031225-3
NAME:		GTA SAMPLE NO:	1
PROJECT NO:	65040	DATE SAMPLED:	3/10/2025
LOCATION:	GPM #21569	TIME SAMPLED:	10:20 AM
	3760 N. FRANKLIN RD	DATE RECEIVED:	3/12/2025
	INDIANAPOLIS	TIME RECEIVED:	12:00 PM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SB-1 2-3'							
SAMPLE MATRIX:	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		1,600	50	ug/Kg (PPB)	MR	3/10/2025	3/14/2025	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	031225-3
NAME:		GTA SAMPLE NO:	2
PROJECT NO:	65040	DATE SAMPLED:	3/10/2025
LOCATION:	GPM #21569	TIME SAMPLED:	10:25 AM
	3760 N. FRANKLIN RD	DATE RECEIVED:	3/12/2025
	INDIANAPOLIS	TIME RECEIVED:	12:00 PM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SB-1 7-8'							
SAMPLE MATRIX:	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		2,200	50	ug/Kg (PPB)	MR	3/10/2025	3/19/2025	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 NAME:
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 IN
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 3
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 10:35 AM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SB-1 19-20'							
SAMPLE MATRIX:	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	3/10/2025	3/19/2025	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	031225-3
NAME:		GTA SAMPLE NO:	4
PROJECT NO:	65040	DATE SAMPLED:	3/10/2025
LOCATION:	GPM #21569	TIME SAMPLED:	11:40 AM
	3760 N. FRANKLIN RD	DATE RECEIVED:	3/12/2025
	INDIANAPOLIS	TIME RECEIVED:	12:00 PM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SB-2 10-11'							
SAMPLE MATRIX:	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	3/10/2025	3/19/2025	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 NAME:
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 IN
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 5
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 11:55 AM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SB-2 15-16'							
SAMPLE MATRIX:	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	3/10/2025	3/19/2025	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	031225-3
NAME:		GTA SAMPLE NO:	6
PROJECT NO:	65040	DATE SAMPLED:	3/10/2025
LOCATION:	GPM #21569	TIME SAMPLED:	12:45 PM
	3760 N. FRANKLIN RD	DATE RECEIVED:	3/12/2025
	INDIANAPOLIS	TIME RECEIVED:	12:00 PM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SB-3 11-12'							
SAMPLE MATRIX:	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	3/10/2025	3/14/2025	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 NAME:
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 IN
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 7
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 12:55 PM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	SB-3 17-18'							
SAMPLE MATRIX:	SOIL							
1-METHYLNAPHTHALENE EPA 8260B		ND	50	ug/Kg (PPB)	MR	3/10/2025	3/14/2025	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 NAME:
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 IN
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 8
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED:
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID: DUPLICATE (SOIL)								
SAMPLE MATRIX: SOIL								
1-METHYLNAPHTHALENE EPA 8260B		2,100	50	ug/Kg (PPB)	MR	3/10/2025	3/14/2025	EPA 5035A

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 NAME:
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 IN
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 9
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED: 1:30 PM
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	TW-1							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/13/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	031225-3
NAME:		GTA SAMPLE NO:	10
PROJECT NO:	65040	DATE SAMPLED:	3/10/2025
LOCATION:	GPM #21569	TIME SAMPLED:	1:50 PM
	3760 N. FRANKLIN RD	DATE RECEIVED:	3/12/2025
	INDIANAPOLIS	TIME RECEIVED:	12:00 PM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	TW-2							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/13/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	031225-3
NAME:		GTA SAMPLE NO:	11
PROJECT NO:	65040	DATE SAMPLED:	3/10/2025
LOCATION:	GPM #21569	TIME SAMPLED:	2:25 PM
	3760 N. FRANKLIN RD	DATE RECEIVED:	3/12/2025
	INDIANAPOLIS	TIME RECEIVED:	12:00 PM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date</u> <u>Extracted</u>	<u>Date</u> <u>Complete</u>	<u>Prep Method</u>
SAMPLE ID:	TW-3							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/13/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL
 NAME:
 PROJECT NO: 65040
 LOCATION: GPM #21569
 3760 N. FRANKLIN RD
 INDIANAPOLIS
 IN
 SAMPLED BY: BOBBY GLASSER/MCE

GTA PROJECT NO: 031225-3
 GTA SAMPLE NO: 12
 DATE SAMPLED: 3/10/2025
 TIME SAMPLED:
 DATE RECEIVED: 3/12/2025
 TIME RECEIVED: 12:00 PM

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
	SAMPLE ID: DUPLICATE (H20)							
	SAMPLE MATRIX: WATER							
	1-METHYLNAPHTHALENE EPA 8260B	ND	1.0	ug/L (PPB)	MR		3/13/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY:	MICHIGAN CONSULTING & ENVIRONMENTAL	GTA PROJECT NO:	031225-3
NAME:		GTA SAMPLE NO:	13
PROJECT NO:	65040	DATE SAMPLED:	3/9/2025
LOCATION:	GPM #21569	TIME SAMPLED:	3:00 PM
	3760 N. FRANKLIN RD	DATE RECEIVED:	3/12/2025
	INDIANAPOLIS	TIME RECEIVED:	12:00 PM
	IN		
SAMPLED BY:	BOBBY GLASSER/MCE		

ORGANICS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
SAMPLE ID:	BLANK							
SAMPLE MATRIX:	WATER							
1-METHYLNAPHTHALENE EPA 8260B		ND	1.0	ug/L (PPB)	MR		3/13/2025	EPA 5030B

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
 ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: MICHIGAN CONSULTING & ENVIRONMENTAL

NAME:
PROJECT NO: 65040

LOCATION: GPM #21569
3760 N. FRANKLIN RD
INDIANAPOLIS
IN

GTA PROJECT NO: 031225-3

SAMPLED BY: BOBBY GLASSER/MCE

DATE SAMPLED: 3/10/2025

SAMPLE MATRIX: SOIL

DATE RECEIVED: 3/12/2025

TIME RECEIVED: 12:00 PM

MOISTURE

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>
SAMPLE ID: SB-1 2-3' % MOISTURE EPA 3550C	7.2	0.10	% OF SAMPLE	AA	3/18/2025
SAMPLE ID: SB-1 7-8' % MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AA	3/18/2025
SAMPLE ID: SB-1 19-20' % MOISTURE EPA 3550C	10	0.10	% OF SAMPLE	AA	3/18/2025
SAMPLE ID: SB-2 10-11' % MOISTURE EPA 3550C	8.4	0.10	% OF SAMPLE	AA	3/18/2025
SAMPLE ID: SB-2 15-16' % MOISTURE EPA 3550C	9.9	0.10	% OF SAMPLE	AA	3/18/2025
SAMPLE ID: SB-3 11-12' % MOISTURE EPA 3550C	12	0.10	% OF SAMPLE	AA	3/18/2025
SAMPLE ID: SB-3 17-18' % MOISTURE EPA 3550C	9.2	0.10	% OF SAMPLE	AA	3/18/2025
SAMPLE ID: DUPLICATE (SOIL) % MOISTURE EPA 3550C	6.5	0.10	% OF SAMPLE	AA	3/18/2025

CHAIN OF CUSTODY

PROJECT NUMBER MCE #65040	SITE NAME/ADDRESS GPM #21569 / 3760 N. Franklin Rd., Indianapolis, IN 46226	COMPANY/NAME MCE
SAMPLED BY Bobby Glasser, Sr. Project Manager	COMPANY MCE	GTA PROJECT # 031225-3

SAMPLE INFORMATION *NOTE: Full QA/QC Report Required					
#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	SB-1 2-3'	03.10.25	10:20	Soil	VOCs, Naphthalene, 1-MN, & 2-MN
2	SB-1 7-8'	03.10.25	10:25	Soil	Same
3	SB-1 19-20'	03.10.25	10:35	Soil	Same
4	SB-2 10-11'	03.10.25	11:40	Soil	Same
5	SB-2 15-16'	03.10.25	11:55	Soil	Same
6	SB-3 11-12'	03.10.25	12:45	Soil	Same
7	SB-3 17-18'	03.10.25	12:55	Soil	Same
8	Duplicate (soil)	03.10.25	—	Soil	Same
9	TW-1	03.10.25	13:30	H ₂ O	Same
10	TW-2	03.10.25	13:50	H ₂ O	Same
11	TW-3	03.10.25	14:25	H ₂ O	Same
12	Duplicate (H ₂ O)	03.10.25	—	H ₂ O	Same
13	BLANK	03.09.25	15:00	H ₂ O	Same

BILL TO: Michigan Consulting & Environmental
2748 Garfield Road, Suite #10
Traverse City, MI 49686

REPORT TO: John Veldhuis: jveldhuis@michenv.com
Bobby Glasser: bglasser@michenv.com

ICE
3-7°C

RELEASED BY	DATE/TIME	RECEIVED BY	DATE/TIME
Bobby Glasser	03.10.25 / 20:00	* Placed into Cold Storage	BS
Bobby Glasser	03.11.25 / 16:15	* Packed in cooler + Delivered to UPS	BS
		Kirk Chas	3/12/25 3/12/25 12:00

REQUESTED TURNAROUND: STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS