



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: VCP MICHIGAN
Name:
ClientProj: 240055-1900
GTA ProjNo: 090225-1

Site Addr: ST. MAPLE GROVE 6-9

Sampled By: LEL/ECT
Date Rec: 9/2/2025
Time Rec: 3:25 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	MW-1	9/2/2025	12:55 PM	WATER
2	MW-2	9/2/2025	1:15 PM	WATER
3	MW-4	9/2/2025	2:00 PM	WATER
4	MW-4M	9/2/2025	2:35 PM	WATER
5	MW-5	9/2/2025	1:20 PM	WATER
6	MW-5M	9/2/2025	1:25 PM	WATER
7	MW-6	9/2/2025	1:50 PM	WATER
8	MW-7M	9/2/2025	2:20 PM	WATER
9	MW-7D	9/2/2025	2:10 PM	WATER
10	MW-9	9/2/2025	1:00 PM	WATER
11	MW-9M	9/2/2025	1:05 PM	WATER
12	MW-13M	9/2/2025	1:40 PM	WATER
13	RW-2	9/2/2025	1:30 PM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 1
 DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 12:55 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-1 CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 2
 DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 1:15 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-2	CHLORIDE EPA 300.0	28	10	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 3
 DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 2:00 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-4 CHLORIDE EPA 300.0	170	10	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 4

DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 2:35 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-4M CHLORIDE EPA 300.0	220	10	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 5
 DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 1:20 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID:	MW-5	23	10	mg/L (PPM)	KC/TR	9/11/2025	WATER
	CHLORIDE EPA 300.0						

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 6
 DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 1:25 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-5M CHLORIDE EPA 300.0	51	10	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 7

DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 1:50 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-6 CHLORIDE EPA 300.0	39	10	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 8
 DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 2:20 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-7M CHLORIDE EPA 300.0	11,000	1,000	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 9

DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 2:10 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-7D	CHLORIDE EPA 300.0	32	10	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 10

DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 1:00 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: MW-9	CHLORIDE EPA 300.0	ND	10	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 11
 DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 1:05 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-9M CHLORIDE EPA 300.0	7,300	1,000	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 12
 DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 1:40 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: MW-13M CHLORIDE EPA 300.0	100	10	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: VCP MICHIGAN
 PROJECT NO: 240055-1900
 LOCATION: ST. MAPLE GROVE 6-9

GTA PROJECT NO: 090225-1
 GTA SAMPLE NO: 13
 DATE SAMPLED: 9/2/2025
 TIME SAMPLED: 1:30 PM
 DATE RECEIVED: 9/2/2025
 TIME RECEIVED: 3:25 PM

SAMPLED BY: MI
 LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: RW-2 CHLORIDE EPA 300.0	3,000	100	mg/L (PPM)	KC/TR	9/11/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C

CHAIN OF CUSTODY

PROJECT NUMBER 240055-1900	SITE NAME/ADDRESS St. Maple Grove G-9	COMPANY/NAME VCP
SAMPLED BY LEL	COMPANY ECT	GTA PROJECT # 090225-1

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	MW-1	9-2-25	1255	W	Chlorides
2	MW-2	↓	1315	↓	↓
3	MW-4		1400		
4	MW-4M		1435		
5	MW-5		1320		
6	MW-5M		1325		
7	MW-6		1350		
8	MW-7M		1420		
9	MW-7D		1410		
10	MW-9		1300		
11	MW-9M		1305		
12	MW-13M	1340			
13	RW-2	1330			

BILL TO: VCP	TempRec: <input type="checkbox"/>	On Ice? <input type="checkbox"/> <input checked="" type="checkbox"/>	REPORT TO: Jeremy
------------------------	-----------------------------------	--	-----------------------------

RELEASED BY LEL	DATE/TIME 9/2/25 1525	RECEIVED BY K. O...	DATE/TIME 9/2/25 1525
---------------------------	---------------------------------	-------------------------------	---------------------------------

REQUESTED TAT STANDARD 1 BUSINESS DAY 2 BUSINESS DAYS 3 BUSINESS DAYS