



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: CORE ENERGY,LLC
Name:
ClientProj: 2021830005.01
GTA ProjNo: 052325-13

Site Addr: DOVER 36 CPF

Sampled By: T. ACKLER/GCES
Date Rec: 5/23/2025
Time Rec: 3:20 PM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	OW-1	5/23/2025	10:30 AM	WATER

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CORE ENERGY,LLC

PROJECT NO: 2021830005.01
LOCATION: DOVER 36 CPF

MI

SAMPLE MATRIX: WATER
SAMPLE ID: OW-1

GTA PROJECT NO: 052325-13
GTA SAMPLE NO: 1

DATE SAMPLED: 5/23/2025
TIME SAMPLED: 10:30 AM
DATE RECEIVED: 5/23/2025
TIME RECEIVED: 3:20 PM

SAMPLED BY: T. ACKLER/GCES

EPA 8260B VOLATILE ORGANICS

<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Extracted</u>	<u>Date Complete</u>	<u>Prep Method</u>
Benzene	2.7	1.0	ug/L (PPB)	MR		5/27/2025	EPA 5030B
Toluene	ND	1.0					
Ethylbenzene	ND	1.0					
Xylene(Total)	410	3.0					

SOIL/SOLIDS CONCENTRATIONS ARE DETERMINED ON A DRY WEIGHT BASIS.
ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION



INDEPENDENT TESTING LAB

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: CORE ENERGY,LLC
 PROJECT NO: 2021830005.01
 LOCATION: DOVER 36 CPF

GTA PROJECT NO: 052325-13
 GTA SAMPLE NO: 1
 DATE SAMPLED: 5/23/2025
 TIME SAMPLED: 10:30 AM
 DATE RECEIVED: 5/23/2025
 TIME RECEIVED: 3:20 PM

MI
 SAMPLED BY: T. ACKLER/GCES

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: OW-1						
CHLORIDE EPA 300.0	190	10	mg/L (PPM)	KC/TR	5/29/2025	WATER
CONDUCTIVITY SM2510-B	1,100	1.0	uS/cm@25C	TR	5/29/2025	WATER

ND = NOT DETECTED, RESULT < LOD
 LOD = LIMIT OF DETECTION
 s.u. = STANDARD pH UNITS REPORTED AT 25 C
 DISS = DISSOLVED

