

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

Company: REM
Name:
ClientProj: 240056-5800
GTA ProjNo: 061625-4

Site Addr: ELMES GLEWOLL & SENOY D4-15

Sampled By: LEL/ECT
Date Rec: 6/16/2025
Time Rec: 11:30 AM

Sample No.	Sample ID	Date Sampled	Time Sampled	Sample Matrix
1	F-1-16'	6/13/2025	2:20 PM	SOIL
2	F-2-9'	6/13/2025	1:40 PM	SOIL
3	F-3-10'	6/13/2025	12:40 PM	SOIL
4	SW-E1-2	6/12/2025	7:05 PM	SOIL
5	SW-W1-3	6/13/2025	11:25 AM	SOIL
6	SW-S1-3	6/13/2025	2:45 PM	SOIL
7	SW-N1-5	6/13/2025	1:30 PM	SOIL
8	SW-W2-5	6/13/2025	11:35 AM	SOIL
9	SW-W3-6.5	6/13/2025	11:45 AM	SOIL

ELECTRONIC SIGNATURE REPORT. This is a final report for the following pages of data for the samples specified above. All analysis was performed by the methods stated and all quality control measures required were completed. All quality control information is available upon request.

Kirk Chase

Kirk L. Chase/Chemist
Grand Traverse Analytical
830 Robinwood Court
Traverse City, MI 49686
Ph: 231-929-0905
Fx: 231-929-0894
SP: 231-590-0291
kirk@gtanalytical.com

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM
PROJECT NO: 240056-5800
LOCATION: ELMES GLEWOLL & SENOY D4-15

GTA PROJECT NO: 061625-4
GTA SAMPLE NO: 1

DATE SAMPLED: 6/13/2025
TIME SAMPLED: 2:20 PM
DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: F-1-16'

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
190	100	mg/Kg (PPM)	KC/AA	6/16/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM
PROJECT NO: 240056-5800
LOCATION: ELMES GLEWOLL & SENOY D4-15

GTA PROJECT NO: 061625-4
GTA SAMPLE NO: 2

DATE SAMPLED: 6/13/2025
TIME SAMPLED: 1:40 PM
DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: F-2-9'						
	CHLORIDE EPA 300.0	ND	100	mg/Kg (PPM)	KC/AA	6/16/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM
PROJECT NO: 240056-5800
LOCATION: ELMES GLEWOLL & SENOY D4-15

GTA PROJECT NO: 061625-4
GTA SAMPLE NO: 3

DATE SAMPLED: 6/13/2025
TIME SAMPLED: 12:40 PM
DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS**No: Analysis**

SAMPLE ID: F-3-10'

CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
730	110	mg/Kg (PPM)	KC/AA	6/16/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 240056-5800
LOCATION: ELMES GLEWOLL & SENOY D4-15

GTA PROJECT NO: 061625-4
GTA SAMPLE NO: 4

DATE SAMPLED: 6/12/2025
TIME SAMPLED: 7:05 PM
DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SW-E1-2						
	CHLORIDE EPA 300.0	15,000	570	mg/Kg (PPM)	KC/AA	6/16/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 240056-5800
LOCATION: ELMES GLEWOLL & SENOY D4-15

GTA PROJECT NO: 061625-4
GTA SAMPLE NO: 5

DATE SAMPLED: 6/13/2025
TIME SAMPLED: 11:25 AM
DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: SW-W1-3 CHLORIDE EPA 300.0	ND	110	mg/Kg (PPM)	KC/AA	6/16/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 240056-5800
LOCATION: ELMES GLEWOLL & SENOY D4-15

GTA PROJECT NO: 061625-4
GTA SAMPLE NO: 6

DATE SAMPLED: 6/13/2025
TIME SAMPLED: 2:45 PM
DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

No: Analysis

SAMPLE ID: SW-S1-3
CHLORIDE EPA 300.0

<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
ND	100	mg/Kg (PPM)	KC/AA	6/16/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM
PROJECT NO: 240056-5800
LOCATION: ELMES GLEWOLL & SENOY D4-15

GTA PROJECT NO: 061625-4
GTA SAMPLE NO: 7

DATE SAMPLED: 6/13/2025
TIME SAMPLED: 1:30 PM
DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

MI
SAMPLED BY: LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: SW-N1-5							
CHLORIDE EPA 300.0		ND	110	mg/Kg (PPM)	KC/AA	6/16/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 240056-5800
LOCATION: ELMES GLEWOLL & SENOY D4-15

GTA PROJECT NO: 061625-4
GTA SAMPLE NO: 8

DATE SAMPLED: 6/13/2025
TIME SAMPLED: 11:35 AM
DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

<u>No:</u> <u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
SAMPLE ID: SW-W2-5 CHLORIDE EPA 300.0	450	110	mg/Kg (PPM)	KC/AA	6/16/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

COMPANY: REM
PROJECT NO: 240056-5800
LOCATION: ELMES GLEWOLL & SENOY D4-15

GTA PROJECT NO: 061625-4
GTA SAMPLE NO: 9

DATE SAMPLED: 6/13/2025
TIME SAMPLED: 11:45 AM
DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

SAMPLED BY: MI
LEL/ECT

SAMPLE ANALYSIS

<u>No:</u>	<u>Analysis</u>	<u>Concentration</u>	<u>LOD</u>	<u>Units</u>	<u>Analyst</u>	<u>Date Completed</u>	<u>Sample Matrix</u>
	SAMPLE ID: SW-W3-6.5 CHLORIDE EPA 300.0	160	110	mg/Kg (PPM)	KC/AA	6/16/2025	SOIL

ND = NOT DETECTED, RESULT < LOD
LOD = LIMIT OF DETECTION
s.u. = STANDARD pH UNITS REPORTED AT 25 C

**INDEPENDENT TESTING LAB**

830 ROBINWOOD COURT, TRAVERSE CITY, MI 49686

PH: 231-929-0905

FAX: 231-929-0894

www.gtanalytical.com

COMPANY: REM
NAME:
PROJECT NO: 240056-5800

GTA PROJECT NO: 061625-4
SAMPLED BY: LEL/ECT

DATE SAMPLED: 6/13/2025

LOCATION: ELMES GLEWOLL & SENOY D4-15

MI

SAMPLE MATRIX: SOIL

DATE RECEIVED: 6/16/2025
TIME RECEIVED: 11:30 AM

MOISTURE

No: Analysis	Concentration	LOD	Units	Analyst	Date Completed
SAMPLE ID: F-1-16' % MOISTURE EPA 3550C	6.9	0.10	% OF SAMPLE	AA	6/16/2025
SAMPLE ID: F-2-9' % MOISTURE EPA 3550C	4.7	0.10	% OF SAMPLE	AA	6/16/2025
SAMPLE ID: F-3-10' % MOISTURE EPA 3550C	4.3	0.10	% OF SAMPLE	AA	6/16/2025
SAMPLE ID: SW-E1-2 % MOISTURE EPA 3550C	11	0.10	% OF SAMPLE	AA	6/16/2025
SAMPLE ID: SW-W1-3 % MOISTURE EPA 3550C	8.1	0.10	% OF SAMPLE	AA	6/16/2025
SAMPLE ID: SW-S1-3 % MOISTURE EPA 3550C	4.2	0.10	% OF SAMPLE	AA	6/16/2025
SAMPLE ID: SW-N1-5 % MOISTURE EPA 3550C	4.7	0.10	% OF SAMPLE	AA	6/16/2025
SAMPLE ID: SW-W2-5 % MOISTURE EPA 3550C	6.4	0.10	% OF SAMPLE	AA	6/16/2025
SAMPLE ID: SW-W3-6.5 % MOISTURE EPA 3550C	4.2	0.10	% OF SAMPLE	AA	6/16/2025

CHAIN OF CUSTODY

PROJECT NUMBER 240056-5800	SITE NAME/ADDRESS Elmes Glewoll & Searcy DY-15	COMPANY/NAME REM
SAMPLED BY Logan LaCross	COMPANY ECT	GTA PROJECT # 061625-4

SAMPLE INFORMATION

#	SAMPLE ID	DATE SAMPLED	TIME	MATRIX	ANALYSIS
1	F-1-16'	6-13-25	1420	S	CL-
2	F-2-9'	6-13-25	1340	F	
3	F-3-10'	6-13-25	1240		
4	SW-EL-2	6-12-25	1905		
5	SW-W1-3	6-13-25	1125		
6	SW-SI-3	6-13-25	1445		
7	SW-N1-5	6-13-25	1330		
8	SW-W2-5	6-13-25	1135		
9	SW-W3-6.5	6-13-25	1145	✓	✓

BILL TO: REM	TempRec: ☐ Y ☐ N	On Ice? ☐ ☐	REPORT TO: Lisa
------------------------	--	---	---------------------------

RELEASED BY LEL	DATE/TIME 6/12 2230	RECEIVED BY Sample Storage	DATE/TIME 6/12/25 2230
LEL	6/16/25 1130	R. C.	6/16/25 1130

REQUESTED TAT ☐ STANDARD ☒ 1 BUSINESS DAY ☐ 2 BUSINESS DAYS ☐ 3 BUSINESS DAYS